

## **I HEMATOLOGY AND BIOCHEMISTRY**

Conversions

Psittaciformes

Various Species

Columbiformes

Galliformes

Anseriformes

Ratites

## **II CLASS AVES:**

A LIST OF ORDERS, COMMON  
AND SCIENTIFIC NAMES

## **III DETERMINATION OF METABOLIC SCALING**



# **APPENDIX**

# Hematology and Biochemistry

## CONVERSIONS

### Conversion Factors: SI Units/ Gravimetric Units

Analyte	To convert		Multiply by	To convert		Multiply by
	From	To		From	To	
Albumin	g/dl	g/l	10.0	g/l	g/dl	0.1
Ammonia	μg/dl	μmol/l	0.5871	μmol/l	μg/dl	1.7
Bilirubin	mg/dl	μmol/l	17.1	μmol/l	mg/dl	0.059
Calcium	mg/dl	mmol/l	0.25	mmol/l	mg/dl	4.0
Chloride	mEq/l	mmol/l	1.0	mmol/l	mEq/l	1.0
Chloride	mg/dl	mmol/l	0.272	mmol/l	mg/dl	3.5
Cholesterol	mg/dl	mmol/l	0.02586	mmol/l	mg/dl	38.7
Corticosterone	μg/dl	nmol/l	28.9	nmol/l	mg/dl	0.0346
Cortisol	μg/dl	nmol/l	27.59	nmol/l	mg/dl	0.0362
Creatinine	mg/dl	μmol/l	88.4	μmol/l	mg/dl	0.0113
Globulin	mg/dl	g/l	10.0	g/l	mg/dl	0.1
Glucose	mg/dl	mmol/l	0.05551	mmol/l	mg/dl	18.0
Insulin	μU/ml	pmol/l	7.175	pmol/l	μU/ml	0.1296
Iron	μg/dl	μmol/l	0.1791	μmol/l	μg/dl	5.58
Lead	μg/dl	μmol/l	0.04826	μmol/l	μg/dl	20.72
Magnesium	mEq/l	mmol/l	0.5	mmol/l	mEq/l	2.0
Magnesium	mg/dl	mmol/l	0.4114	mmol/l	mg/dl	2.43
Phosphate (inorganic)	mg/dl	mmol/l	0.3229	mmol/l	mg/dl	3.097
Potassium	mEq/l	mmol/l	1.0	mmol/l	mEq/l	1.0
Pressure	mmHg	Pa (pascal)	0.1333	Pa (pascal)	mmHg	7.5
Progesterone	ng/dl	nmol/l	0.032	nmol/l	ng/dl	31.25
Protein	g/dl	g/l	10.0	g/l	g/dl	1.0
Sodium	mEq/l	mmol/l	1.0	mmol/l	mEq/l	1.0
Thyroxine	μg/dl	nmol/l	12.87	nmol/l	μg/dl	0.0777
Triglycerides	mg/dl	mmol/l	0.01129	mmol/l	mg/dl	88.5
Urea	mg/dl	mmol/l	0.167	mmol/l	mg/dl	6.0
Urea nitrogen (BUN)	mg/dl	mmol/l	0.7140	mmol/l	mg/dl	1.4
Urea nitrogen (BUN)	mg/dl	mmol urea/l	0.3670	mmol urea/l	mg/dl	2.72
Uric acid	mg/dl	mmol/l	59.48	mmol/l	mg/dl	0.0168

With the increasing exchange of knowledge between the United States, Europe and other parts of the world with regard to avian clinical chemistry, it is imperative that a uniform system of units be used to avoid confusion. The World Health Assembly recommended the International System of Units (SI, Systeme International d'Unites) for the health professions in 1977. The SI is the result of many decades of international efforts to develop a universally acceptable system. In many countries and many scientific journals, the use of the SI system is mandatory. It seems that the SI has gained more acceptance in European countries than in the USA. Many American veterinary journals still use conventional units (Journal of the Association of Avian Veterinarians) or a mixture of conventional and SI units (Avian Dis-

eases) while European journals use the SI system (Avian Pathology). Until the SI system is used in all scientific papers and handbooks conversion factors are indispensable.

This table is not complete and further information may be obtained from: Units, Symbols and Abbreviations. London, Royal Society of Medicine Services, 1988, ISBN 0905958780.

In the American veterinary literature the units of weight, temperature and pressure used are often different from SI (derived) units and therefore conversion factors for these quantities will also be given.

## PSITTACIFORMES

### Reference Values for Selected Psittacine Species

Parameter	Budgerigar	African Grey Parrot	Amazon Parrot	Cockatoo	Macaw
TP g/100ml	2.0-3.0	2.6-4.9	3.3-5.3	2.8-4.3	2.5-4.4
Ca mg/100ml	6.4-11.2	7.0-9.5	7.5-9.7	7.6-8.9	6.8-9.9
P mmol/l	0.9-1.9	1.0-5.2	0.8-3.4	1.0-3.6	1.3-4.8
Uric acid mg/100ml	3.0-8.6	3.1-7.0	1.3-5.6	3.5-9.3	2.9-8.5
Crea mg/100ml	0.1-0.4	0.1-0.4	0.1-0.4	0.1-0.4	0.1-0.4
AST U/l	55-154	28-200	35-200	32-180	45-125
ALT U/l	5-20	2-21	4-13	5-12	5-15
LDH U/l	154-271	105-420	65-420	130-353	65-400
CK U/l	54-252	71-408	64-322	27-253	39-384
AP U/l	54-326	24-94	93-311	32-171	25-152
Amyl U/l	187-582	211-519	106-524		276-594
Glu mg/100ml	254-399	224-308	221-300	209-318	230-326
Chol mg/100ml	172-286	217-330	181-310		108-200
Trig mg/100ml	109-271	51-140	59-200		67-125
K mmol/l	2.2-3.7	2.2-3.5	2.1-3.3		2.1-4.5
Na mmol/l	139-159	146-167	127-158		133-160
Cl mmol/l	95-144	110-128	97-127		97-126

Kodak Ektachem®-25°C

Hochleithner M: Reference values for selected psittacine species using a dry chemistry system. J Assoc Avian Vet 3(4):207-209, 1989.

### Reference Values in Psittaciformes

Parameter	African Grey Parrot	Amazon Parrot	Cockatoo	Macaw
Urea mmol/l	0.7-2.4	0.9-4.6	0.8-2.1	0.3-3.3
Creatinine $\mu$ mol/l	23-40	19-33	21-36	20-59
Uric acid $\mu$ mol/l	93-414	72-312	190-327	109-231
Urea:Uric acid ratio	2.4:15.6	4.4:33	2.7:8.9	5:28
Osmolality mOsm/kg	320-347	316-373	317-347	319-378
Sodium mmol/l	154-164	149-164	152-164	150-175
Potassium mmol/l	2.5-3.9	2.3-4.2	3.2-4.9	1.9-4.1
Ca mmol/l	2.1-2.6	2.0-2.8	2.2-2.7	2.2-2.8
Glucose mmol/l	11.4-16.1	12.6-16.9	12.8-17.6	12.0-17.9
AST U/l	54-155	57-194	52-203	58-206
ALT U/l	12-59	19-98	12-37	22-105
GGT U/l	1-3.8	1-10	2-5	<1-5
LDH U/l	147-348	46-208	203-442	66-166
CPK U/l	123-875	45-265	34-204	61-531
Bile acids $\mu$ mol/l	18-71	19-144	23-70	25-71
TP g/l	32-44	33-50	35-44	33-53
Albumin:Globulin ratio	1.4:4.7	2.6:7.0	1.5:4.3	1.4:3.9

Recommendations of the German Society for Clinical Chemistry Enzymes 30°C

Lumeij JT, Overduin LM: Plasma chemistry reference values in psittaciformes. Avian Pathol 19:235-244, 1990.

### Serum Biochemical Methods (37°C) Used in Determining Reference Values in Psittaciformes

Parameter	Method
Albumin	Modified Doumas Method (Bovine Standard)
ALP	Mod. Bowers and McComb
ALT	Mod. IFCC
AST	Mod. IFCC
T. Bili	Mod. Walters and Gerarde
BUN	Mod. Talke and Schubert
Calcium	Mod. Connerty and Briggs
Chloride	Mod. Schoenfeld and Lewellen
Cholesterol	Enzymatic Method
CK	Mod. Oliver and Rosalki
Creatinine	Kinetic Jaffe
GGT	Mod. Szasz
Glucose	Trinder Glucose (Gilford Reagent)
LDH	Mod. Wacker
Phosphorus	Mod. Daly and Ertingshausen
Total CO <sub>2</sub>	Enzymatic PEPC
Total Protein	Mod. Biuret
Triglyceride	Mod. Fossati and Prencipe
Uric Acid	Mod. Fossati
Sodium	Ion Selective Electrode
Potassium	Ion Selective Electrode

From Clubb SL, et al: J Assoc Avian Vet 4(4):222, 1990.

### Serum Biochemical Values for Juvenile Eclectus Parrots

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean (SD)
NA (mEq/L)	141 (2)	154 (3)	148 (6)
K (mEq/L)	2.9 (1.0)	2.7 (0.6)	2.8 (0.7)
CL (mEq/L)	105 (3)	115 (3)	111 (5)
CA (mg/dl)	9.5 (0.5)	9.1 (0.4)	9.3 (0.4)
PHOS (mg/dl)	7.9 (0.8)	5.7 (0.9)	6.8 (1.2)
UREA (mg/dl)	1.5 (2.3)	2.0 (3.1)	1.7 (2.4)
CREAT (mg/dl)	0.3 (0.1)	0.4 (0.1)	0.4 (0.1)
UA (mg/dl)	0.8 (0.9)	3.9 (1.5)	2.0 (1.6)
CHOL (mg/dl)	181 (43)	300 (69)	268 (80)
GLUCOSE (mg/dl)	249 (16)	265 (19)	258 (18)
LDH (IU/L)	235 (145)	268 (70)	228 (101)
AST (IU/L)	85 (21)	216 (47)	140 (58)
ALT (IU/L)	4 (3)	7 (3)	4 (3)
ALP (IU/L)	421 (85)	565 (217)	489 (159)
GGT (IU/L)	5 (2)	2 (1)	4 (2)
CK (IU/L)	555 (164)	643 (262)	616 (472)
TP (g/dl)	2.6 (0.4)	2.9 (0.4)	2.9 (0.5)
ALB (g/dl)	1.2 (0.2)	1.3 (0.2)	1.3 (0.3)
GLOB (g/dl)	1.3 (0.3)	1.6 (0.3)	1.5 (0.3)
A:G (ratio)	0.9 (0.1)	0.8 (0.1)	0.9 (0.2)
ALB (Elect) (g/dl)	1.8 (0.5)	2.1 (0.4)	2.2 (0.4)
GLOB (Elect) (g/dl)	0.7 (0.2)	0.7 (0.2)	0.8 (0.2)

From Clubb SL, et al: J Assoc Avian Vet, 4(4):224, 1990.

### Hematology Values for Juvenile Eclectus Parrots

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean(SD)
RBC (x 10 <sup>6</sup> /μl)	1.95 (0.28)	3.22 (0.51)	2.69 (0.67)
HB (g/dl)	8.83 (1.15)	15.42 (2.38)	12.46 (3.01)
HCT (%)	33.7 (4.4)	53.8 (3.0)	43.8 (8.4)
MCV (fl)	174 (25)	169 (27)	166 (26)
MCH (pg)	43.9	49.1 (9.9)	45.5 (10.7)
MCHC (g/dl)	261 (2.5)	28.7 (4.1)	27.7 (5.0)
WBC (cells/μl)	18500 (6900)	10900 (3700)	13700 (6300)
WBC Est (cells/μl)	17000 (6000)	10500 (4000)	13500 (6000)
BANDS (%)	0.2 (1.1)	0.4 (0.9)	0.5 (1.5)
HET (%)	62.8 (7.7)	52.1 (10.2)	53.9 (11.4)
LYMPH (%)	30.4 (6.3)	40.8 (10.4)	39.5 (11.5)
MONO (%)	5.5 (3.0)	5.2 (2.7)	5.0 (2.7)
EOS (%)	0.0 (0.0)	0.1 (0.4)	0.1 (0.3)
BASO (%)	1.2 (1.0)	1.5 (1.0)	1.1 (1.0)
BAND # (cells/μl)	34 (188)	48 (111)	70 (221)
HET # (cells/μl)	11800 (5400)	5900 (2800)	7700 (4800)
LYMPH # (cells/μl)	5500 (2100)	4200 (1200)	5100 (2000)
MONO # (cells/μl)	930 (520)	532 (331)	639 (428)
EOS # (cells/μl)	0	9 (43)	8 (44)
BASO # (cells/μl)	209 (199)	175 (158)	152 (169)
HET: LYMPH (ratio)	2.2 (0.8)	1.4 (0.6)	1.6 (0.8)
PP (Refrac) (g/dl)	2.8 (0.6)	3.9 (0.6)	3.5 (0.8)

From Clubb SL, et al: J Assoc Avian Vet 4(4):223, 1990.

**Hematology Values for Juvenile Cockatoos**

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean (SD)
RBC # (x 10 <sup>6</sup> /μl)	196.0(0.22) <sup>a</sup>	2.84 (0.49) <sup>b</sup>	2.53 (0.63)
HB (g/dl)	8.12 (0.83) <sup>a</sup>	14.04 (1.23) <sup>c</sup>	11.43 (2.90)
HCT (%)	30.1 (2.8) <sup>a</sup>	47.6 (4.1) <sup>c</sup>	39.7 (9.0)
MCV (fl)	155 (17) <sup>a</sup>	172 (28) <sup>b</sup>	160 (23)
MCH (pg)	38.9 (11.7) <sup>a</sup>	49.0 (12.9) <sup>b</sup>	43.8 (10.8)
MCHC (g/dl)	24.6 (7.9) <sup>a</sup>	28.5 (6.2) <sup>bc</sup>	27.2 (6.1)
WBC# (cells/μl)	13700 (7400) <sup>a</sup>	10000(2800) <sup>b</sup>	12900(6300)
WBC Est (cells/μl)	13200 (6700) <sup>a</sup>	10400 (2800) <sup>b</sup>	13100 (5900)
BAND (%)	1.3 (2.3) <sup>ab</sup>	1.3 (2.3) <sup>ab</sup>	1.3 (2.3)
HET (%)	54.8 (9.7) <sup>a</sup>	49.0 (8.1) <sup>b</sup>	50.8 (11.7)
LYMPH (%)	36.4 (8.1) <sup>a</sup>	43.6 (8.4) <sup>b</sup>	41.2 (11.9)
MONO (%)	6.9 (3.4) <sup>a</sup>	4.9 (3.4) <sup>bc</sup>	5.8 (3.4)
EOS (%)	0 (0)	0 (0.2)	0 (0)
BASO (%)	0.6 (0.9) <sup>ac</sup>	1.2 (1.1) <sup>b</sup>	0.9 (1.1)
BAND # (cells/μl)	150 (275) <sup>a</sup>	130 (290) <sup>a</sup>	160 (325)
HET # (cells/μl)	7800 (5000) <sup>a</sup>	4400 (2200) <sup>b</sup>	6500 (4500)
LYMPH # (cells/μl)	4900 (2600) <sup>a</sup>	3900 (2000) <sup>a</sup>	4900 (2500)
MONO # (cells/μl)	880 (530) <sup>a</sup>	440 (450) <sup>a</sup>	690 (525)
EOS # (cells/μl)	0 (0)	0 (0)	0 (0)
BASO # (cells/μl)	67 (130) <sup>a</sup>	115 (130) <sup>a</sup>	100 (140)
HET: LYMPH (ratio)	1.6 (0.6) <sup>a</sup>	1.2 (0.4) <sup>b</sup>	1.4 (0.8)
PP Est (Refrac) (g/dl)	2.3 (0.5) <sup>a</sup>	4.0 (0.8) <sup>b</sup>	3.2 (0.9)

a,b,c = Values for parameters are statistically different (P<0.05) when letters are different.

From Clubb SL, et al: J Assoc Avian Vet 5(1):20, 1991.

**Hematology Values for Juvenile Umbrella Cockatoos**

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean
RBC #(x 10 <sup>6</sup> /μl)	1.98 (0.51) <sup>n</sup>	2.75 (0.49) <sup>n</sup>	2.54
HB (g/dl)	7.9 (1.64) <sup>n</sup>	14 (0.92) <sup>n</sup>	11.6
HCT (%)	29.5 (5.65) <sup>n</sup>	46.9 (2.92) <sup>n</sup>	39.3
MCV (fl)	151 (25.6) <sup>n</sup>	175 (28.5) <sup>n</sup>	158.0
MCH (pg)	35.3 (10.03) <sup>n</sup>	51.9 (8.57) <sup>n</sup>	43.6
MCHC (g/dl)	21.8 (10.5) <sup>n</sup>	29.9 (1.1) <sup>n</sup>	27.0
WBC # (cells/μl)	20311 (5717) <sup>s</sup>	10238 (3368) <sup>n</sup>	16567.0
WBC Est (cells/μl)	19190 (5127) <sup>s</sup>	10500 (3184) <sup>n</sup>	16412.0
BAND (%)	1 (2.57) <sup>n</sup>	1.93 (2.76) <sup>n</sup>	1.31
HET (%)	58.4 (11.4) <sup>s</sup>	50 (9.7) <sup>n</sup>	54.1
LYMPH (%)	34.4 (11.5) <sup>n</sup>	41.2 (9.9) <sup>n</sup>	38.1
MONO (%)	5.77 (3.1) <sup>n</sup>	5.29 (3.27) <sup>n</sup>	5.35
EOS (%)	0(0.14) <sup>n</sup>	0.07 (0.27) <sup>n</sup>	0.02
BASO (%)	0.45 (1.05) <sup>n</sup>	1.43 (0.94) <sup>n</sup>	1.03
BAND # (cells/μl)	185 (331) <sup>n</sup>	192 (368) <sup>n</sup>	202.0
HET # (cells/μl)	12041 (4993) <sup>s</sup>	4465 (2595) <sup>n</sup>	8917.0
LYMPH # (cells/μl)	6893 (2581) <sup>s</sup>	3663 (2076) <sup>n</sup>	5695.0
MONO # (cells/μl)	1118 (624) <sup>s</sup>	492 (529) <sup>n</sup>	843.0
EOS # (cells/μl)	0 (0) <sup>n</sup>	0 (0) <sup>n</sup>	0.00011
BASO # (cells/μl)	83 (181) <sup>n</sup>	137 (135) <sup>n</sup>	143.0
HET: LYMPH (ratio)	1.83 (1.05) <sup>n</sup>	1.33 (0.54) <sup>n</sup>	1.64
PP Est (Refrac) (g/dl)	2.69 (0.71) <sup>s</sup>	4.26 (0.55) <sup>n</sup>	3.56

s = Mean is statistically different (P<0.05) from the same parameter in all juvenile cockatoos.

n = Mean is not statistically different (P<0.05) from the same parameter in all juvenile cockatoos.

From: Clubb SL, et al: J Assoc Avian Vet 5(1):20, 1991.

## Serum Biochemical Values for Juvenile Cockatoos

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean (SD)
NA (mEq/l)	139 (3) <sup>a</sup>	150 (3) <sup>c</sup>	145 (6)
K (mEq/l)	4.0 (0.8) <sup>a</sup>	3.1 (0.4) <sup>b</sup>	3.6 (0.7)
CL (mEq/l)	105 (4) <sup>a</sup>	115 (4) <sup>c</sup>	110 (6)
CA (mg/dl)	9.2 (0.6) <sup>a</sup>	9.5 (1.0) <sup>ab</sup>	9.6 (0.7)
PHOS (mg/dl)	7.0 (0.6) <sup>a</sup>	5.1 (1.0) <sup>c</sup>	6.1 (1.1)
UREA (mg/dl)	1.6 (1.9) <sup>a</sup>	2.6 (2.5) <sup>b</sup>	2.0 (2.2)
CREAT (mg/dl)	0.31 (0.06) <sup>a</sup>	0.42 (0.07) <sup>ab</sup>	0.4 (0.1)
UA (mg/dl)	1.2 (0.9) <sup>a</sup>	5.1 (1.8) <sup>c</sup>	2.9 (2.3)
CHOL (mg/dl)	165 (32) <sup>a</sup>	350 (122) <sup>b</sup>	251 (105)
GLU (mg/dl)	247 (20) <sup>a</sup>	249 (29) <sup>a, b</sup>	253 (24)
LDH (U/l)	393 (348) <sup>a</sup>	367 (218) <sup>a</sup>	371 (285)
AST (U/l)	98 (54) <sup>a</sup>	195 (73) <sup>c</sup>	143 (79)
ALT (U/l)	2 (2) <sup>a</sup>	3 (3) <sup>ab</sup>	2 (3)
ALP (U/l)	593 (202) <sup>a</sup>	478 (167) <sup>c</sup>	579 (239)
GGT (U/l)	2.35 (1.75) <sup>a</sup>	2.79 (1.54) <sup>ac</sup>	2.55 (1.67)
CK (U/l)	595 (205) <sup>a</sup>	368 (156) <sup>b</sup>	510 (235)
TP (g/dl)	2.2 (0.4) <sup>a</sup>	3.1 (0.6) <sup>b</sup>	2.8 (0.7)
ALB (g/dl)	0.8 (0.2) <sup>a</sup>	1.2 (0.3) <sup>b</sup>	1.1 (0.3)
GLOB (g/dl)	1.3 (0.4) <sup>a</sup>	1.9 (0.4) <sup>b</sup>	1.7 (0.5)
A:G (ratio)	0.6 (0.2) <sup>ab</sup>	0.6 (0.1) <sup>b</sup>	0.6 (0.2)
PRE ALB (g/dl)	0.4 (0.1) <sup>a</sup>	0.5 (0.2) <sup>b</sup>	0.5 (0.2)
ALB (Elect) (g/dl)	1.1 (0.3) <sup>a</sup>	1.7 (0.5) <sup>bc</sup>	1.5 (0.5)
ALPHA GLOB (g/dl)	0.2 (0.1) <sup>a</sup>	0.3 (0.2) <sup>c</sup>	0.2 (0.1)
BETA GLOB (g/dl)	0.3 (0.2) <sup>a</sup>	0.3 (0.1) <sup>a</sup>	0.3 (0.1)
GAMMA GLOB (g/dl)	0.2 (0.1) <sup>a</sup>	0.3 (0.1) <sup>b</sup>	0.3 (0.1)

a,b,c = Values for parameters are statistically different (P) when letters are different.

From Clubb SL, et al: J Assoc Avian Vet 5(1):23, 1991.

## Serum Biochemical Values for Juvenile Umbrella Cockatoos

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean
NA (mEq/l)	139 (1.78) <sup>s</sup>	149 (2.33) <sup>n</sup>	145
K (mEq/l)	4.23 (0.57) <sup>n</sup>	3.13 (0.44) <sup>n</sup>	3.54
CL (mEq/l)	107 (2.8) <sup>s</sup>	115 (3.2) <sup>n</sup>	111
CA (mEq/l)	9.64 (0.39) <sup>s</sup>	9.43 (1.28) <sup>n</sup>	9.77
PHOS (mg/dl)	6.5 (0.44) <sup>s</sup>	4.7 (0.87) <sup>n</sup>	5.55
UREA (mg/dl)	1 (1.78) <sup>n</sup>	1.94 (2.41) <sup>s</sup>	1.61
CREAT (mg/dl)	0.34 (0.07) <sup>n</sup>	0.33 (0.04) <sup>s</sup>	0.37
UA (mg/dl)	0.83 (0.36) <sup>s</sup>	4.95 (1.68) <sup>n</sup>	2.73
CHOL (mg/dl)	180 (37.1) <sup>s</sup>	427 (70.3) <sup>s</sup>	291
GLU (mg/dl)	244 (18.03) <sup>n</sup>	236 (28.24) <sup>s</sup>	244
LDH (U/l)	326 (394) <sup>n</sup>	341 (174) <sup>n</sup>	325
AST (U/l)	84 (17.7) <sup>n</sup>	187 (39.2) <sup>n</sup>	136
ALT (U/l)	1.8 (1.7) <sup>n</sup>	2.69 (1.58) <sup>n</sup>	2.11
ALP (U/l)	426 (100) <sup>s</sup>	404 (104) <sup>s</sup>	440
GGT (U/l)	1.95 (1.73) <sup>n</sup>	2.81 (1.33) <sup>n</sup>	2.66
CK (U/l)	629 (193) <sup>n</sup>	395 (115) <sup>n</sup>	517
TP (g/dl)	2.47 (0.41) <sup>s</sup>	3.25 (0.59) <sup>n</sup>	3.03
A:G (ratio)	0.6 (0.1)	0.62 (0.08)	0.64
PRE ALB (g/dl)	0.43 (0.12) <sup>n</sup>	0.49 (0.13) <sup>n</sup>	0.45
ALB (Elect)(g/dl)	1.27 (0.27) <sup>s</sup>	1.86 (0.35) <sup>n</sup>	1.69
ALPHA GLOB (g/dl)	0.17 (0.05) <sup>n</sup>	0.29 (0.19) <sup>n</sup>	0.26
BETA GLOB (g/dl)	0.39 (0.16) <sup>n</sup>	0.34 (0.14) <sup>n</sup>	0.38
GAMMA GLOB (g/dl)	0.23 (0.06) <sup>n</sup>	0.31 (0.11) <sup>n</sup>	0.29

s = Mean is statistically different ( $\geq$ ) from the same parameter in all juvenile cockatoos.

n = Mean is not statistically different ( $\leq$ ) from the same parameter in all juvenile cockatoos.

From Clubb SL, et al: J Assoc Avian Vet 5(1):22, 1991.

## HEMATOLOGY AND BIOCHEMISTRY PSITTACIFORMES

## Hematology Values for Juvenile Macaws

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean (SD)
RBC# (x 10 <sup>6</sup> /μl)	1.9 (0.3) <sup>a</sup>	3.7 (0.5) <sup>c</sup>	2.9 (0.8)
HB (g/dl)	7.7 (0.9) <sup>a</sup>	15.4(1.0) <sup>c</sup>	12.3(3.3)
HCT (%)	30.9(3.3) <sup>a</sup>	49.5(2.5) <sup>c</sup>	41.7(8.4)
MCV (fl)	165.5(25.4) <sup>a</sup>	137(19.2) <sup>c</sup>	149 (24.7)
MCH (pg)	41.7 (6.1) <sup>a</sup>	42.8(5.8) <sup>a</sup>	42.3 (6.2)
MCHC (g/dl)	25.1 (1.9) <sup>a</sup>	31.1(1.3) <sup>b</sup>	28.7 (2.9)
WBC (cells/μl)	19300 (8300) <sup>ab</sup>	17700 (4900) <sup>b</sup>	19200 (6900)
WBC Est (cells/μl)	17700 (5100) <sup>ab</sup>	18300 (4500) <sup>ab</sup>	18600 (5880)
BANDS (%)	0.8 (1.6) <sup>a</sup>	0.3(1.2) <sup>a</sup>	0.6 (1.7)
HET (%)	58.9 (11.1) <sup>a</sup>	53.9 (9.4) <sup>ab</sup>	55.3 (10)
LYMPH (%)	33.8(9.7) <sup>a</sup>	41.6 (9.6) <sup>bc</sup>	39.0 (10)
MONO (%)	5.9 (3.3) <sup>a</sup>	3.6 (2.0) <sup>b</sup>	4.4 (2.9)
EOS (%)	0 (0) <sup>a</sup>	0.1 (0.2) <sup>a</sup>	0 (0.2)
BASO (%)	0.7 (0.9) <sup>a</sup>	0.6 (1.2) <sup>ab</sup>	0.5 (1.0)
BANDS # (cells/μl)	134 (344) <sup>a</sup>	59(230) <sup>a</sup>	110 (313)
HET # (cells/μl)	10200 (7600) <sup>ab</sup>	9400 (4000) <sup>bc</sup>	10100 (5800)
LYMPH # (cells/μl)	5500 (3100) <sup>a</sup>	7000 (2500) <sup>b</sup>	6800 (3200)
MONO # (cells/μl)	910 (643) <sup>a</sup>	627 (418) <sup>b</sup>	750 (545)
EOS # (cells/μl)	0 (0) <sup>a</sup>	9.3 (51) <sup>a</sup>	4.6 (35)
BASO # (cells/μl)	115 (190) <sup>a</sup>	75 (165) <sup>ab</sup>	91 (175)
HET: LYMPH (ratio)	2.0 (1.0) <sup>ab</sup>	1.4 (0.6) <sup>bc</sup>	1.6 (0.8)
PP (refrac) (g/dl)	1.8 (0.40) <sup>a</sup>	3.5 (0.4) <sup>c</sup>	2.9 (0.8)

a,b,c = Values for parameters are statistically different (P<0.05) when letters are different.

From Clubb SL, et al: J Assoc Avian Vet 5(3):159, 1991.

## Hematology Values for Juvenile Blue and Gold Macaws

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean (SD)
RBC #(x 10 <sup>6</sup> /μl)	1.9 (0.3) <sup>an</sup>	3.5 (0.4) <sup>cn</sup>	2.7 (0.7)
HB (g/dl)	7.9 (0.9) <sup>an</sup>	15 (0.9) <sup>cs</sup>	11 (2.9)
HCT (%)	30 (2.7) <sup>an</sup>	48 (2.0) <sup>cs</sup>	40 (7.7)
MCV (fl)	163 (27) <sup>an</sup>	137 (14) <sup>bn</sup>	149 (22)
MCH (pg)	43 (7.1) <sup>an</sup>	41 (3.7) <sup>an</sup>	38 (13)
MCHC (g/dl)	26 (1.6) <sup>an</sup>	31 (1.4) <sup>cn</sup>	25 (9.5)
WBC # (cells/μl)	19200 (5600) <sup>an</sup>	16600 (4300) <sup>bn</sup>	18928 (5561)
WBC Est (cells/μl)	18300 (5600)	16800 (4300)	18300 (5600)
BAND (%)	0.36 (1.3) <sup>an</sup>	0 (0) <sup>an</sup>	0.12 (0.7)
HET (%)	57 (11.6) <sup>an</sup>	48 (11) <sup>an</sup>	52 (10)
LYMPH (%)	37 (10) <sup>an</sup>	47 (11) <sup>cn</sup>	42 (10)
MONO (%)	5.3 (2.9) <sup>an</sup>	3.8 (2.2) <sup>an</sup>	4.3 (2.7)
EOS (%)	0 (0) <sup>an</sup>	0 (0) <sup>an</sup>	0 (0)
BASO (%)	0.9 (1.1) <sup>an</sup>	1.1 (1.7) <sup>an</sup>	0.9 (1.3)
BANDS # (cells/μl)	0.36 (1.3) <sup>an</sup>	0 (0) <sup>an</sup>	0.12 (0.7)
HET # (cells/μl)	11000 (4600) <sup>an</sup>	8100 (3000) <sup>an</sup>	10000 (3800)
LYMPH # (cells/μl)	7000 (2600) <sup>an</sup>	7700 (2600) <sup>bn</sup>	8000 (3100)
MONO # (cells/μl)	949 (498) <sup>an</sup>	639 (421) <sup>an</sup>	756 (446)
EOS # (cells/μl)	0 (0) <sup>an</sup>	0 (0) <sup>an</sup>	0 (0)
BASO # (cells/μl)	194 (245) <sup>an</sup>	156 (256) <sup>an</sup>	154 (229)
HET: LYMPH (ratio)	1.75 (0.85) <sup>an</sup>	1.19 (0.77) <sup>an</sup>	1.38 (0.69)
PP Est (refrac) (g/dl)	1.87 (0.2) <sup>an</sup>	3.62 (0.5) <sup>cn</sup>	2.86 (0.8)

a,b,c = Values for parameters are statistically different (P<0.05) when letters are different.

s = Mean is statistically different (P<0.05) from the same parameter in all juvenile macaws.

n = Mean is not statistically different (P<0.05) from the same parameter in all juvenile macaws.

From: Clubb SL, et al: J Assoc Avian Vet 5(3):159, 1991.

**Serum Biochemistry Values for Juvenile Macaws**

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean (SD)
NA (mEq/L)	137 (1.4) <sup>a</sup>	151.1 (2.5) <sup>c</sup>	145 (6.2)
K (mEq/L)	3.3 (0.5) <sup>a</sup>	2.7 (1.0) <sup>b</sup>	2.9 (0.8)
CL (mEq/L)	101 (4) <sup>a</sup>	112 (3) <sup>c</sup>	106 (5.5)
CA (mg/dl)	9.5 (0.5) <sup>a</sup>	10 (0.5) <sup>b</sup>	9.9 (0.5)
PHOS (mg/dl)	7.3 (0.6) <sup>a</sup>	5.6 (0.6) <sup>c</sup>	6.5 (1.0)
UREA (mg/dl)	1.0 (1.7) <sup>a</sup>	3.4 (2.2) <sup>c</sup>	2.4 (2.3)
CREAT (mg/dl)	0.4 (0.1) <sup>a</sup>	0.4 (0.1) <sup>a</sup>	0.4 (0.1)
UA (mg/dl)	0.6 (0.4) <sup>a</sup>	3.9 (1.2) <sup>c</sup>	2.3 (2.1)
CHOL (mg/dl)	119 (37.2) <sup>a</sup>	231 (48.9) <sup>c</sup>	165 (62.0)
GLU (mg/dl)	264 (32) <sup>a</sup>	290 (27) <sup>b</sup>	281 (30)
LDH (U/l)	131 (75) <sup>a</sup>	114 (55) <sup>a</sup>	138 (84)
AST (U/l)	84-(17) <sup>a</sup>	127 (36) <sup>b</sup>	104 (31)
ALT (U/l)	3 (2) <sup>a</sup>	4 (2) <sup>a</sup>	3 (2)
ALP (U/l)	1072 (346) <sup>a</sup>	786 (276) <sup>b</sup>	970 (397)
GGT (U/l)	2.0 (1.0) <sup>a</sup>	1.2 (1.2) <sup>b</sup>	1.8 (1.2)
CK (U/l)	596 (330) <sup>ab</sup>	442 (280) <sup>b</sup>	550 (312)
TP (g/dl)	1.7 (0.3) <sup>a</sup>	3.0 (0.3) <sup>c</sup>	2.6 (0.6)
ALB (g/dl)	0.7 (0.2) <sup>a</sup>	1.4 (0.2) <sup>c</sup>	1.2 (0.3)
GLOB (g/dl)	0.8 (0.4) <sup>a</sup>	1.5 (0.4) <sup>c</sup>	1.3 (0.6)
A:G (ratio)	0.7 (0.4) <sup>a</sup>	0.9 (0.1) <sup>b</sup>	0.8 (0.3)
PRE ALB (g/dl)	0.2 (0.1) <sup>a</sup>	0.5 (0.1) <sup>c</sup>	0.3 (0.1)
ALB (Elect) (g/dl)	1.0 (0.3) <sup>a</sup>	1.8 (0.3) <sup>c</sup>	1.5 (0.4)
ALPHA GLOB (g/dl)	0.2 (0.1) <sup>a</sup>	0.3 (0.1) <sup>a</sup>	0.3 (0.1)
BETA GLOB (g/dl)	0.3 (0.1) <sup>a</sup>	0.4 (0.1) <sup>a</sup>	0.3 (0.2)
GAMMA GLOB (g/dl)	0.2 (0.1) <sup>a</sup>	0.3 (0.2) <sup>a</sup>	0.3 (0.1)

a,b,c = Values for parameters are statistically different (P<0.05) when letters are different.

Clubb SL, et al: J Assoc Avian Vet 5(3):159-160, 1991.

**Serum Biochemical Values for Juvenile Blue and Gold Macaws**

Parameter	30-day Mean (SD)	90-day Mean (SD)	All Mean (SD)
NA (mEq/l)	136 (1.25) <sup>an</sup>	150 (2.44) <sup>cn</sup>	142 (6.07)
K (mEq/l)	3.20 (0.49) <sup>an</sup>	2.20 (0.15) <sup>bn</sup>	2.71 (0.64)
CL (mEq/l)	98.8 (2.31) <sup>as</sup>	111 (1.90) <sup>cn</sup>	104 (5.37)
CA (mg/dl)	9.7 (0.24) <sup>an</sup>	10.2 (0.25) <sup>bn</sup>	10 (0.47)
PHOS (mg/dl)	7.2 (0.64) <sup>an</sup>	5.6 (0.50) <sup>cn</sup>	6.6 (0.85)
UREA (mg/dl)	1.2 (1.78) <sup>an</sup>	2.5 (2.07) <sup>an</sup>	1.9 (2.18)
CREAT (mg/dl)	0.3 (0.06) <sup>an</sup>	0.4 (0.07) <sup>bn</sup>	0.4 (0.07)
UA (mg/dl)	0.6 (0.4) <sup>an</sup>	3.4 (0.9) <sup>bn</sup>	1.9 (2.5)
CHOL (mg/dl)	114 (30) <sup>an</sup>	251 (64) <sup>cn</sup>	164 (66.6)
GLUCOSE (mg/dl)	266 (33) <sup>an</sup>	299 (22) <sup>bn</sup>	288 (31)
LDH (U/l)	136 (69) <sup>an</sup>	97 (21) <sup>an</sup>	144 (98)
AST (U/l)	88 (19) <sup>an</sup>	127 (18) <sup>bn</sup>	101 (24)
ALT (U/l)	3 (2) <sup>an</sup>	4 (2) <sup>abn</sup>	4 (3)
ALP (U/l)	1225 (300) <sup>as</sup>	950 (315) <sup>cs</sup>	1200 (390)
GGT (U/l)	2.0 (0.9) <sup>an</sup>	0.9 (0.9) <sup>bn</sup>	1.7 (1.2)
CK (U/l)	498 (162) <sup>an</sup>	330 (85) <sup>an</sup>	540 (267)
TP (g/dl)	1.7 (0.2) <sup>an</sup>	2.9 (0.4) <sup>bn</sup>	2.5 (0.7)
ALB (g/dl)	0.7 (0.1) <sup>an</sup>	1.4 (0.2) <sup>bn</sup>	1.2 (0.3)
GLOB (g/dl)	0.8 (0.3) <sup>an</sup>	1.4 (0.5) <sup>bn</sup>	1.3 (0.6)
A:G (ratio)	0.8 (0.1) <sup>an</sup>	0.9 (0.1) <sup>an</sup>	0.8 (0.2)
PRE ALB (g/dl)	0.2 (0.1) <sup>an</sup>	0.5 (0.1) <sup>cn</sup>	0.3 (0.1)
ALB (Elect) (g/dl)	1.0 (0.3) <sup>an</sup>	1.8 (0.3) <sup>bn</sup>	1.5 (0.4)
ALPHA GLOB (g/dl)	0.2 (0.1) <sup>a</sup>	0.3 (0.1) <sup>a</sup>	0.3 (0.1)
BETA GLOB (g/dl)	0.3 (0.1) <sup>a</sup>	0.4 (0.1) <sup>a</sup>	0.3 (0.2)
GAMMA GLOB (g/dl)	0.2 (0.1) <sup>a</sup>	0.3 (0.2) <sup>a</sup>	0.3 (0.1)

a,b,c = Values for parameters are statistically different (P<0.05) when letters are different.

s = Mean is statistically different (P<0.05) from the same parameter in all juvenile macaws.

n = Mean is not statistically different (P<0.05) from the same parameter in all juvenile macaws.

From Clubb SL: J Assoc Avian Vet 5(3):161, 1991.



## VARIOUS SPECIES

### The Determination of Several Enzymes of Blood Plasma in Different Bird Species

Species	AST	ALT	LDH	AP
Green-cheeked Amazon Parrot	107.96 ± 22.66	9.15 ± 2.34	266.54 ± 75.03	122.3 ± 51.68
Blue-fronted Amazon Parrot	130.48 ± 19.75	15.9 ± 4.3	244.42 ± 76.32	129.48 ± 24.48
African Grey Parrot	63.23 ± 14.46	9.77 ± 3.33	209.19 ± 33.66	47.6 ± 14.12
Budgerigar	101.89 ± 15.2	14.96 ± 4.48	104.7 ± 28.43	194.12 ± 62.92
Homing Pigeon (Male)	46.01 ± 10.94	18.12 ± 3.51	65.51 ± 27.92	196.48 ± 56.35
Homing Pigeon (Female)	33.29 ± 11.44	16.95 ± 2.37	105.3 ± 60.32	225.07 ± 98.96

Monotest Boeringer Mannheim, Temperature not specified. From Baron HW: Vet Diss, München, 1980.

### Uric Acid Concentrations in Blood Plasma

Species	Uric Acid in mmol/l
Budgerigar	0.284 ± 0.056
Blue-fronted Amazon Parrot	0.54 ± 0.057
Green-cheeked Amazon Parrot	0.280 ± 0.052
African Grey Parrot	0.315 ± 0.088
Pigeon	0.239 ± 0.029
Eagle	0.514 ± 0.044
Goshawk	0.498 ± 0.050
Common Buzzard	0.526 ± 0.049

Urica-quant®, Boeringer Mannheim. From Baumann CR: Vet Diss, München, 1980.

### Protein Electrophoresis in Raptors

Parameter	Red Kite	American Kestrel	Montagu's Harrier	Barn Owl
Albumin	1.6 ± 0.5	1.6 ± 0.3	1.8 ± 0.31	1.6 ± 0.6
Alpha 1	0.26 ± 0.14	0.06 ± 0.06	0.50 ± 0.13	0.43 ± 0.24
Alpha 2	0.22 ± 0.12	0.06 ± 0.06		
Beta	0.21 ± 0.16	0.33 ± 0.01	0.24 ± 0.06	0.18 ± 0.07
Gamma	0.43 ± 0.24	0.58 ± 0.12	0.29 ± 0.04	0.42 ± 0.06
A:G Ratio	1.50 ± 0.73	1.34 ± 0.29	1.95 ± 0.37	1.95 ± 0.38

Hernandez, M. Blood chemistry in raptors. Proc European Assoc Avian Vet 1991, 411-419.

### Normal Hematologic and Biochemical Values in Toucans

*Cornelissen H.*

Parameter	Value
RBC (10 <sup>3</sup> /mm <sup>3</sup> )	2.5-4.5
WBC 10 <sup>3</sup> /mm <sup>3</sup> )	4.0-10.0
PCV (%)	45-60
Buffy Coat (%)	0-1
Hets (%)	35-65
Lymphs (%)	25-50
Basos (%)	0-5
Eosins (%)	0-4
Thromb	present
Calcium (mg/dl)	10-15
Glucose (mg/dl)	220-350
LDH (U/l)	200-400
AST (U/l)	130-330
TP (g/l)	30-50
UA (mg/dl)	4-14
Iron (µg/dl)	<350
TIBC (µg/dl)	<550

## Reference Values from Various Species

Parameter	Captive Bald Eagle	Cuban Amazon Parrot	Quaker Parrots	Blue & Gold Macaw	Hyacinth Macaw
AST (U/l)	101 ± 4.7	201 ± 79		197-297	87-160
ALT (U/l)	10.1 ± 1.5		0-21	99-263	
AP (U/l)		41 ± 21	219-823	162-580	
CK (U/l)	32.9 ± 1.9	217 ± 130			260-563
LDH (U/l)	120 ± 7.2	237 ± 155		183-664	62-89
Cholinesterase	663 ± 32				
Creatinine (mg/dl)				0.3-0.5	0.3-0.5
Uric acid (mg/dl)		2.8 ± 1.5		4-10.1	3.4-10.4
Cholesterol (mg/dl)				139-202	88-109
Glucose (mg/dl)		251 ± 43		286-332	255-324
TP (g/dl)		3.9 ± 0.7	3.8-5.0	3.3-5.6	2.7-3.6
Sodium (mEq/l)		149 ± 7		138-153	144-152
Potassium (mEq/l)		2.7 ± 0.7		5.0-10.4	2.3-6.2
Calcium (mg/dl)		9 ± 0.7		8.8-12.3	
Ionized Calcium (mg/dl)				4.6-6.2	
Phosphor (mg/dl)		2.0 ± 0.9		1.9-2.6	
Iron (µg/dl)				79-135	
BUN (mg/dl)		1.7 ± 2.0		1-5	
Bilirubin (mg/dl)				0.1-0.2	

See references 12, 18, 23, 60, 67 from Chapter 11.

## Blood Chemistry in Canary Finches

Parameter	Mean Value	SD	P <sub>2.5</sub> -P <sub>97.5</sub>
Ca (mg/dl)	7.99	1.84	5.1-13.4
P (mg/dl)	3.28	1.21	1.6-5.6
Na (mmol/l)	139.2	8.18	125-154
Cl (mmol/l)	108.88	8.85	93-123
K (mmol/l)	3.58	0.69	2.7-4.8
Gluc (mg/dl)	345.88	30.27	291-391
Trig (mg/dl)	184.78	55.46	120-312
Crea (mg/dl)	0.48	0.25	0.1-1
NH <sub>3</sub> (mmol/l)	221.18	110.42	87-467
ALT (U/l)	11.58	7.92	2-30
AST (U/l)	98.93	34.73	45-170
LDH (U/l)	1582.63	325.72	1580-1816 <sup>male</sup> 1300-1632 <sup>female</sup>
AP (U/l)	265.05	79.62	146-397
Chol (mg/dl)	165.45	44.52	110-286
Amyl (U/l)	481.78	141.84	277-787
CK (U/l)	302.1	106.94	177-556
TP (g/dl)	2.84	0.75	2.0-4.4
Uric (mg/dl)	8.93	3.31	4.3-14.8

Kodak Ektachem@-25°C. From Schöpf A, Vasicek L: Proc Europ Assoc Avian Vet, Vienna, 1991, pp 437-439.

## COLUMBIFORMES

### Plasma Chemistry Reference Values for Racing Pigeons

Parameter	P2.5-P97.5
Sodium (mmol/l)	141-149
Potassium (mmol/l)	3.9-4.7
Calcium (mmol/l)	1.9-2.6
Magnesium (mmol/l)	1.1-1.8
Inorganic phosphorus (mmol/l)	0.57-1.33
Chloride (mmol/l)	101-113
Plasma iron (μmol/l)	11-33
Iron binding capacity (μmol/l)	30-45
Osmolality (mOsm/kg)	297-317
Glucose (mmol/l)	12.9-20.5
Creatinine (μmol/l)	23-36
Urea (mmol/l)	0.4-0.7
Uric acid (μmol/l)	150-765
Urea:Uric acid (ratio)	1.8 ± 1.8 (mean ± sd)
CPK (U/l)	110-480
AP (U/l)	160-780
AST (U/l)	45-123
ALT (U/l)	19-48
GLDH (U/l)	0-1
LDH (U/l)	30-205
Bile acids (μmol/l)	22-60
GGT (U/l)	0-2.9
Total protein (g/l)	21-33
Albumin:Globulin (ratio)	1.5-3.6
Prealbumin (g/l)	1-4
Alpha globulin (g/l)	2-3
Beta globulin (g/l)	3-6
Gamma globulin (g/l)	1-3

Thyroxine before and 16 h after stimulation with 2 U/kg TSH, 6-35/100-300 nmol/l  
 Corticosterone before and 90 min after stimulation with 250 μg/kg ACTH,  
 0.2-1.24/2.22-11.2 μg/dl  
 Recommendations of the German Society for Clinical Chemistry, Enzymes 30°C.  
 From: Lumeij JT: PhD Thesis, Utrecht University, 1987.

### Blood Cells of Domestic Pigeons

Type Cell	Number
Erythrocytes (x 10 <sup>12</sup> /l)	3.1-4.5
Leukocytes (x 10 <sup>9</sup> /l)	13.0-22.3 morning<evening
Heterophils (x 10 <sup>9</sup> /l)	4.3-6.2
Eosinophils (x 10 <sup>9</sup> /l)	0.1-0.3
Basophils (x 10 <sup>9</sup> /l)	0.1-0.5
Lymphocytes (x 10 <sup>9</sup> /l)	10.9-12.2
Monocytes (x 10 <sup>9</sup> /l)	0.4-1.1
Thrombocytes (x 10 <sup>9</sup> /l)	7.0-27.0
Hemoglobin (mmol/l)	8.1-9.9
Hematocrit (vol %)	42.5

**Plasma Enzyme Activities from Clinically Normal Domestic Pigeons***Vogel C.*

Breed	LDH	MDH	AST	ALT	AP	CPK
Racing Pigeon (Male)*	161.4 ± 6.6	85.7 ± 21.9	29.3 ± 9.4	5.8 ± 1.9	47.0 ± 36.3	27.8 ± 13.8
Racing Pigeon (Female)*	121.2 ± 36.2	67.4 ± 14.6	26.7 ± 8.3	5.7 ± 1.7	41.0 ± 13.8	19.1 ± 3.3
Cologne Tumbler (Male)*	142.9 ± 20.1	103.0 ± 0.1	26.4 ± 11.6	6.2 ± 1.5	43.0 ± 1.4	40.5 ± 7.1
Cologne Tumbler (Female)*	119.2 ± 12.2	100.2 ± 19.0	24.8 ± 4.3	5.9 ± 1.4	36.1 ± 0.1	30.9 ± 15.6
Modenas (Male)*	155.6 ± 29.4	83.6 ± 26.3	64.1 ± 15.4	36.1 ± 4.3	6.1 ± 1.4	41.9 ± 9.0
Modenas (Female)*	147.2 ± 49.0			35.6 ± 0.6	6.0 ± 2.8	40.0 ± 12.7
Lynx (Male)**	105.3 ± 60.3	105.6 ± 19.7	33.3 ± 11.4	16.9 ± 2.4	225.1 ± 99.0	24.4 ± 3.9
Lynx (Female)**	65.3 ± 32.5	78.7 ± 9.6	46.1 ± 10.9	18.1 ± 3.5	196.5 ± 56.4	32.4 ± 11.9

\* mU/ml

\*\* U/l

**Blood Parameters for Non-domestic Pigeons***Vogel C.*

Parameter	Rock Pigeon	Eastern Turtle Dove
Erythrocytes (10 <sup>6</sup> /mm <sup>3</sup> )	3.7	3.0-4.1
PCV (%)	50.0	
Hb (g %)	16.5	13.9
Leukocytes (mm <sup>3</sup> )		11.1
Heterophils (%)	39.0	17.9
Lymphocytes (%)	53.0	70.8
Monocytes (%)	5.0	4.9
Eosinophils (%)	1.0	2.6
Basophils (%)	2.0	3.8
Thrombocytes (mm <sup>3</sup> )		19.1

## GALLIFORMES

**Hematology of Selected Gallinaceous Birds, Differential***Schaes C., Schaes K.*

Species	Heterophils (%)	Lymphocytes (%)	Monocytes (%)	Basophils (%)	Eosinophils (%)
Domestic Fowl	19.8-32.6	45.0-75.0	8.1-16.5	1.7-4.3	1.5-2.7
Domestic Turkey	43.4	50.6	1.9	3.2	0.9
Pheasant	48.0	34.0	8.0	10.0	1.0
Guineafowl	43.5	36.2	8.4	4.5	7.4
Common Quail	33.8-50.0	40.0-46.0	1.0-2.0	0.8-3.0	1.0-4.0
Japanese Quail	20.8-52.0	40.0-73.6	1.0-2.7	0.2-3.0	1.0-4.3

Note: In both, Curassows and Guans, hemolysis occurs in EDTA tubes. It is not known whether or not this in vitro hemolysis exists in other gallinaceous birds. From: Gylstorff I: Handbuch der Geflügelphysiologie, 1983, pp 280-393; Wallach JD, Boever WJ: Diseases of Exotic Animals, 1983, pp 830-889.

**Hematology of Selected Gallinaceous Birds, Blood Parameters** *Schales C., Schaless K.*

Species	RBC ( $10^6$ /ml)	PCV (%)	Hb (g %)	MCV ( $\mu\text{m}^3$ )	WBC ( $10^3$ /ml)
Domestic Fowl	2.2-3.3	24-43	8.9-13.5	120-137	19.8-32.6
Domestic Turkey	2.3-2.8	36-41	10.3-15.2	129	23.5-26.8
Pheasant	2.2-3.6	28-42	8.0-18.9	104-150	
Guineafowl	1.7-2.8	39-48	11.4-14.9		15.5
Peafowl	2.1	33-41	12.0		
Common Partridge	1.8-3.3	28-34	7.4-11.8	117-155	
Rock Partridge	2.6	37	11.1		
Bobwhite Quail	3.4-5.4	38	11.6-15.8		
Common Quail	3.8-5.4	40-53	12.9-15.8		16.2-24.0
Japanese Quail	3.3-4.1	37-46	10.7-15.8		19.7-25.0
Chachalaca	2.7	35-45			

RBC = Red blood cells, PCV = Packed cell volume, hematocrit, Hb = Hemoglobin, MCV = Mean cell volume (erythrocytes), WBC = White blood cells  
 From Gylstorff I: Handbuch der Geflügelphysiologie, 1983, pp 280-393; Gylstorff I, Grimm F: Vogelkrankheiten, 1987; Vollmehaus B, Sinowatz F: Anatomie der Vögel, 1992, pp 159-175.

**Blood Chemistry of Selected Gallinaceous Birds**

Species	Total Protein (g %)	Albumin (g %)	Globulin (g %)	Creatine (mg %)	Uric Acid (mg %)	Glucose (mg %)	Cholesterin (mg %)	Ca (mg %)	P (mg %)	Na (mEq/l)	K (mEq/l)
Domestic Fowl	3.3-5.5	1.3-2.8	1.5-4.1	0.9-1.8	2.5-8.1	227-300	86-211	13.2-23.7	6.2-7.9	131-171	3.0-7.3
Domestic Turkey	4.9-7.6	3.0-5.9	1.7-1.9	0.8-0.9	3.4-5.2	275-425	81-129	11.7-38.7	5.4-7.1	149-155	6.0-6.4
Pheasant	6.9	5.2	1.7		2.3-3.7	335-397			164-172		
Guineafowl	3.5-4.4				2.9-5.1					149-157	
Common Quail	3.4-3.6									180	1.4
Bobwhite Quail								14.1-15.4			
Japanese Quail		1.2-1.9									
Peafowl					1.8-3.7	273-357				154-162	
Rock Partridge					2.5-4.2	270-312				145-163	
Chachalaca					3.7-7.9	235-345				158-164	

From Gylstorff I: Handbuch der Geflügelphysiologie, 1983, pp 280-393; Gylstorff I, Grimm F: Vogelkrankheiten, 1987; Vollmehaus B, Sinowatz F: Anatomie der Vögel, 1992, pp 159-175.

**Dimension of Erythrocytes in Galliformes**

Species	Long Diameter ( $\mu\text{m}$ )	Short Diameter ( $\mu\text{m}$ )	Thickness ( $\mu\text{m}$ )
Domestic Fowl	10.7-13.0	6.5-7.9	2.4-3.8
Domestic Turkey	15.0-15.5	7.0-7.5	
Pheasant	10.6-11.0	4.0-6.8	
Guineafowl	12.0	6.0	
Peafowl	12.5	7.0	
Common Quail	11.2	6.2	
Rock Partridge	11.3	6.4	

From: Gylstorff I: Handbuch der Geflügelphysiologie, 1983, pp 280-393; Sturkie P: Avian Physiology, 1986, pp 102-121.

**Sedimentation Rate of Erythrocytes of Selected Gallinaceous Birds (mm) Tubes Slanted**

Species	10 min	30 min	60 min	120 min
Domestic Fowl	0.80-1.35	2.06-5.30	3.86-10.5	7.0-18.05
Pheasant			17.2	32.6

Sturkie P: Avian Physiology, 1986, pp 102-121.

# ANSERIFORMES

All tables in this section compiled by Olsen J.

**Leukocyte Percentages in Adult Mallards during Different Reproductive States (Mean  $\pm$  SD)\***

Reproductive State	Lymphocytes	Heterophils	Basophils	Monocytes	Eosinophils
<b>Females</b>					
PE	60 $\pm$ 1.4	35 $\pm$ 1.5	2.2 $\pm$ 0.2	2.2 $\pm$ 0.3	0.7 $\pm$ 0.15
EL	58 $\pm$ 3.0	37 $\pm$ 3.0	3.2 $\pm$ 0.5	1.8 $\pm$ 0.2	0.8 $\pm$ 0.30
INC	62 $\pm$ 1.5	33 $\pm$ 1.7	3.0 $\pm$ 0.4	1.9 $\pm$ 0.2	0.2 $\pm$ 0.07
MOLT	68 $\pm$ 2.1	28 $\pm$ 2.4	2.1 $\pm$ 0.5	1.8 $\pm$ 0.5	0.1 $\pm$ 0.08
PR	57 $\pm$ 1.6	37 $\pm$ 1.4	3.2 $\pm$ 0.3	3.2 $\pm$ 0.3	0.2 $\pm$ 0.06
<b>Males</b>					
PE	58 $\pm$ 1.8	36 $\pm$ 1.9	3.4 $\pm$ 0.4	1.9 $\pm$ 0.2	0.9 $\pm$ 0.18
EL	59 $\pm$ 3.0	36 $\pm$ 3.1	2.6 $\pm$ 0.4	1.9 $\pm$ 0.2	0.6 $\pm$ 0.18
INC	66 $\pm$ 1.4	29 $\pm$ 1.4	2.2 $\pm$ 0.3	2.5 $\pm$ 0.3	0.2 $\pm$ 0.17
MOLT	67 $\pm$ 1.9	27 $\pm$ 2.0	2.9 $\pm$ 0.4	2.9 $\pm$ 0.4	0.3 $\pm$ 0.10
PR	54 $\pm$ 1.6	38 $\pm$ 1.5	3.6 $\pm$ 0.3	3.6 $\pm$ 0.3	0.4 $\pm$ 0.10

\* PE (Pre-egg laying); EL (Laying); INC (Incubating); MOLT (Molting); PR (Postreproductive). Males were classified in the same reproductive state as the female with whom they were paired until they began the post-reproductive molt.

Modified from: Fairbrother A, O'Loughlin D: J Wildl Dis 26(1):78-82, 1990.

## HEMATOLOGY AND BIOCHEMISTRY ANSERIFORMES

## Hematology of Selected Anseriformes (Mean±SD)

Species	RBC (10 <sup>6</sup> /mm <sup>3</sup> )	PCV (%)	Hg (g/dl)	MCV (μ <sup>3</sup> )	MCH (μg)	MCHC (%)	RBC size (μ)	WBC (10 <sup>3</sup> /mm <sup>3</sup> )	Heterophil x10 <sup>3</sup> /mm <sup>3</sup>	Lymph x10 <sup>3</sup> /mm <sup>3</sup>	Monocytes x10 <sup>3</sup> /mm <sup>3</sup>	Basophil x10 <sup>3</sup> /mm <sup>3</sup>	Eosinophil x10 <sup>3</sup> /mm <sup>3</sup>
American Black Duck	2.78 ± 0.22	40.24 ± 4.21	12.96 ± 1.36	144.68 ± 9.96	46.60 ± 3.00	32.23 ± 1.16		19.70 ± 6.60	4.86 ± 1.37	13.03 ± 1.53	1.46 ± 0.99	0.16 ± 0.15	0.22 ± 0.16
Wood Duck	2.79 ± 0.28	45.54 ± 3.41	14.95 ± 1.22	164.24 ± 14.43	54.08 ± 6.74	32.99 ± 3.7		23.58 ± 5.72	8.45 ± 2.59	13.28 ± 1.77	1.05 ± 0.68	0.41 ± 0.23	0.51 ± 0.06
Canvas-back*	2.5-2.6 2.61-3.51 2.61 ± 0.4	51.4-53.0 46.3-60.4 47.0 ± 6.2	13.8-18.1 15.2 ± 2.0	165-209	47-63	28-31	6.6x12.7						
Red Head	2.78 ± 0.3	44.0 ± 7.1	13.5 ± 1.8										
Lesser Scaup*	2.4-2.5 2.45 ± 0.13 2.84	56.5-58.0 57.1 ± 3.1 47.0	16.0				7.5x13.0						
Greater Scaup	2.27 ± 0.7	43.0 ± 1.4	15.9 ± 2.0										
Ring-necked Duck*	2.50 2.54	49.1 47.0	14.3										
Bufflehead*	2.6-2.7 2.64	53.9-54.7 54.3											
Ruddy Duck	2.30 ± 0.3	43.0 ± 3.4	14.6 ± 1.7										
Canada Goose*	1.6-2.6 2.15-2.82	38-58 41.7-56	12.7-19.1	145-174 168.1-229.5	53.7-70	28-29 27.6-34.7	6.9x13.2	13.0-18.5	23.0-42.8	47.8	5.1	2.4	1.9
Aleutian Canada Goose**	2.6±0.4	42±3	(M)13.48±2.01 (F)12.8±1.81		(M)32.5±5.4 (F)30.6±3.9	(M)5.2±0.8 (F)4.6±0.7							
Snow Goose white phase blue phase	2.24 2.25	45.7 46	14.5 14.0					20.1±4.71	7	12.3	0.2	0.1	0.5
Nene Goose**	2.6±0.2	46±2	(M)15.25±0.74 (F)15.72±0.60		(M)32.5±2.7 (F)34.7±1.7	(M)5.6±0.3 (F)6.3±0.5							
Embden Goose**	2.6±0.3	38±3	(M)12.30±2.23 (F)10.49±1.22		(M)32.2±6.4 (F)29.0±2.9	(M)5.0±0.9 (F)4.2±0.7							
Tule White-fronted Goose**	2.9±0.2	43±2	(M)14.76±1.54 (F)15.43±0.76		(M)34.6±1.2 (F)35.6±0.6	(M)4.9±0.4 (F)5.6±0.4							
Trumpeter Swan		41.6±2.6				32.6-36.4							

\* Variations in reference values have resulted from different studies. See Chapter 46, Anseriformes.<sup>61,62,78,79,100,113</sup>

\*\* (M) male, (F) female.

Serum Chemistry Values of Selected Anseriformes (Mean  $\pm$  SD)

	American Black Duck	Canada Goose*	Aleutian Canada Goose**	Tule White-fronted Goose**	Nene Goose**	Embden Goose**	Canvas-back	Lesser Scaup	Ringneck Duck	Bufflehead	Trumpeter Swan
Total Protein (g/dl)	4.32 $\pm$ 0.42	5.36 $\pm$ 0.27 4.26 $\pm$ 0.13	4.80 $\pm$ 0.7	4.4 $\pm$ 0.4	4.4 $\pm$ 0.7	4.4 $\pm$ 1.0	3.6-6.8 4.2-4.6	4.2-4.5	3.2-4.0	3.6-4.1	4.5 $\pm$ 0.49
Albumin (g/dl)	3.10 $\pm$ 0.36 3.04 $\pm$ 0.30	2.18 $\pm$ 0.13 1.53 $\pm$ 0.05	2.1 $\pm$ 0.2 2.0 $\pm$ 0.2	1.7 $\pm$ 0.2 1.8 $\pm$ 0.2	1.7 $\pm$ 0.2 1.9 $\pm$ 0.2	1.5 $\pm$ 0.2 1.9 $\pm$ 0.7	2.08	1.89	1.68	1.72	
Globulin (g/dl)	1.21 $\pm$ 0.52		2.8 $\pm$ 0.6	2.7 $\pm$ 0.3	2.6 $\pm$ 0.5						
A/G ratio	2.71 $\pm$ 0.77		0.76 $\pm$ 0.13	0.64 $\pm$ 0.08	0.71 $\pm$ 0.09						
Glucose (mg/dl)	175.83 $\pm$ 26.5	219.5 $\pm$ 12.39 320.33 $\pm$ 28.4	210 $\pm$ 31 236 $\pm$ 41	221 $\pm$ 28 249 $\pm$ 30	185 $\pm$ 10 192 $\pm$ 12	230 $\pm$ 31 215 $\pm$ 43	180-549				
Calcium (mg/dl)		9.22 $\pm$ 0.27 10.57 $\pm$ 0.69	10.2 $\pm$ 0.7 10.4 $\pm$ 0.5	10.1 $\pm$ 0.6 10.3 $\pm$ 0.4	10.0 $\pm$ 0.6 10.5 $\pm$ 0.5	10.1 $\pm$ 0.6 10.8 $\pm$ 1.8					
Phosphorus (mg/dl)	3.23 $\pm$ 1.15		2.8 $\pm$ 0.9 2.9 $\pm$ 0.6	3.6 $\pm$ 0.6 3.4 $\pm$ 0.8	2.4 $\pm$ 0.7 2.4 $\pm$ 0.7	3.3 $\pm$ 1.3 3.5 $\pm$ 0.7					
Sodium (mEq/l)			142 $\pm$ 4	146 $\pm$ 5	146 $\pm$ 3	140					
Chloride (mEq/l)			105 $\pm$ 4	112 $\pm$ 23	99 $\pm$ 4	101					
Potassium (mEq/l)			3.4 $\pm$ 0.6	3.3 $\pm$ 0.6	2.5 $\pm$ 0.4	3.1					
Uric acid (mg/dl)		6.05 $\pm$ 0.59 5.75 $\pm$ 0.39	8.3 $\pm$ 2.3	10.8 $\pm$ 1.0	8.0 $\pm$ 1.6	7.5 $\pm$ 1.9					
Creatinine (mg/dl)			0.8 $\pm$ 0.3	0.9 $\pm$ 0.2	0.8 $\pm$ 0.2	0.8					
Blood urea nitrogen (mg/dl)	1.49 $\pm$ 0.36		3 $\pm$ 2	3 $\pm$ 1	2 $\pm$ 1	4 $\pm$ 1					
AAT (U/l)	55.9 $\pm$ 29.7 18.6 $\pm$ 8.2		75 $\pm$ 19	98 $\pm$ 18	45 $\pm$ 17	106 $\pm$ 62					
ALP (U/l)	20.9 $\pm$ 11.7 131.8 $\pm$ 36.7		72 $\pm$ 43	78 $\pm$ 44	33 $\pm$ 8	33 $\pm$ 14					
LDH (U/l)	312.8 $\pm$ 83.5 244.7 $\pm$ 81.8		301 $\pm$ 80	361 $\pm$ 196	256 $\pm$ 68	659 $\pm$ 319					
GGT (U/l)			2 $\pm$ 3	1 $\pm$ 1	2 $\pm$ 2	1					
SGPT (U/l)			43 $\pm$ 11	50 $\pm$ 9	37 $\pm$ 7						
SGOT (U/l)			75 $\pm$ 17 76 $\pm$ 21	104 $\pm$ 15 89 $\pm$ 19	40 $\pm$ 13 49 $\pm$ 18	125 $\pm$ 82 91 $\pm$ 39					
Amylase (U/l)			570 $\pm$ 184	454 $\pm$ 201	824 $\pm$ 32	653					
Total Bilirubin (mg/dl)			0.20 $\pm$ 0.07	0.51 $\pm$ 0.30	0.12 $\pm$ 0.04	0.19 $\pm$ 0.14					
Iron $\mu$ g/dl			234 $\pm$ 72	276 $\pm$ 90		261					
Total lipids (g/dl)	1.43 $\pm$ 0.18		1.38 $\pm$ 0.67	1.69 $\pm$ 0.64	1.45 $\pm$ 0.48						
Triglyceride (mg/dl)		258 $\pm$ 60.83 145.2 $\pm$ 25.37	151 $\pm$ 28	215 $\pm$ 51	163 $\pm$ 42						
Total cholesterol		239.25 $\pm$ 9.91 307 $\pm$ 30.9	172 $\pm$ 28 172 $\pm$ 29	134 $\pm$ 14 130 $\pm$ 10	230 $\pm$ 33 233 $\pm$ 23	123 $\pm$ 24 162 $\pm$ 94	260 - 366				

\* Line 1 = spring; Line 2 = fall

\*\*Line 1 = male; Line 2 = female

Modified from references: 15,27,32,61,75,79,111



**Serum Chemistry and Enzyme Values, Non-reproductive Adult Mallards**

Assay	Male		Female	
	Mean	SD	Mean	SD
TPR (g/dl)	3.8	0.7	4.2	0.5
ALB (g/dl)	1.5	0.4	1.7	0.2
GLU (mg/dl)	185.0	47.0	215.0	34.0
AMY (U/l)	2631.0	630.0	2766.0	684.0
CHE (U/l)	794.0	249.0	812.0	197.0
ALT (U/l)	26.3	8.0	29.9	9.9
AST (U/l)	16.2	4.3	15.8	4.7
GGT (U/l)	7.7	4.2	8.0	4.8
ALP (U/l)	26.3	8.0	44.2	22.7
LDH (U/l)	199.0	83.0	147.0	80.0
CA (mg/dl)	9.4	1.9	9.8	1.1
MG (mEq/l)	1.8	0.4	1.8	0.3
PHOS (mg/dl)	2.9	1.0	3.0	1.0
UA (mg/dl)	4.0	1.3	4.5	1.8
CRN (mg/dl)	0.25	0.08	0.28	0.07
BITO (mg/dl)	0.16	0.05	0.16	0.04
BIDI (mg/dl)	0.07	0.01	0.07	0.01

Modified from: Fairbrother A: J Wildl Dis 26(1):67-77, 1990.

**Abbreviations for Anseriforme Appendix Table**

TPR (total protein), ALB (albumin), GLU (glucose), AMY (amylase), CHE (cholinesterase), ALT (alanine aminotransferase), AST (aspartate aminotransferase), ALP (alkaline phosphatase), LDH (lactic dehydrogenase), CA (calcium), MG (magnesium), PHOS (phosphorus), UA (uric acid), CRN (creatinine), BITO (total bilirubin), BIDI (direct bilirubin).

**Serum Chemistry and Enzyme Values for Adult Female Mallards of Differing Reproductive States**

Assay	Pre-egg laying		Egg laying		Incubating		Molt	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD
TPR (g/dl)	5.6	2.9	6.3	1.2	4.4	0.6	4.5	1.2
ALB (g/dl)	2.0	0.3	2.3	0.2	1.6	0.2	1.7	0.2
GLU (mg/dl)	238.0	21.0	258.0	51.0	211.0	53.0	199.0	30.0
AMY (U/l)	3058.0	527.0	3821.0	741.0	2700.0	626.0	2346.0	1012.0
CHE (U/l)	1337.0	280.0	1563.0	592.0	1002.0	266.0	894.0	219.0
ALT (U/l)	31.0	10.3	34.2	19.4	30.6	13.1	41.1	17.1
AST (U/l)	18.0	3.4	23.7	6.7	22.1	7.4	22.6	12.6
GGT (U/l)	19.8	19.8	199.6	283.0	7.5	4.7	20.8	36.9
ALP (U/l)	63.6	56.8	124.9	56.7	34.3	15.8	36.0	18.1
LDH (U/l)	165.0	50.0	177.0	57.0	215.0	107.0	268.0	2.2
CA (mg/dl)	14.0	4.1	21.9	5.6	10.3	2.0	10.6	4.2
MG (mEq/l)	2.3	0.5	3.6	0.8	1.6	0.3	1.6	0.5
PHOS (mg/dl)	4.6	1.7	8.1	2.4	3.7	1.0	4.1	2.2
UA (mg/dl)	5.2	1.1	9.1	5.1	5.5	1.7	4.9	1.7
CRN (mg/dl)	0.34	0.06	0.33	0.15	0.42	0.15	0.33	0.08
BITO (mg/dl)	0.23	0.08	0.43	0.28	0.20	0.11	0.21	0.05
BIDI (mg/dl)	0.07	0.04	0.15	0.22	0.06	0.04	0.06	0.01

Modified from: Fairbrother A, O'Loughlin D: J Wildl Dis 26(1):78-82, 1990.

**Serum Chemistry and Enzyme Values for Adult Male Mallards of Differing Reproductive States**

Assay	Pre-egg laying		Egg laying		Incubating		Molt	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD
TPR (g/dl)	4.6	0.6	4.5	0.8	4.2	0.5	3.9	0.8
ALB (g/dl)	1.8	0.2	1.6	0.2	1.7	0.3	1.5	0.3
GLU (mg/dl)	234.0	33.0	233.0	32.0	199.0	26.0	185.0	29.0
AMY (U/l)	3123.0	583.0	2869.0	614.0	3203.0	785.0	2991.0	748.0
CHE (U/l)	1326.0	344.0	1380.0	399.0	984.0	470.0	983.0	452.0
ALT (U/l)	34.6	9.4	35.8	13.1	27.6	12.1	28.4	19.2
AST (U/l)	17.3	4.0	20.5	8.0	20.8	15.7	18.1	8.1
GGT (U/l)	8.5	7.6	10.6	12.6	9.3	6.0	16.5	36.0
ALP (U/l)	40.2	25.3	44.1	44.8	38.4	48.0	35.3	44.2
LDH (U/l)	168.0	66.0	219.0	107.0	263.0	203.0	202.0	152.0
CA (mg/dl)	10.9	1.0	11.0	1.9	9.9	1.0	9.3	2.2
MG (mEq/l)	2.0	0.2	2.0	0.4	1.8	0.4	1.8	0.9
PHOS (mg/dl)	3.7	0.9	3.6	0.9	2.8	0.5	3.1	1.4
UA (mg/dl)	5.2	1.2	5.2	1.5	5.7	1.9	4.7	2.3
CRN (mg/dl)	0.35	0.08	0.36	0.10	0.34	0.12	0.30	0.12
BITO (mg/dl)	0.22	0.09	0.20	0.09	0.18	0.04	0.20	0.08
BIDI (mg/dl)	0.07	0.02	0.06	0.01	0.07	0.02	0.08	0.05

Modified from: Fairbrother A: J Wildl Dis 26(1):67-77, 1990.

**Serum Chemistry and Enzyme Values for Juvenile Mallards**

Assay	Age 5 days		Age 18 days		Age 42 days		Age 58 days	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD
TPR (g/dl)	3.4	0.6	4.3	1.3	4.0	0.8	3.2	1.0
ALB (g/dl)	1.4	0.2	1.5	0.3	1.6	0.4	1.4	0.4
GLU (mg/dl)	239.0	54.0	215.0	93.0	189.0	27.0	186.0	45.0
AMY (U/L)	3230.0	760.0	3984.0	1297.0	3005.0	302.0	2395.0	699.0
CHE (U/L)	1423.0	696.0	984.0	559.0	827.0	253.0	818.0	248.0
ALT (U/L)	21.3	9.1	30.5	10.5	26.1	7.0	23.9	7.1
AST (U/L)	22.3	7.4	88.5	54.1	9.4	5.1	17.4	5.7
GGT (U/L)	1.2	2.8	4.6	3.6	5.3	5.7	6.1	3.6
ALP (U/L)	411.0	89.0	386.0	194.0	217.0	32.0	185.0	47.0
LD-L (U/L)	425.0	153.0	629.0	251.0	169.0	70.0	233.0	83.0
CA (mg/dl)	13.0	10.3	9.6	1.7	10.9	1.6	8.4	1.8
MG (mEq/L)	2.8	0.8	1.8	0.7	2.0	0.2	1.6	0.5
PHOS (mg/dl)	7.9	2.8	7.6	1.3	6.2	1.3	5.0	1.7
UA (mg/dl)	12.2	5.4	10.9	3.8	4.0	0.7	4.0	1.8
CRN (mg/dl)	0.47	0.42	0.55	0.65	0.28	0.10	0.21	0.11
BITO (mg/dl)	0.40	0.11	0.43	0.31	0.20	0.0	0.17	0.05
BIDI (mg/dl)	0.08	0.02	0.10	0.04	0.06	0.0	0.06	0.02

Modified from: Fairbrother A: J Wildl Dis 26(1):67-77, 1990.

## RATITES

**Hematological and Biochemical Values for Ratites**
*Stewart J.*

Parameter	Ostrich		Emu		Cassowary	
	Mean	SD	Mean	SD	Mean	SD
WBC ( $\times 10^3/\mu\text{l}$ )	5.5	1.9			18.0	4.5
Heterophils (%)	62.6	7.6			77.7	25.8
Lymphocytes (%)	34.1	7.0			19.7	10.4
Monocytes (%)	2.8	1.3			2.4	2.4
Eosinophils (%)	0.3	0.5				
Basophils (%)	0.2	0.5				
PCV (%)	32.0	3.0			50.8	3.7
RBC ( $\times 10^6/\mu\text{l}$ )	1.7	0.4			2.1	0.3
Hb (g/dl)	12.2	2.0			14.5	0.5
MCV (fl)	174.0	42.0			245.0	41.0
MCHC (g/dl)	33.0	5.0			28.5	1.6
MCH (pg)	61.0	16.0			70.0	11.5
Total protein (g/dl)	3.7	0.7	4.2	0.5	6.1	0.5
Osmolality (mOsm/kg)	286.0	49.0				
Glucose (mg/dl)	250.0	70.0	158.0	22.0	208.0	47.4
Triglycerides (mg/dl)	90.0	45.0	325.0	591.0	180.0	72.0
Cholesterol (mg/dl)	97.0	45.0	104.0	31.0	80.0	16.0
BUN (mg/dl)	2.4	0.6	2.5	0.9	9.3	0.6
Uric acid (mg/dl)	8.2	2.7	4.7	2.0	6.0	0.6
Calcium (mg/dl)	9.2	2.4	10.5	1.3	11.4	0.2
Phosphorus (mg/dl)	4.8	1.2	5.4	1.0	5.0	0.1
Sodium (mEq/l)	147.0	34.0			149.0	2.1
Potassium (mEq/l)	3.0	0.8			4.1	1.0
Chloride (mEq/l)	100.0	16.0			108.0	0.0
Magnesium (mEq/l)	2.2	0.8			2.3	0.3
ALP (U/l)	575.0	248.0	84.0	44.0		
ALT (U/l)	2.0	1.7	15.4	4.3	80.0	21.0
AST (U/l)	131.0	31.0	104.0	24.0	698.0	532.0
GGT (U/l)	1.5	2.9	4.4	3.4		
LDH (U/l)	1565.0	660.0	240.0	91.0	1060.0	516.0
CK (U/l)	688.0	208.0	264.0	170.0		



# Class Aves:

## A List of Orders, Common and Scientific Names

### APTERYGIFORMES

Kiwi *Apteryx* sp.

### STRUTHIONIFORMES

Cassowary *Casuaris* spp.  
Emu *Dromiceius novaehollandiae*  
Greater Rhea *Rhea americana*  
Lesser Rhea *Pterocnemia pennata*  
Ostrich *Struthio camelus*

### TINAMINIFORMES

Tinamou *Eudromia* spp.  
Bustard (Houbara) *Chlamydotis undulata*

### GRUIFORMES

Blue Crane *Tetrapteryx paradisea*  
Brolga *Grus rubicunda*  
Crowned Crane *Balearica pavonina*  
Demoiselle Crane *Anthropoides virgo*  
Hooded Crane *Grus monacha*  
Manchurian Crane *Grus japonensis*  
Sandhill Crane *Grus canadensis*  
Sarus Crane *Grus antigone*  
White-naped Crane *Grus vipio*

### RALLIFORMES

Coot (European) *Fulica atra*

### CHARADRIIFORMES

Sanderling (eroliinae) *Crocetha ulba*  
Turnstone *Arenaria interpres*

### LARIFORMES

Black-headed Gull *Chroicocephalus ridibundus*  
Herring Gull *Larus argentatus*  
Kittiwake (Black -legged) *Rissa tridactyla*

### ALCIFORMES

Black Guillemot *Cephus grylle*

### SPHENISCIFORMES

Fairy Blue (Little) Penguins *Eudyptula minor*  
Humboldt penguin *Spheniscus humboldti*  
Jackass Penguin *Spheniscus demersus*

### PELECANIFORMES

Brandt's Cormorant *Phalacrocorax penicillatus*  
White Pelican *Pelecanus onocrotalus*

### COLUMBIFORMES

#### Pigeons

Crowned (Blue) Pigeon *Goura cristata*  
Nicobar Pigeon *Caloenas nicobarica*  
Pheasant Pigeon *Otidiphabs nobilis*  
Rock-Pigeon (Racing, King) *Columba livia*  
Tooth-billed Pigeon *Didunculus strigirostris*  
Wood-Pigeon *Palumbus palumbus*

#### Doves

African Collared Dove *Streptopelia roseogrisea*  
Collard (African) Dove *Streptopelia roseogrisea*  
Emerald Dove *Chalcophabs indica*  
Galapagos Dove *Nesopelia galapagoensis*  
Luzon Bleeding-heart *Gallicolumba luzonica*  
Mourning Dove *Zenaida macroura*  
*Zenaidura*  
Namaqua Dove *Oena capensis*  
Plain-breasted Ground Dove  
*Columbigallina minuta*  
Turtle-Dove *Streptopelia turtur*

### PSITTACIFORMES

#### Lovebirds

Black-cheeked Lovebird *Agapornis nigrigenis*  
Black-collared Lovebird *Agapornis swindermanus*

Black-winged Lovebird *Agapornis taranta*  
Fischer's Lovebird *Agapornis fischeri*  
Grey-headed Lovebird *Agapornis canus*  
Lilian's (Nyassa) Lovebird *Agapornis lilianae*  
Masked Lovebird *Agapornis personatus*  
Red-faced Lovebird *Agapornis pullarius*  
Rosy-faced Lovebird *Agapornis roseicollis*

#### Macaws

Blue and Yellow (Gold) Macaw *Ara ararauna*  
Buffon's Macaw *Ara ambigua*  
Green-winged Macaw *Ara chloroptera*  
Hyacinth Macaw *Anodrohychnus hyacinthinus*  
Illiger's Macaw *Ara maracana*  
Military Macaw *Ara militaris*  
Red-shouldered Macaw *Diopsittaca nobilis*  
Scarlet Macaw *Ara macao*  
Yellow-collared Macaw *Ara auricollis*

#### Conures

Australian Conure *Enicognathus ferrugineus*  
Blue-crowned Conure *Thectocercus acuticaudatus*  
Brown-throated Conure *Eupsittula pertinax*  
Cactus Conure *Eupsittula cactorum*  
Dusky-headed Conure *Eupsittula weddellii*  
Finsch's Conure *Psittacara finschi*  
Golden Conure *Guaruba guarouba*  
Green-cheeked Conure *Pyrhura molinae*  
Green Conure *Psittacara holochlora*  
Maroon-bellied Conure *Pyrhura frontalis*  
Mitted Conure *Psittacara mitrata*  
Nanday Conure *Nandayus nenday*  
Painted Conure *Pyrhura picta*  
Patagonian Conure *Cyanoliseus patagonus*  
Peach-fronted Conure *Eupsittula aurea*  
Pearly Conure *Pyrhura perlata*  
Slender-billed Conure *Enicognathus leptorhynchus*  
Sun Conure *Aratinga solstitialis*  
White-eyed Conure *Psittacara leucophthalma*

#### Parakeets

Alexandrine Parakeet *Psittacula eupatria*  
Blossom-headed Parakeet *Psittacula roseata*  
Blyth's Parakeet *Psittacula caniceps*  
Derbyan Parakeet *Psittacula derbiana*  
Grey-cheeked Parakeet *Brotogeris pyrrhoptera*  
Monk (Quaker) Parakeet *Miopsittia monachus*  
Moustached Parakeet *Psittacula alexandria*  
Orange-chinned Parakeet *Brotogeris jugularis*  
Red-fronted (Kakariki) Parakeet *Cyanoramphus novaezelandiae*  
Rose-ringed Parakeet *Psittacula krameri*  
Yellow-fronted (Kakariki) Parakeet *Cyanoramphus auriceps*  
Black-headed Caique *Pionites melanocephalus*  
White-bellied Caique *Pionites leucogaster*

#### Parrots

African Grey Parrot *Psittacus erithacus*  
Amboina King Parrot *Alisterus amboinensis*

Australian King Parrot *Alisterus scapularis*  
Barraband's Parrot *Gypopsitta barrabandi*  
Black Parrot *Coracopsis nigra*  
Blue-bonnet *Psephotus haematogaster*  
Blue-winged Parrot *Neophema chrysostoma*  
Bourke's Parrot *Neopsephotus bourkii*  
Budgerigar *Melopsittacus undulatus*  
Eastern Rosella *Platyercus eximius*  
Eclectus Parrot *Eclectus roratus*  
Elegant Parrot *Neophema elegans*  
Golden-shouldered Parrot *Psephotus chrysoterygius*  
Great-billed Parrot *Tanygnathus megalorhynchus*  
Green Rosella *Platyercus caledonicus*  
Green-winged King Parrot *Alisterus chloropterus*  
Ground Parrot *Pezoporus wallicus*  
Hawk-headed Parrot *Deropteryx accipitrinus*  
Kakapo *Strigops habroptilus*  
Mulga Parrot *Psephotus varius*  
Night Parrot *Geopsittacus occidentalis*  
Northern Rosella *Platyercus venustus*  
Orange-bellied Parrot *Neophema chrysogaster*  
Paradise Parrot *Psephotus pulcherrimus*  
Pennant's Rosella *Platyercus elegans*  
Pileated Parrot *Pionopsitta pileata*  
Princess Parrot *Spathopterus alexandrae*  
Red-capped Parrot *Purpurecephalus spurius*  
Red-rumped Parrot *Psephotus haematotonotus*  
Red-winged Parrot *Aprosmictus erythropterus*  
Regent Parrot *Spathopterus anthoepus*  
Ringneck Parrot *Barnardius zonarius*  
Scarlet-chested Parrot *Neophema splendida*  
Short-tailed Parrot *Graydidascalus brachyurus*  
Superb Parrot *Polytelis swainsonii*  
Thick-billed Parrot *Rhynchopsitta pachyrhyncha*  
Timor Red-winged Parrot *Aprosmictus jonquillaceus*  
Turquoise-Parrot *Neophema pulchella*  
Vasa Parrot *Coracopsis vasa greater*  
Western Rosella *Platyercus icterotis*

#### Amazon parrots

Blue-fronted Amazon *Amazona aestiva*  
Cuban Amazon *Amazona leucocephala*  
Festive Amazon *Amazona festiva*  
Green-cheeked Amazon *Amazona viridigenalis*  
Hispaniolan Amazon *Amazona ventralis*  
Lilac-crowned Amazon *Amazona finschi*  
Mealy Amazon *Amazona farinosa*  
Orange-winged Amazon *Amazona amazonica*  
Puerto Rican Amazon *Amazona vittata*  
Red-spectacled Amazon *Amazona pretrei*  
Red-lore Amazon *Amazona autumnalis*  
Tucuman Amazon *Amazona tucumana*  
Vinaceous Amazon *Amazona vinacea*  
White-fronted Amazon *Amazona albifrons*  
Yellow-lore Amazon *Amazona xanholora*  
Yellow-crowned Amazon *Amazona ochrocephala*  
Yellow-billed (Jamacian) Amazon *Amazona collaria*  
Yellow-shouldered Amazon *Amazona barbadensis*  
Yellow-faced Amazon *Amazona xanthops*

#### Fig parrots

Desmarest's Fig Parrot *Psittaculirostris desmarestii*  
Double-eyed Fig Parrot *Opopsitta diophthalma*  
Edward's Fig Parrot *Psittaculirostris edwardsii*  
Salvadori's Fig Parrot *Psittaculirostris salvadori*

#### Pionus parrots

Blue-headed Parrot *Pionus menstus*  
Bronze-winged Parrot *Pionus chalcopterus*  
Dusky Parrot *Pionus fuscus*  
Plum-crowned Parrot *Pionus tumultuosus*  
Red-billed Parrot *Pionus sordidus*  
Scaly-headed Parrot *Pionus maximiliani*  
White-capped Parrot *Pionus senilis*  
White-headed Parrot *Pionus seniloides*

#### Poicephalus parrots

Brown-headed Parrot *Poicephalus cryptoxanthus*  
Cape Parrot *Poicephalus robustus*  
Jardine's Parrot *Poicephalus guilielmi*  
Meyer's Parrot *Poicephalus meyeri*  
Niamnian Parrot *Poicephalus crassus*  
Red-bellied Parrot *Poicephalus rufiventris*  
Ruppell's Parrot *Poicephalus rueppellii*  
Senegal Parrot *Poicephalus senegalus*  
Yellow-faced Parrot *Poicephalus flavifrons*

#### Lories

Black-capped Lory *Lorius lory*  
Black Lory *Chalcopsitta atra*  
Blue-streaked Lory *Eos reticulata*  
Cardinal-Lory *Chalcopsitta cardinalis*  
Chattering Lory *Lorius garrulus*  
Dusky Lory *Pseudeos fuscata*  
Duivenbode's Lory *Chalcopsitta duivenbodei*  
Ornate Lory *Trichoglossus ornatus*  
Purple-bellied Lory *Lorius hypoinochrous*  
Purple-naped Lory *Lorius domicella*  
Rainbow-Lory *Trichoglossus haematodus*  
Red Lory *Eos bornea*  
Violet-necked Lory *Eos squamata*  
Yellow-streaked Lory *Chalcopsitta sintillata*

#### Lorikeets

Goldie's Lorikeet *Psitteuteles goldiei*  
Little Lorikeet *Glossopsitta pusilla*  
Scaly-breasted Lorikeet *Trichoglossus chlorolepidotus*  
Varied Lorikeet *Psitteuteles versicolor*

#### Cockatoos

Black Cockatoo *Calyptorhynchus funereus*  
Blue-eyed Cockatoo *Cacatua ophthalmica*  
Ducorps's Cockatoo *Cacatua ducorps*  
Galah *Eolophus roseicapillus*  
Gang-gang Cockatoo *Callocephalon fimbriatum*  
Glossy Cockatoo *Calyptorhynchus lathami*  
Goffin's Cockatoo *Cacatua goffini*  
Lesser Sulfur-crested Cockatoo *Cacatua sulphurea*  
Little (Slender-bill) Corella *Cacatua sanguinea*  
Long-billed Corella *Cacatua tenuirostris*  
Mitchell's Cockatoo *Cacatua leadbeateri*  
Palm Cockatoo *Probosciger aterrimus*  
Red-vented Cockatoo *Cacatua haematuropygia*  
Red-tailed Cockatoo *Calyptorhynchus magnificus*

## CLASS AVES: A LIST OF ORDERS, COMMON AND SCIENTIFIC NAMES

Salmon-crested Moluccan Cockatoo  
*Cacatua moluccensis*  
Sulfur-crested Cockatoo *Cacatua galerita*  
White Umbrella Cockatoo *Cacatua alba*  
Cockatiel *Nymphicus hollandicus*  
Kaka *Nestor meridionalis*  
Kea *Nestor notabilis*

## ANSERIFORMES

## Subfamily Anseranatinae

## Tribe Anseranatini

Cuban (Black-billed) Whistling (tree)  
Duck *Dendrocygna arborea*  
Eyton's (Plumed) (Grass) Whistling Duck  
*Dendrocygna eytoni*  
Fulvous Whistling Duck *Dendrocygna bicolor*  
Javan (Lesser) Whistling Duck  
*Dendrocygna javanica*  
Magpie Goose *Anseranas semipalmata*  
Northern Black-bellied (Red-billed)  
Whistling Duck *Dendrocygna autumnalis*  
Spotted Whistling Duck *Dendrocygna guttata*  
Wandering (East Indian) Whistling Duck  
*Dendrocygna arcuata*  
White-Backed(African) Whistling Duck  
*Thalassornis*  
White-faced Whistling Duck  
*Dendrocygna viduata*

## Leuconotus

## Tribe Anserini

## (Swans and True Geese)

Bar-headed Goose *Eulabeia indica*  
Barnacle Goose *Branta leucopsis*  
Bewick's Swan *Olor bewickii*  
Black-necked Swan *Sthenelides melancoryphus*  
Black Swan *Chenopsis atrata*  
Brent (Russian) (Dark-Bellied) *Brant bernicla*  
Canada (Atlantic) Goose *Branta canadensis*  
Coscoroba Swan *Coscoroba coscoroba*  
Emperor Goose *Phalacrocorax canagica*  
Freckled (Monkey) Duck *Stictonetta naevosa*  
Graylag (Domestic) Goose (Western)  
*Anser anser*  
Lesser White-fronted Goose *Anser erythropus*  
Mute Swan *Cygnus olor*  
Nene (Hawaiian) Goose *Branta sandvicensis*  
Pink-footed Goose *Anser brachyrhynchus*  
Red-breasted Goose *Ruffibrenta ruficollis*  
Ross's Goose *Chen rossii*  
Snow (Lesser) (Blue) Goose *Chen caerulescens*  
Swan Goose *Anser cynoides*  
Trumpeter Swan *Olor buccinator*  
Western (Yellow-billed) Bean Goose *Anser fabalis*  
Whistling Swan *Olor columbianus*  
White-fronted (European) Goose *Anser albifrons*  
Whooper Swan *Olor cygnus*

## Sub-Family Antinae

## Tribe Tadornini

## (Shelducks and Sheldgeese)

Abyssinian Blue-winged Goose  
*Cyanochen cyanopterus*  
Andean Goose *Chloephaga melanoptera*  
Ashy-headed Goose *Chloephaga poliocephala*  
Australian Shelduck *Casarca tadornoides*  
Cape Barren (Cereopsis) Goose *Cereopsis novaehollandiae*  
Common (European) Shelduck *Tadorna tadorna*  
Crested Shelduck *Pseudotadorna cristata*  
Egyptian Goose *Alopochen aegyptiacus*

Kelp (Patagonian) (Lesser) Goose  
*Chloephaga hybrida*  
Magellan (Lesser) (Upland) Goose  
*Chloephaga picta*  
Orinoco Goose *Neochen jubatus*  
Paradise (New Zealand) Shelduck  
*Casarca variegata*  
Radjah Shelduck (Moluccan)  
(Black-Backed) *Radjah radjah*  
Ruddy-headed Goose *Chloephaga rubidiceps*  
Ruddy Shelduck *Casarca ferrugina*  
South African (Cape) Shelduck *Casarca cana*  
Spur-winged (Gambian) Goose  
*Plectropterus gambensis*

## Tribe Cairinini (Perching Ducks)

African (South) Black Duck *Melananas sparsa*  
African Pygmy Goose *Nettapus auritus*  
American (Baldpate) Wigeon *Mareca americana*  
Australian Shoveler *Spatula rhynchotis*  
Australian Wood Duck (Maned Goose)  
*Chenonetta jubata*  
Bahama (Lesser) (Northern  
White-Cheeked) Pintail *Paecilonetta bahamensis*  
Baikal Teal *Nettion formosum*  
Blue-winged (Prairie) Teal *Spatula discors*  
Brazilian (Lesser) Teal *Amazonetta brasiliensis*  
Brown (Chillian) Pintail *Dafila georgica*  
Brown (New Zealand) Teal *Nettion aucklandicum*  
Cape (South African) Shoveler *Spatula capensis*  
Cape Teal *Nettion capense*  
Chestnut Teal *Nettion castaneum*  
Chiloe Wigeon *Mareca sibilatrix*  
Cinnamon (Northern) Teal *Spatula cyanoptera*  
Common (European Green-Winged) Teal  
*Nettion crecca*  
Common (Northern ) Shoveler *Spatula clypeata*  
Common (Northern) Pintail *Dafila acuta*  
Cotton (Indian) Pygmy Goose (Cotton  
Teal) *Nettapus coromandelianus (albipennis)*  
European (Eurasian) Wigeon *Mareca penelope*  
Falcated Duck *Eunetta falcata*  
Gadwall (Gray Duck) *Chaulelasmus streperus*  
Garganey *Querquedula querquedula*  
Green Pygmy Goose *Nettapus pulchellus*  
Grey Teal (East Indian) *Nettion gibberifrons*  
Hartlaub's Duck *Pteronetta hartlaubii*  
Hottentot Teal *Punanetta hottentota*  
Knob-billed (Old World Comb) Duck  
*Sarkidiornis melanotos*  
Madagascan (Bernier's) Teal *Nettion bernieri*  
Mandarin Duck *Dendrocygna galericulata*  
Muscovy Duck *Cairina moschata*  
Red (Argentine) Shoveler *Spatula platalea*  
Red-billed Pintail *Paecilonetta erythrorhyncha*  
Ringed Teal *Callonetta leucophrys*  
Silver (Northern) (Versicolor) Teal  
*Punanetta versicolor*  
South American (Chilean Speckled) Teal  
*Nettion flavirostre*  
White-winged Wood Duck *Asarcornis scutulata*  
Wood Duck (North American) (Carolina  
Duck) *Aix sponsa*

## Tribe Anatini (Dabbling Ducks)

American (North) Black Duck *Anas fulvigula*  
Blue (Mountain) Duck *Hymenolaimus malacorhynchus*  
Bronze-winged (Spectacled) Duck  
*Specularias specularis*

Crested (Patagonian) Duck *Lophonetta specularioides*  
Falkland Flightless Steamer-Duck  
*Tachyeres brachypterus*  
Flying Steamer Duck *Tachyeres patachonicus*  
Grey Duck (New Zealand) *Anas superciliosa*  
Hawaiian Duck (Koloa) *Anas wyvilliana*  
Laysan Teal *Anas laysanensis*  
Magellanic Flightless Steamer-Duck  
*Tachyeres pterenes*  
Mallard (Northern) (Domestic) Duck  
(*Anas platyrhynchos*)  
Marbled Teal *Marmaronetta angustirostris*  
Meller's Duck *Anas melleri*  
Philippine Duck *Anas luzonica*  
Pink-eared (Zebra) Duck  
*Malacorhynchus membranaceus*  
Salvadori's Duck *Salvadorina waigiensis*  
Spot-billed (Indian) Duck *Anas poecilorhyncha*  
Australian Wood Duck (Maned Goose)  
Torrent (Chilean) Duck *Merganetta armata*  
Yellow-billed (South African) Duck *Anas undulata*

## Tribe Aythya (Pochards)

Australasian (White-Eye) (Hardhead)  
Pochard *Aythya australis*  
Baer's Pochard (Siberian White-Eye)  
*Aythya baeri*  
Canvasback *Aythya valisineria*  
Common (Ferruginous) (White-Eyed)  
Pochard *Aythya nyroca*  
European (Eurasian) Pochard *Aythya ferina*  
Greater (European) Scaup *Aythya marila*  
Lesser Scaup *Aythya affinis*  
Madagascan (White-Eye) Pochard *Aythya innotata*  
New Zealand Scaup (Black Teal) *Aythya novaeseelandiae*  
Pink-headed Duck *Rhodonessa caryophyllace*  
Red-Crested Pochard *Netta rufina*  
Redhead Duck *Aythya americana*  
Ring-necked Duck *Aythya collaris*  
Rosy-bill (Rosy-billed) Pochard *Metopiana peposaca*  
Southern (South American) Pochard  
*Phaeoaythya erythrorhynchos*  
Tufted Duck *Aythya fuligula*

## Tribe Somateria (Eiders)

Common (European) Eider *Somateria mollissima*  
King Eider *Somateria spectabilis*  
Spectacled (Fischer's) Eider *Somateria fischeri*  
Steller's Eider *Polysticta stelleri*

## Tribe Mergina (Sea Ducks)

Auckland Island Merganser *Mergus australis*  
Barrow's Goldeneye *Glaucionetta islandica*  
Black (European) Scoter *Melanitta nigra*  
Brazilian Merganser *Mergus octosetaceus*  
Bufflehead *Bucephala albeola*  
Common (European) Goldeneye  
*Glaucionetta clangula*  
Goosander (Curasian) *Mergus merganser*  
Harlequin (Atlantic) Duck *Histrionicus histrionicus*  
Hooded Merganser *Lophodytes cucullatus*  
Labrador Duck *Camptorhynchus labradorius*  
Long-tailed (Oldsquaw) Duck *Clangula hyemalis*  
Red-breasted (Common) Merganser  
*Mergus serrator*  
Scaley-sided (Chinese) Merganser *Mergus squamatus*  
Smew *Mergellus albellus*  
Surf Scoter *Melanitta perspicillata*  
White-winged (European) (Velvet) Scoter  
*Melanitta fusca*

## Tribe Oxyurini (Stiff-Tailed Ducks)

Black-headed Duck *Heteronetta atricapilla*  
Blue-billed (Australian) Duck *Oxyura australis*  
Lake (Argentine) (Ruddy) (Blue-billed)  
Duck *Oxyura vittata*  
Maccoa Duck *Oxyura maccoa*  
Masked Duck *Oxyura dominica*  
Musk Duck *Biziura lobata*  
Ruddy Duck (North American) *Oxyura jamaicensis*  
White headed Duck *Oxyura leucocephala*

## RAPTORS

American Kestrel (Sparrow Hawk)  
*Tinnunculus sparverius*  
Bald Eagle *Haliaeetus leucocephalus*  
Barn Owl *Tyto alba*  
Common (European) (Rock) Kestrel  
*Tinnunculus tinnunculus*  
Common Buzzard *Buteo buteo*  
Eagle Owl *Bubo bubo*  
Eastern Turkey Vulture *Cathartes aura*  
European Sparrow Hawk *Accipiter nisus*  
Forest Eagle Owl *Bubo nipalensis*  
Golden Eagle *Aquila chrysaetos*  
Goshawk *Accipiter gentilis*  
Great Horned Owl *Bubo virginianus*  
Grey Eagle Buzzard *Geranoaetus melanoleucus*  
Griffon Vulture *Gyps fulvus*  
Little Owl *Athene noctua*  
Long-eared Owl *Asio otus*  
Merlin (Pigeon) Hawk *Aesalon columbarius*  
Peregrine Falcon *Hierofalco peregrinus*  
Prairie Falcon *Hierofalco mexicanus*  
Red Kite *Milvus milvus*  
Red-necked Falcon *Chiquera chiquera*  
Rough-legged Buzzard *Buteo lagopus*  
Saker Falcon *Hierofalco cherrug*  
Screech Owl *Megascops asio*  
Striped Owl *Asio flammeus*  
Snowy Owl *Nyctea scandiaca*  
South American Black-collared Hawk  
(Fishing Buzzard) *Busarellus nigricollis*  
Striped Owl *Asio clamator*  
Tengmalm's Owl *Aegolius funereus*  
Ural Owl *Strix uralensis*

## CICONIIFORMES

Black Stork *Ciconia nigra*  
Cattle Egret *Bubulcus ibis*  
Greater Adjutant Stork *Leptoptilos dubius*  
Grey Heron *Ardea cinerea*  
Hermit Ibis *Geronticus eremita*  
Marabout Stork *Leptoptilos crumeniferus*  
Night Heron (Black-Crowned) *Nycticorax nycticorax*  
Striated Heron *Butorides striatus*  
White Stork *Ciconia ciconia*  
Yellow-crowned Night Heron *Nyctanassa violacea*

## GALLIFORMES

Brush-Turkey *Alectura lathami*

## Numidinae

Crested Guineafowl *Guttera pucherani*  
Domestic Guineafowl *Numida meleagris forma domestica*  
Helmeted Guineafowl *Numida meleagris*  
Plumed Guineafowl *Guttera plumifera*  
Vulturine Guineafowl *Acryllium vulturinum*

## Pavoninae

Congo Peafowl *Afropavo congensis*  
Green Peafowl *Pavo muticus*  
Indian Peafowl *Pavo cristatus*

## Meleagridinae

Common Turkey *Meleagris gallopavo*  
Domestic Turkey *Meleagris gallopavo forma domestica*  
Oscillated Turkey *Meleagris ocellata*

**Argusianinae**

Bronze-tailed Peacock-Pheasant  
*Polyplectron chalcurom*  
Crested Argus *Rheinardia ocellata*  
Great Argus *Argusianus argus*  
Grey Peacock-Pheasant *Polyplectron bicalcaratum*  
Palawan Peacock-Pheasant *Polyplectron ephanum*

**Phasianinae**

Bar-tailed Pheasant *Calophasis humiae*  
Blue-eared Pheasant *Crossoptilon auritum*  
Brown-eared Pheasant *Crossoptilon mantchuricum*  
Bulwer's Wattled Pheasant *Lophura bulweri*  
Cheer Pheasant *Catreus wallichii*  
Common (Ring-necked) Pheasant  
*Phasianus colchicus*  
Copper Pheasant *Graphephasianus soemmeringii*  
Elliot's Pheasant *Calophasis ellioti*  
Golden Pheasant *Chrysolophus pictus*  
Lady Amherst's Pheasant *Chrysolophus amherstiae*  
Mikado Pheasant *Calophasis mikado*  
Reeve's Pheasant *Syrmaticus reevesii*  
Salvadori's Pheasant *Lophura inornata*  
Siamese Fireback *Lophura diardi*  
Silver Pheasant *Lophura nythemera*  
Swinhoe's Pheasant *Lophura swinhoii*

**Lophophorinae**

Himalayan Monal *Lophophorus impejanus*

**Pucrasinae**

Koklass *Pucrasia macrolopha*

**Ithagininae**

Blood Pheasant *Ithaginis cruentus*

**Gallinae**

Domestic Fowl *Gallus gallus formadomestica*  
Red Junglefowl *Gallus gallus*

**Tragopaninae**

Satyr Tragopan *Tragopan satyra*

**Ptilopachinae**

Stone Partridge *Ptilopachus petrosus*

**Percidinae**

Black Francolin *Francolinus francolinus*  
Chinese Bamboo Partridge *Bambusicola thoracica*  
Chukar Partridge *Alectoris chukar*  
Common Partridge *Perdix perdix*  
Common Quail *Coturnix coturnix*  
Himalayan Snowcock *Tetraogallus himalayensis*  
Japanese Quail *Coturnix japonica*  
Jungle Bush Quail *Perdica asiatica*  
Painted Quail *Coturnix chinensis*  
Redlegged Partridge *Alectoris rufa*  
Rock Partridge *Alectoris graeca*  
Roulroul (Crested Wood Partridge)  
*Rollulus roulroul*

**Odontophorinae**

Bobwhite Quail *Colinus virginianus*  
California Quail *Callipepla californica*  
Gambel's Quail *Callipepla gambelii*  
Scaled Quail *Callipepla squamata*

**Tetraoninae**

Black Grouse *Lyrurus tetrix*  
Blue Grouse *Dendragapus obscurus*  
Common Capercaille *Tetrao urogallus*  
Hazelhen (Common) *Tetrastes bonasia*  
Prairie Chicken *Tympanuchus cupido*  
Red Grouse *Lagopus lagopus scoticus*  
Ruffed Grouse *Bonasa umbellus*  
Sage Grouse *Centrocercus urophasianus*  
Sharp-tailed Grouse *Tympanuchus phasianellus*  
Spruce Grouse *Falcapennis canadensis*  
Willow Ptarmigan (-Grouse) *Lagopus lagopus*

**Cracidae**

Black-billed Turaco *Tauraco schuetti*  
Common Piping Guan *Aburria pipile*  
Great Curassow *Crax rubra*  
Guinea Turaco *Tauraco persa*  
Helmeted (Northern) Curassow *Pauxi pauxi*  
Lady Ross's Turaco *Musophaga rossae*  
Purple-crested Turaco *Tauraco porphyreolophus*  
Razor-billed Curassow *Mitu mitu*  
Wattled Curassow *Crax globulosa*  
White-crested Turaco *Tauraco leucolophus*

**UPUPIFORMES**

Hoopoe *Upupa epops*

**CAPRIMULGIFORMES**

Indian Edible-nest Swiftlet *Collocalia unicolor*  
Quetzal *Pharomachrus mocinno*  
Tawny Frogmouth *Podargus strigoides*

**PASSERIFORMES**

African Silverbill *Euodice cantans*  
American Bare-eyed Thrush *Planesticus nudigenis*  
American Goldfinch *Spinus tristis*  
American Tree-Sparrow *Spizella arborea*  
Antbirds and gnateaters *Formicariidae*  
Apostle-bird *Struthidea cinerea*  
Ashy (Brown-eared) Bulbul *Hemixos flavala*  
Australian Magpie *Gymnorhina tibicen*  
Avadavat (Strawberry-Finch, Red Munia)  
*Amandava amandava*  
Barn-Swallow *Hirundo rustica*  
Bearded Manakin *Manacus manacus*  
Bengalese (Society) Finch *Lonchura domestica*  
Birds of Paradise *Paradisaeidae*  
Black (Pied) (Pied Bell-Magpie)  
Currawong *Strepera graculina*  
Black-eared Wheatear *Oenanthe hispanica*  
Black-faced Cuckoo-Shrike *Coracina novaehollandiae*  
Black-faced Babbler *Turdoides melanops*

Black-throated Grass-(Parson-)Finch  
*Poephila cincta*  
Blackbird (Common) *Merula merula*  
Blue jay *Cyanocitta cristata*  
Blue Tit *Cyanistes caeruleus*  
Blue Waxbill (Angola Cordon-bleu)  
*Uraeginthus angolensis*  
Broad-tailed (Long-tailed) Paradise  
Whydah *Steganura interjecta*  
Brown-headed Cowbird *Molothrus ater*  
Brown Tree-Creeper *Climacteris picumnus*  
Bushlark (Horsfield's, Cinnamon)  
*Mirafra javanica*  
Canary *Serinus canaria*  
Cape May Warbler *Dendroica tigrina*  
Cardinal (Crested) *Paroaria coronata*  
Catbird *Dumetella carolinensis*  
Cedar Waxwing *Bombycilla cedrorum*  
Chaffinch *Fringilla coelebs*  
Chatham Islands Robin (-Flycatcher)  
*Miro traversi*  
Common Bullfinch *Pyrrhula pyrrhula*  
Common Cardinal *Cardinalis cardinalis*  
Common Raven *Corvus corax*  
Cowbird *Molothrus aeneus*  
Crested Lark *Galerida cristata*  
Crested Oropendola *Psarocolius decumanus*  
Crimson Finch *Neochmia phaeton*  
Cuban (Grassquit) Finch *Tiaris canora*  
Cutthroat Finch *Amadina fasciata*  
Diamond Firetail (Diamond Sparrow)  
*Stagonopleura guttata*  
Double-barred Finch *Stizoptera bichenovii*  
Eastern Bluebird *Sialia sialis*  
European Goldfinch *Carduelis carduelis*  
European Robin *Erithacus rubecula*  
Fox Sparrow *Passerella iliaca*  
Glossy (Superb) Starling *Lamprospereos superbus*  
Golden-collared Manakin *Manacus vitellinus*  
Golden-headed Manakin *Pipra erythrocephala*  
Goldfinch *Carduelis carduelis*  
Gouldian Finch *Chloebia gouldiae*  
Great Tit *Parus major*  
Green Avadavat *Stictospiza formosa*  
Green Catbird *Ailuroedus crassirostris*  
Greenfinch *Carduelis chloris*  
Greenfinch *Chloris chloris*  
Grey-headed Wheatear *Oenanthe moesta*  
Hawaiian Crow *Corvus tropicalis*  
Hawfinch *Coccothraustes coccothraustes*  
Hooded Siskin *Spinus magellanicus*  
House Sparrow *Passer domesticus*  
Jackdaw *Coleus monedula*  
Java Sparrow (Rice Bird) *Padda oryzivora*  
Large-billed Seed Finch (Suriname Finch,  
Twa twa's) *Oryzoborus crassirostris*  
Long-tailed (Shaft-tailed) Grass-Finch  
*Poephila acuticauda*  
Magpie *Pica pica*  
Melba Finch (Grey-naped Pytilia) *Pytilia melba*  
Mockingbird *Mimus polyglottos*

Mynah (Hill) birds *Gracula religiosa*  
Nutmeg Mannikin (Spice-Finch) (Spotted  
Munia) (Rice-bird) *Lonchura punctulata*  
Orange-cheeked Waxbill *Estrilda melpoda*  
Painted Firetail *Emblema picta*  
Pekin Robin *Leiothrix lutea*  
Pied wagtail *Motacilla alba*  
Pin-tailed Parrot-Finch *Erythrura prasina*  
Purple Grackle *Quiscalus quiscula*  
Red (hooded) Siskin *Spinus cucullatus*  
Red-breasted Flycatcher *Erythrosterina parva*  
Red-capped Manakin *Pipra mentalis*  
Red-cheeked (Cordon-blue) Blue Waxbill  
*Uraeginthus bengalus*  
Red-headed Barbet *Eubucco bourcierii*  
Red Wattlebird *Anthochaera carunculata*  
Red-winged Pytilia (American Aurora  
finch, Crimson-winged Waxbill) *Pytilia phoenicoteria*  
Rock Robin *Petroica archboldi*  
Rook (European) *Corvus frugilegus*  
Rothschild's (Bali) Myna *Leucospars rothschildi*  
Rufous-sided Towhee *Pipilo erythrophthalmus*  
Rufous-tailed Weaver *Histurgops ruficauda*  
Siberian Rubythroat *Calliope calliope*  
Silvereye *Zosterops lateralis*  
Siskin (Euroasian) *Spinus spinus*  
Sky-lark *Alauda arvensis*  
Spotted Pardalote *Pardalotus punctatus*  
Starling (Common) *Sturnus vulgaris*  
Superb Lyrebird *Menura novaehollandiae*  
Swainson's (Olive-backed) Thrush  
*Catharus ustulatus*  
Tree Sparrow (Eurasian) *Passer montanus*  
Ultramarine Grosbeak *Cyanoloxia cyanea*  
Vesper Sparrow *Poocetes gramineus*  
Violaceous Euphonia *Euphonia violacea*  
Waxwing (Bohemian) *Bombycilla garrulus*  
Weebill *Smicrornis brevirostris*  
Welcome Swallow *Hirundo neoxena*  
White-rumped Canary *Ochrospiza leucopygia*  
White-throated Sparrow *Zonotrichia albicollis*  
Wood Thrush *Hylocichla mustelina*  
Yellow-backed (Orange-winged) Pytilia  
(Red-faced Waxbill) *Pytilia afra*  
Yellow-tufted (Helmeted) honeyeater  
*Lichenostomus melanops rance cassidex*  
Zebra Finch *Taeniopygia guttata*

## II

# Determination of Metabolic Scaling

### Step-by-step Technique for Determining Metabolic Scaling

Harrison G.

One may determine the quantity of an enteral nutritional product for a bird from information supplied in Chapter 15. This mathematical calculation requires a scientific calculator. The following is offered to assist one not familiar with such calculations.

#### Required Data and Formulas

$BMR = K(W_{kg}^{0.75})$  = Basic Metabolic Rate.

K = a theoretical constant for kcal required per 24 hours and varies with the species of bird. K is 129 for passerines and 78 for non-passerines.

$MER = 1.5 \times BMR$  = Metabolizable Energy Requirement.

$W_{kg}$  is the weight of the bird in kg.

#### To determine the BMR:

1. Divide the bird's weight in grams by 1000 to determine the  $W_{kg}$ .
2. With this number entered in the calculator, press the  $y^x$  function key.
3. Input 0.75. Then push =.
4. Multiply the number determined in step 3 by the K value for the bird (78 if it is a psittacine bird).
5. This number is the BMR for the patient in kcal/day.

#### To determine the quantity of enteral nutrient required:

1. Multiply the calculated BMR by 1.5.
2. This number is the MER in kcal per day.
3. Determine the total kcal/day of nutrients required, by multiplying the MER by the stress factor (see Table 15.4).
4. Determine the mls/day of enteral nutrient to use (see Table 15.5) by dividing the value determined in line 3 by the Calories (kcal)/ml in the enteral formula selected.
  - a. Example: ISO cal contains 1 kcal/ml. The value determined in line 3 would be divided by 1 and the resulting number would be the ml/day of this product that the patient should receive.
  - b. Example: ISO cal HCN contains 2 kcal/ml. The value determined in line 3 would be divided by 2 and the resulting number would be the ml/day of this product that the patient should receive.
5. The volume of enteral formula/feeding is determined by dividing the total number of mls required (answer from line 4) by the number of feedings per day (generally four to six).





# Index

Letters following page numbers indicate the following:  
c=color figure, t=table, f=figure.

- A** Abdominal  
air sacs, 351 (see anatomy overlay)  
effusion, causes of, 255  
mass, 255, 302, 735, 1132  
Abdominal distention, 168, 665c, 516f,  
821, 890, 1136  
in hens, 768, 771, 774  
in ratites, 1292c  
Abdominal hernia, 316, 518, 1132  
and egg binding, 761, 763f  
Abdominocentesis, 201f, 518, 770, 771,  
1076, 1221  
Abducent nerve (CN VI), 726  
Abscesses, 684, 1113  
Acanthocephalan, 1013, 1193, 1232  
Accipitridae, 106  
Acepromazine, cardiac effects of, 711  
Acetic acid, for papillomas, 887  
Acetylcholine, 740, 741  
inhibitors, 737, 740  
Acetylcholinesterase, 740, 741, 1050,  
1051  
Acetylcysteine, 458, 686  
Acetylsalicylic acid, 458  
Achilles tendon, medial luxation of, 164,  
1258f, 1324  
Acholeplasma, 1053  
Achromatosis, 617, 847  
Acid-fast organisms, 222t, 973, 974,  
detection of, 484t  
Acinar atrophy, zinc toxicosis, 1265  
*Acinetobacter*, 964  
Acrylic, dental, 1148  
ACTH, adrenal corticotrophic hormone,  
458, 584, 598  
*Actinobacillus*, 961, 963, 991  
and ocular disease, 686  
in Galliformes, 1232  
Activated charcoal, 415, 458  
*Acuaria*, in Passeriformes, 1195  
Acyclovir, 458, 537, 579, 862  
for herpesvirus, 878, 943  
Adenine arabinoside, 1185  
Adenocarcinoma, 770  
Adenoma, 770  
in Galliformes, 904, 905, 1232  
Adenovirus, 903-908  
control of, 940t  
diagnosis of, 907  
gross lesions with, 904  
Group I, 904  
Group III, 907  
in pigeons, 905  
in Psittaciformes, 869c, 906  
in waterfowl, 906  
inclusion bodies of, 125, 903, 904, 908  
latent, subclinical, 904  
species-specific considerations, 904  
transmission of, 903  
Adhesion, and egg binding, 760  
Adjuvants, and muscle necrosis, 113, 127  
paramunity inducers, 113  
Adrenal gland, 597, 598  
Adrenal insufficiency, ACTH, 458  
Adrenalin, 1214  
Advertising, 132  
*Aedes* spp. and togavirus, 915  
*Aegyptianella*, rule-out list, 1063  
in Galliformes, 1232  
in Passeriformes, 191, 1192, 1193  
*Aeromonas*, 958  
in Galliformes, 1232  
in Ramphastidae, 1282  
vs *Clostridium* dermatitis, 978  
Aerophagia, treatment of, 825  
Aerosol therapy (see nebulization)  
Aflatoxin, 50, 69, 553, 784, 787, 910,  
1043, 1266 (see mycotoxin)  
follicular atresia and, 749  
in Anseriformes, 536, 1265  
Aflatoxin B1, hepatotoxin, 1043  
clinical pathology with, 1043  
preventing, 1043  
and breeding, 787  
African Black Ostrich, 1297  
African Grey Parrot, 438, 459, 464, 592  
biochemistry values, 1329t  
ECGs, 703f, 704f, 705, 706f, 707f, 708f  
cardiomegaly and, 710  
constricted toes, 831  
feather picking and, 635  
hypocalcemic syndrome, treatment, 411  
papillomas in, 886  
regurgitation and, 827  
seizures in, 706, 857  
viral diseases in, 824, 886, 890, 895, 911,  
927  
vitamin D<sub>3</sub>, caution, 469  
AG ratio (see albumin/globulin ratio)  
Age, 30  
in Anseriformes, 1244t, 1252  
Agencies, regulatory, United States, 143  
Aggression, 465, 1179, 1204, 1230  
in Anseriformes, 1252  
in Galliformes, 1230  
in Passeriformes, 1179  
in relationship to enclosure, 1179  
Air  
bronchograms, 252  
cell, 754  
conditioners, diseases and, 58  
drill, 1161  
filtration systems, 37, 137  
pressure, 1204  
Air sac, 252, 294, 304-306, 333, 351, 361,  
365, 567, 572, 579, 1105  
air flow entering, 570f  
anesthesia, 1074t, 1108, 1118  
cannula, 396, 1108, 1118, 1272  
esophageal, in Galliformes, 1222  
in canaries, 1187  
in Galliformes, 1221  
in Psittaciformes vs Passeriformes, 1174  
rupture, 409 (see emphysema,  
subcutaneous)  
Air sac mite, 1180, 1215  
Air sacculitis, 253, 317, 352, 390, 571f,  
576, 885, 1189  
treatment of, 390, 579  
with chlamydia, 989  
with influenza virus, 930  
with mycoplasma, 1054, 1058  
Airlines, cargo bins, temperature of, 136  
Airplane wing, in waterfowl, 848  
AIV (see avian influenza virus)  
ALAD (see delta-aminolevulinic acid  
dehydratase)  
Alanine aminotransferase (ALT, GPT),  
228, 1244, 1335t  
Albumin (ALB), 530, 589, 1244  
and egg production, 754  
Albumin/globulin (AG) ratio, 238  
with coronavirus, 915  
*Alcaligenes*, 959, 982  
Alcohol, 458  
Aldosterone, 597, 712  
Alfalfa, 68 (see hay)  
for ratites, 1306  
for ducklings, 1250  
Algae, blue-green, 1265 (see spirulina)  
and feather coloration, 847  
hepatotoxin, 1033  
in Anseriformes, 1265  
Alimentary tract, cytology of, 209  
disorders, neonate, 825  
in Galliformes, 1221  
and disease, 482  
Alkali poisoning, 1263  
Alkaline phosphatase (AP), 524, 1335t  
for diagnosis of polyomavirus, 890  
Alkaline water, *C. botulinum* in, 1263  
Allergy, 621t, 632, 965f, 1033  
(see hypersensitivity)  
Allometric scaling, 437  
Allopurinol, 458, 554  
in Red-tailed Hawks causing gout, 239  
Almonds, toxicity, 1198  
Aloe vera, 458, 464, 623  
Alpha-chloralose, in Anseriformes, 1260  
Alpha-tocopherol, 84 (see vitamin E)  
Altricial, young, 506, 802, 805, 1172  
Aluminum hydroxide, 113  
Aluminum sulfate, 1038  
Alveolitis, allergic, 1202  
*Alysiella filiformis*, 210, 218c  
Amazon foot necrosis, 631c, 965, 966f  
Amazon parrot  
biochemistry values, 1329t, 1335t  
drugs and, 443, 448  
ECG in, 705, 707  
epilepsy in, 410, 738  
herpesvirus in, 878  
human bonding with, 29  
*Mycobacterium* in, 975  
obesity in, 844  
papillomas in, 886, 887  
poxvirus and, 872  
*Streptococcus* in, 970

- viral disease in, 872, 875, 876, 878, 890, 911
- Amazon punctate keratitis, 687
- Amazon tracheitis virus, 875-877
- Amikacin, 390, 447, 458  
toxicity of, 1046
- Amino acid  
feather picking and, 846  
protein and, 81, 82  
profile, formulated diets, 76  
solution, 393  
synthesis, in Galliformes, 1223  
vitamin interactions, 67
- Amino-nicotinamide, 746
- Aminoglycoside, 438, 446, 447  
therapeutic dose of, 442  
pharmacology of, 437  
toxicity of, 446, 1046  
renal damage from, 442, 446, 553
- Aminoloid, 458
- Amitriptyline HCL, 458
- Ammonia, 530, 542  
immune response, 1048  
lymphocyte function, 1048  
aspergillosis and, 1001
- Ammonium solution, 458
- Amoxicillin, 458, 1187
- Amphotericin B, 455, 459, 1003, 1005, 1134, 1189, 1282  
for *Candida*, 999  
pharmacology of, 451  
toxicity of, 1004, 1046
- Ampicillin, 445, 459  
for treatment of *Salmonella*, 955
- Amprolium, 459, 1191
- Amputation  
of comb, wattle, 1233  
of leg, toe, wing, 1133
- Amylase, 231, 232, 485, 1244
- Amyloidosis, 120, 362, 536, 552  
in Anseriformes, 536, 1263
- Amyloidosis, in Passeriformes, 1198
- Anabaena* algae, 1265
- Anaerobic bacteria, 462, 466
- Anafranil, 461
- Analgesic, 459, 463, 1094, 1095
- Anamnesis (medical history), 145
- Anastomosis, circumferential, 1097
- Anatidae (see Anseriformes)
- Anatiformes, and viral diseases, 922, 933
- Anatomy (see anatomy overlay)  
abnormalities in male, 774  
digestive, in ratites, 1292c  
endoscopic, 328  
in Anseriformes, 1241t  
in Columbiformes, 1202  
in Galliformes, 1219  
in Passeriformes, 1173  
in Ramphastidae, 1277  
in ratites, 1286  
reproductive, 755  
skin, 612f
- Ancobon, 463
- Anemia, 188, 398, 399, 461, 464, 535, 542  
adenovirus and, 904, 908  
dietary management of, 858  
hypochromic, regenerative, 1035  
in ducks, 936, 1251  
in Passeriformes, 1188, 1193, 1196  
non-regenerative and PBFV virus, 899  
viral diseases and, 911, 915, 916
- with zinc toxicosis, 1039  
with organochlorine, 1050  
with *Aegyptianella*, 1062  
with *Chlamydia*, 989
- Anesthesia, 383, 1066 (see isoflurane, halothane, methoxyflurane)  
agents, 138, 1066-1068  
equipment, 1067, 1070, 1071, 1072f, 1073f  
cardiac effects of, 711  
in Anseriformes, 1260, 1262t  
in Columbiformes, 1213  
blood collection, 1074  
blood solubility, 1068  
coagulopathy, 1075  
contraindications for, 1067, 1076  
delivery of inhalant, 1073  
doxapram hydrochloride, 1080  
effects with isoflurane, 1074  
emergencies, 1073, 1074, 1079, 1080  
endoscopy, 1074  
fasting, 851, 1077  
field use, 1067  
fluid therapy, 1074f, 1076, 1077  
hepatic damage from, 1068  
hyperventilation, 1079  
induction, 1073  
injectable, 1066, 1069, 1070, 1260, 1262  
intubation, 1068  
IPPV, 401, 1068  
ketamine, 1069  
long-term general, 1074  
minimum alveolar concentration, 1068  
monitoring, 1074, 1078t, 1079  
nitrous oxide, 1069  
nosocomial infections, 1071  
obesity and, 1076  
open system, 1068  
out-of-circuit, 1070  
paCO<sub>2</sub> levels, 1074  
patient evaluation, 1074, 1075t, 1076  
physiologic effects of inhalant, 248, 1067  
pre-anesthetic, 1069, 1079  
recovery, 1067  
respiratory and cardiac arrest, 1068, 1080  
respiratory rate, 1077t, 1079  
risk classifications, 1075  
scavenging system, 1068, 1072  
short-term restraint, 1074  
sinus bradycardia, causes of, 706  
tank systems, 1071f  
temperature, effects of, 1074
- Angel wing in Anseriformes, 1257f
- Angiography, 260, 698f
- Angiotensin, converting enzyme, inhibitors, 714  
I, cardiac effects, 712  
II, cardiac effects, 712, 714
- Angular limb deformity, in ratites, 1161, 1298, 1324
- Anhimidae, screamers, 1238
- Animal bites, emergency treatment, 412, 414
- Animal protein, and Anseriformes, 1246
- Anisocytosis, 194c  
hemorrhagic conure syndrome with, 934
- Anisodactyly foot, 1172
- Ankyloblepharon, 679, 822
- Ankylosis, postsurgical, 1139
- Anophthalmia, 822
- Anseranatinae (Magpie Goose), 1238
- Anseriformes, 345, 508, 609, 1160, 1237-1275  
air sac cannulation of, 1272  
algal toxins, 1265  
amyloidosis in, 1263  
anesthesia in, 1260, 1262  
artificial insemination of, 776  
beak repair of, 1272  
body weight data of, 1240t  
botulism in, 1263  
bumblefoot in, 1262  
capture myopathy in, 1263  
castration of, 1274  
chick management, 1253, 1254  
clinical pathology and, 1211, 1341t-1344t  
diagnostic facilities for, 1262t  
defenses of, 1244  
disease in, 1262-1266, 1264t, 1267t, 1268t  
ducklings, diet for, 1248t  
egg-related peritonitis, 1266  
endocarditis, 714  
energy requirements in, 1249  
fertilizers and, 1266  
frostbite in, 1243  
gender determination, 778  
growth rate, egg production in, 1243  
hatching of, 1253  
heart rate in, 1243  
hematology in, 1340t, 1341t  
housing for, 1244  
incubation of, 1240-1243t, 1253  
joint ankylosis, 1269  
lead poisoning in, 1035, 1264  
lymphocytes, 1244  
*Mycobacterium* in, 972  
mycotoxicity in, 1264  
myopathy, 1263  
neonatal problems, 1255, 1256  
nutrition of, 1250-1258, 1252t  
ocular disease and, 685  
oil-contamination of, 1263  
parasites and, 769, 1253  
phallus, 756  
pipping in, 1253  
pododermatitis in, 1262  
procaine penicillin in, 467  
proventricular dilatation, 1269  
reproductive status of, 1243, 1244, 1252  
respiration rates, 1243  
*Salmonella* sp. in, 1257  
stress in, 1257  
surgery of, 1269-1274, 1270f-1272f, 1275f  
toxin exposure, 1266  
tumors, 1266  
viral disease and, 744  
zinc toxicosis, 1264
- Ant, 459, 624f, 720
- Anterior chamber, of eye, 673, 676f
- Anthelmintics, 1045
- Anthrax, in ratites, 1309
- Antibiotic, 1114 (see antimicrobial therapy)  
aspergillosis and, 1001  
bacteria, resistance and, 442, 443  
beta lactam, safety of, 442  
blood levels and, 388  
*Candida* infections and, 999  
condition at site of infection, 437

## INDEX

- flora, alimentary, adverse effects on, 442  
 food-based, 439  
 indiscriminate use of, 50  
 inhibiting immune systems, 114  
 intramuscular injection, 440  
 intraosseous injection, advantages, 440, 441  
 intravenous injection, 440  
 minimal inhibitory concentration (MIC), 435  
 nebulization, 441  
 oral administration, 439  
 over-the-counter (OTC), 442  
 prophylactic use of, caution, 114  
 resistant organism, 435  
 septicemia and, 388  
 subcutaneous injections, 440  
 susceptibility of bacteria, 435, 436f, 455  
 tissue penetration and, 437  
 topical medications, 441  
 toxicity, 441, 442, 1046  
 treatment failure, 442  
 vitamin deficiencies, 852  
 water-based, 438
- Antibodies**, 115, 121, 754  
**Anticoagulant**, 176-178, 224, 230, 771, 1135  
**Antifungal therapy**, 450-456, 999t, 1114  
**Antigen detection**, chlamydia, 992t  
**Antigen ELISA**, 121  
**Antigen-expressing tumors**, 127  
**Antigens**, 114  
**Antigout**, 461  
**Antihistamines**, 637  
**Anti-inflammatory**, 461, 463  
**Antimalarial drugs**, 1193  
**Antimicrobial therapy**, 127, 434-456 (see antibiotics, specific agents)  
 resistance to, 434  
 routes of administration of, 438-441  
 selection of, 435t  
 spectrum of, 435-437  
 susceptibility to, 455t  
 toxicity of, 441-442  
**Antineoplastic therapy**, prednisolone, 600  
**Anting**, 608  
**Antioxidant**, 77, 84  
**Antipyretic**, 463, 465, 467  
**Antisense RNA therapy**, 127  
**Antitoxin**, botulism, 1264  
**Antitussive**, 459  
**Aortic rupture**, 859  
 in ratites, 1295c, 1307  
 malnutrition and, 849  
**AP** (see alkaline phosphatase)  
**Aplastic anemia**, human, 450  
**Apnea**, 1073, 1074, 1079, 1080  
**Apomorphine**, 503  
**Appetite stimulant**, 465  
**Apteria**, 614f  
**Aquatic environments**, 460  
**Aqueous flare**, 673  
**Aracar**, 957, 1279  
**Arachidonic acid**, 81  
**Arachnoid**, 724  
**Arbovirus**, 915, 916  
 zoonotic potential of, 919t  
**Arginine deficiency**, 633  
**Arginine vasotocin (AVT)**, 583, 752  
 and egg binding, 760
- Argus pheasant**, 1231  
**Arrhythmia**, 401, 705, 714, 715t, 1044  
 adrenalin-induced, 713  
 atrioventricular node and, 709  
 in pigeons, 461  
 ventricular, 708  
**Arsenic (Ar) toxicosis**, signs of, 536, 1040  
**Arthritis**, 251, 982  
 in ratites, 1309, 1310c  
 postsurgical, 1138  
 with mycoplasma, 1054  
**Arthropod**  
 as disease vector, 1061, 1062  
 in Galliformes, 1232  
 in Passeriformes, 1195  
**Arthus phenomenon**, 120  
**Articular gout**, 214, 221c, 540, 547, 651, 850  
**Artificial insemination**, 757, 776, 777, 1231  
 electroejaculation for, 776  
 in Anseriformes, 1253  
 in Columbiformes, 1211  
 in Psittaciformes, 776  
**Ascarid**, 769, 1011f, 1021, 1283  
 in Passeriformes, 1194  
 piperazine for, 467  
**Ascites**, 515-517, 523, 537, 1197  
 adenovirus and, 907  
 diets, low-sodium for, 518  
 heart and, 710, 713  
 in Ramphastidae, 1280  
 malnutrition and, 849  
 reproductive disease and, 770  
**Ascorbic acid**, 82, 88 459 (see vitamin C)  
**Aspartate aminotransferase (AST, GOT)**, 229, 890, 911, 916, 1244, 1298, 1335t  
*Chlamydia* and, 989  
 polyomavirus and, 890  
 infectious disease and, 890, 911, 915, 916, 989  
**Aspergilloma**, in thoracic air sac, 1003f  
**Aspergillosis**, 309, 345, 366, 459, 462, 463, 464, 526c, 535f, 544, 565, 599, 625, 997, 1001  
 air sac hyperinflation and, 1002  
 brooder pneumonia, 1000  
 clinical findings with, 450, 684, 1002t  
 clinical pathology, 1002t  
 CNS signs with, 741  
 cytology of, 212c, 218c  
 diagnosis of, 1003  
 heart and, 704  
 histopathology and, 1002t  
 in Anseriformes, 1257, 1266  
 in Passeriformes, 1189  
 in ratites, 1314  
 malnutrition and, 849  
 prevention of, 452, 1004  
 sinusitis and, 558  
 therapy for, 452-455t, 1003, 1004t  
*Aspergillus*, 575, 1000, 1043  
 in Galliformes, 1232  
 orchratoxin and, 1044  
**Asphyxiation**, malnutrition and, 846  
**Aspiration**, sample collection, 200, 407, 565, 828  
 of sinus, 202, 345, 1038  
 tube feeding, 392  
**Aspirin**, 458, 1095  
 anticoagulant, 771
- Association of Avian Veterinarians (AAV)**, 131  
**AST** (see aspartate aminotransferase)  
**Astrovirus vs rotavirus**, 913  
**AT** (see Amazon tracheitis virus)  
**Atabrine**, 468  
**Ataxia**, 736-738  
 CNS toxins and, 739, 740, 1035, 1042, 1044, 1050  
 hemorrhagic conure syndrome and, 934  
 in Anseriformes, 1265, 1266  
 manganese and, 859  
 parasites and, 742  
 viral disease and, 743, 744, 890, 916, 930  
**Atelectasis**, 252  
**Atherosclerosis**, 252, 371, 495, 707, 710, 718-720  
 clinical signs of, 720  
 dietary fat and, 851  
 ECG, 707f  
 malnutrition, 849  
 neurologic signs of, 736  
 retrospective study of, 718t  
*Atoxoplasma*, 191, 194c, 529, 533, 1016  
 in Passeriformes, 1190, 1191t  
 in chicks, 825  
 cytology of, 221c  
**Atresia** (see choanal atresia)  
 congenital, of oviduct, 772  
 of ovary, 749  
**Atrial arrhythmias**, 707  
 fibrillation, 707, 714  
 flutter, 708  
 tachycardia, 707, 708  
**Atrioventricular dissociation**, 709  
 heart block, 709, 710  
 nodal escape, ducks, 707  
 node arrhythmias, 709  
 valve, 695, 712  
**Atrophic rhinitis**, 57, 160, 558, 577 (see granuloma, rhinolith)  
**Atropine**, 459, 711  
 antidote for organophosphate toxicity, 711, 1051  
 for heart block, 706, 709, 710  
**Auditory evoke potentials**, 723  
*Augustifolia purpurea*, 462  
**Auscultation**, respiratory sounds, 571  
**Australian Grass Finch**, 1186  
**Autochthonous flora**, 111, 465, 965, 968, 976, 978, 980  
**Autoimmune reaction**, 119, 940  
**Automated cell counters**, use of, 179  
**Autonomic nervous system**, 727f  
**Aves**, list of names, 1346  
**Aviadenovirus** (see adenovirus)  
**Avian encephalomyelitis (AE)**, 937  
**Avian influenza virus (AIV)**, fowl plague, 707, 776, 929, 931, 1237, 1309  
 vs *Chlamydia*, 990  
**Avian reticuloendotheliosis virus**, 936  
**Avian viral serositis** (see viral serositis)  
**Aviary**, 37  
 bully bird, removal from, 37  
 design, 51-54f  
 disease management in, 52, 60, 137, 1176  
 emergency care of birds, 59  
 for Columbiformes, 1207  
 free flight, for Passeriformes, 1178

- health maintenance program, 52, 56  
 mixed species, 37  
 nest boxes, 52  
 ventilation fans, 53  
 visitors, biosecurity of, 46, 47  
 water, 52
- Aviculture, veterinary services for, 46  
 Aviculturist, breeder vs hobbyist, 46  
 first aid kit for, 59, 60t
- Avihepadnavirus, oncogenic properties, 910
- Avipoxvirus (see poxvirus)
- Avipro, 459
- Avocado toxicity, 38, 1041, 1198
- Avulsion  
 of brachial plexus, 734, 735f  
 of bronchi, 1108
- Azithromycin, 449, 450, 459
- Azole antifungals, 451-452, 1004
- Azomycin, 461
- B** B vitamins, 462, 545, 856  
 with renal disease, 850
- B-cell, 113, 117, 118
- Bacillus*, 978
- Bacteremia (see bacterial infections)
- Bacteria, 119, 979t, 949-1006 (see specific bacteria)  
 characteristics of, 979t  
 clinically significant, 979t  
 control and therapeutics, 980t  
 differential diagnosis of, 982t  
 disinfectants for, 979t  
 endotoxins and, 1033  
 gram-negative, significant, 950-964, 954t  
 gram-positive, significant, 965-982  
 in Anseriformes, 1267t  
 in chicks, 823  
 in Columbiformes, 1208, 1215t  
 in crop, 826  
 in Galliformes, 1232t  
 in Ramphastidae, 1282  
 in Passeriformes, 1187  
 in ratites, 1303t  
 in respiratory tract, 575  
 in seed, 951  
 incubation periods of, 979t  
 shedding of, 954t  
 transmission of, 979t  
 zoonotic potential of, 972t
- Bacterial  
 infections (bacteremia), 393, 550, 950  
 neuropathies, 744  
 taxonomy, 949
- Bacteroides, 953
- Bailey's hexaxial system, 700, 701t
- Baldness, in canaries, 637
- Ball bandage, technique, 431, 432t
- Banamine, 463
- Band, leg  
 closed, 41, 49  
 injuries from, 422-423  
 removal of, 40, 42, 43f  
 metal, frostbite and, 413
- Bandage  
 figure-of-eight, 428f, 429f  
 interdigitating, 432f  
 layers, 420-422  
 Robert-Jones, 1140  
 splint and external coaptation, 1145
- Barium (see contrast media)
- Barbules, 615f
- Basal metabolic rate (BMR), 394, 1083  
 in Passeriformes, 1173
- Basophilic rubricyte (see rubricyte)
- Basophils, 112, 190, 193
- Bathing, 39, 1224
- Bauer's and Gridley stains, 1005
- Baylisascaris*, 742, 1022, 1315
- Baypamun, as viral therapy, 943
- Beak, 161, 164, 166, 484, 485f, 523,  
 609-611, 618, 743, 728, 1220  
 anatomy, physiology of, 484, 609-611, 777  
 defects of, 293, 590, 789, 837, 891, 1164f  
 flaking, causes of, 161, 846  
 growth of, 610f  
 in Anseriformes, 1272  
 injury, repair of, 1162  
 neonate, problems with, 611, 836, 837,  
 1165  
 rubber, 590  
 trimming of, 41f, 1224
- Bees, 624
- Behavior, 74, 96-107  
 biting, 106, 849  
 breeding, 97, 98f, 99f, 100, 782, 787,  
 1129, 1209  
 communal nesters, 100  
 diet and, 74, 104  
 favoring one person, 107  
 feather picking, 106, 635f  
 house training, 104  
 in Columbiformes, 1204  
 masturbatory, 772, 775, 778  
 mimicking ability of, 1174  
 model-rival training, 101-102  
 modification, 29, 104-105, 464, 772  
 negative reinforcement, 102  
 ostriches, 1301  
 positive reinforcement, 102  
 problems, 101, 104-107, 775  
 screaming, 106  
 steps to modification of, 106t  
 training, 101-107  
 weaning, begging, natural, 101
- BELISA test, for chlamydia, 993
- Beltsville poultry semen extender, 1253
- Benadryl, 462
- Benzene hexachloride, 1316
- Benzoin, 1262
- Beta carotene, 83, 618, 1113
- Batrial enlargement, 704
- Bicarbonate, 241, 389, 1077
- Bigeminy, 708
- Bile acids, 232, 522, 525, 530, 737, 1057  
 indication for liver biopsy, 347
- Bile duct  
 carcinoma of, 657, 887  
 cystic dilatation of, 362c  
 in Galliformes, 1223  
 hyperplasia, 658
- Bile salts, 81, 523, 525
- Bilirubin, 232, 243
- Biliverdinuria, 150, 173c, 523, 549, 905,  
 1001
- Bill tip organ, 609, 611f
- Biochemistry, 223-245, 1328t-1345t (see specific parameter)  
 acid phosphatase, 241  
 analytic accuracy, 223-225  
 anticoagulant, lithium heparin, 224  
 bicarbonate, 241
- bile acids, 232  
 blood collection, 239  
 blood gases, 241  
 calcium, 233  
 cholesterol, 233  
 copper, 241, 242  
 creatinine, 224, 225, 234  
 creatinine kinase, CK (CPK), 229  
 delta-aminolevulinic acid dehydratase,  
 241  
 diagnostic tests, specifics, 223  
 electrolytes, 227, 239  
 electrophoresis, 237  
 enzyme activity, elevated, 228t  
 enzymology, 226  
 gamma glutamyl transferase (GGT), 230  
 glucose, 234, 243  
 glutamate dehydrogenase (GLDH), 230  
 heparin (GGT), effect on, 230  
 histology, relationship to, 225-226  
 hormones, 227  
 international system of units (SI), 226,  
 1328t  
 interpretation guides for, 225, 226  
 iron, 235  
 ketones, 243  
 lactate dehydrogenase (LDH), 230  
 lipase, 236  
 metabolic increases, causes, 231t  
 metabolites, 227  
 phosphorous, 235  
 plasma ammonia, 231  
 plasma dye clearance test, 242  
 plasma vs serum, 224  
 potassium, 224, 240  
 reference intervals, 225, appendix  
 sodium, 240  
 specific gravity, 242  
 samples for, 228t  
 total iron binding capacity (TIBC), 236  
 total protein, 236  
 triglycerides, 238  
 urea, 239  
 uric acid, 239  
 urinalysis, 242-244
- Biopsy, 325, 346-354, 532, 1116
- Biotin, 72, 87, 536, 857, 1251, 1298  
 feather picking and, 846  
 skeletal deformities and, 848, 857
- Bipolar radiosurgery (see radiosurgery)
- Bird (see companion bird, free-ranging  
 bird)
- Bird's nest soup, 485
- Birnavirus, infectious bursal disease,  
 914, 1232
- Bismuth subsalicylate, 459
- Bite, from cats (see cat bite)
- Biting lice, in Passeriformes, 1197
- Biting birds, 106, 849
- Biting midges, *Culicoides* spp., 1192
- Black flies, 1193
- Black locust, 1041
- Black spot in Passeriformes, 1192
- Black Stork, herpesvirus in, 875, 884
- Blackbird, as disease vector, 958, 1005
- Blastoderm, 764c, 775
- Blastodisc, 764c, 775
- Blastomyces, fluconazole and, 454
- Bleeding (see hemorrhage)
- Blepharodema, with PMV-1 pigeon, 926
- Blindness, 587, 689, 728, 736, 1001

## INDEX

- causes of, 689  
 CNS toxins and, 739, 1035, 1050  
 cryptococcosis and, 1004  
 mycoplasmosis and, 1056  
 listeriosis and, 976  
 toxoplasmosis and, 688, 742
- Blood**  
 ammonia, 737  
 bacteria in, 950  
 cell, 181, 186 (see hematology)  
 cell count, reproduction and, 753t  
 chemistry, 1328t-1345t (see biochemistry, enzymology)  
 collection, 177f, 178f, 179f, 180f, 239, 385f, 1181, 1204  
 culture, 697, 950  
 feather, 38, 399  
 feces (see hematochezia)  
 fluke, 742, 1194  
 gas, 241, 1079  
 glucose level in, 738  
 in urine, 243  
 loss, 398, 399, 400, 414  
 parasites, diagnosis of, 190, 194, 533, 1010, 1018t, 1019, 1192  
 Passeriformes and, 1192  
 pressure, depressed, 1266  
 ring, 764  
 spot, 764c, 767e  
 transfusion, 400, 401, 1040  
 viral diseases and, 824  
 volume, 176, 400, 1204
- Blowflies and botulism**, 739
- Blue-necked Ostrich**, 1297
- BMR (see basal metabolic rate)**
- Body temperature**, 1203, 1243
- Body weight**, in Anseriformes, 1241t  
 in Galliformes, 1128  
 in Psittaciformes, 818t
- Bollinger bodies**, 486, 679, 865, 873, 1185
- Bond**, human-animal, 18, 19
- Bone**  
 congenital, abnormalities, 250  
 cutter, 1133  
 disease, 251, 324, 1144  
 graft, 1145  
 healing, 1140f  
 neoplasia, characterized by, 251  
 ossification, 1142  
 scanning, 325
- Bone marrow**  
 biopsy aspiration, needles for, 191  
 suppression in humans, 460  
 suppression, with mycotoxin, 1044  
 with *Mycobacterium*, 973
- Border Canaries**, 1179
- Bordetella**, 959  
 in Galliformes, 1232
- Borrelia**, in Galliformes, 1232
- Botulism**, 739, 977, 1264 (see *Clostridium*)  
 diagnosis of, 977-978  
 in Anseriformes, 1263  
 in ratites, 1309  
 therapy of, 740  
 vs lead toxicity, 1035
- Bougienage**, 1113
- Boutons**, for diagnosis of *Clostridium*, 977
- Bowed legs**, in ducklings, 1251
- Bowel**, fluid-filled, radiology, 255
- Bowls**, food and water, 58
- Bowman's layer**, 676
- Brachial plexus**, 374, 726, 735f
- Bradycardia**, 702, 706, 711, 740
- Braghathism**, 611, 1166
- Brain**, 369, 372, 465, 724f, 725f
- Brazil nuts**, 536, 1043, 1266
- Breathing**, shallow and labored (see dyspnea)
- Breeders**  
 culled, 47  
 fancy pigeons, 1201  
 periodic, equatorial climates, 752
- Breeding (see theriogenology, 748-804)**  
 aflatoxin and, 787  
 age in ducks, 1252  
 aggressive behavior, 781  
 average clutch size, 775  
 behavioral characteristics, 47, 775, 778, 783  
 causes of infertility, 786  
 dimetridazole toxicity and, 1045  
 disease and, 1054f  
 enclosures, 783  
 environment and, 775f, 780-784, 788  
 fertility, 775, 785  
 hatchability, 775, 786  
 in Columbiformes, 463, 1209  
 in Passeriformes, 1176t  
 in ducks, 1252  
 incubation and, 788, 789  
 lighting effects in, 1175  
 mate preference, 781  
 nests, 783  
 nutrition, 72, 784, 788  
 pair-bonding, 782, 1209  
 parental factors, 787  
 physical and medical characteristics, 784  
 pre-incubation factors, egg storage, 788  
 record-keeping, 785  
 sexual maturity, 779  
 underproduction, 775  
 visual stimuli, 781
- Brewer's yeast**, in ducklings, 1251
- Bristles**, 615
- Brodifacoum toxin**, 1051
- Bromsulphalein**, 242
- Bronchitis virus**, infectious, 768
- Bronchograms**, air, 252
- Bronchi**, 561, 567
- Brood box**, for Anseriformes, 1254f
- Brooder pneumonia (see aspergillosis)**
- Brooder room management**, 1253
- Brood patch**, 608, 634, 1219
- Brooding behavior**, 584
- Brotoferis**, with *Mycobacterium*, 973
- Brown-eared Pheasant**, 1231, 1235
- Bruising**, 169
- Brush Turkey**, 1229
- Budgerigar**, 20, 75, 235, 462, 464, 465, 518, 782, 807, 1329t  
 feather duster, 873  
 goiter in, 846  
 fledgling disease (BFD), 885, 888, 890  
 herpesvirus in, 875, 878, 880, 882  
 obesity in, 844  
 papillomas in, 886  
 paramyxovirus, 927-928  
 PBFd in, 895  
 poxvirus in, 873  
 reovirus in, 912
- Bufflehead Duck**, breeding in, 1252
- Bulk laxative (see hemicellulose)**
- Bull Finch**, toxin in, 464
- Bumblefoot**, 164, 425-427, 462, 631c  
 cardiac effects of, 714  
 classification and causes, 425-427, 426t, 632  
 in Anseriformes, 1244, 1250, 1262  
 malnutrition and, 425f, 848f  
 prevention of, 426  
 treatment, 426-427  
*Staphylococcus* in, 967
- Bundle branch block**, left and right, 710
- Bunyamwera group**, 919
- Bupivacaine**, 1133
- Buprenorphine hydrochloride**, 1095
- Burlap (hessian)**, 1176
- Burn**, 412-414, 623, 626, 628c
- Bursa of Fabricius**, cloacal bursa, 509
- Butorphanol tartrate**, 459
- C** **Cachexia**, emergency treatment, 414
- CaEDTA (see calcium disodium ethylene diamine tetracetate)**
- Caffeine**, 1044
- Cage (see housing)**
- Caique**, 30, 886
- Calamus**, 158, 619, 1245
- Calcitonin (CT)**, 587
- Calcium (Ca)**, 75, 89, 90, 233, 459, 461, 462, 1244  
 abnormal eggs and, 773  
 absorption, bone mobilization, 753  
 blood levels of, 75, 1252  
 body stores and, 737  
 chronic egg laying and, 772  
 dietary, 250, 811, 850, 854, 857, 1046  
 egg binding and, 75, 758, 759, 849  
 excess, renal effects of, 850, 858, 1046  
 feather quality and, 846  
 hemorrhagic conure syndrome and, 934  
 metabolic disease, 758  
 metabolism and, 587, 753, 789f  
 nephropathy and, 592  
 phosphorous, ratio of, 66, 858  
 skeletal deformities and, 848  
 supplementation, in Anseriformes, 1258
- Calcium carbonate**, 72
- Calcium disodium ethylene diamine tetracetate (CaEDTA)**, 400, 1037-1038
- Calcium disodium versenate**, 459, 1037
- Calcium gluconate**, 542, 737
- Calcium oxalate crystals**, with ethylene glycol toxicity, 1044
- Calcium-binding proteins**, 75
- California encephalitis virus**, 919
- Callus formation**, 1140
- Caloenadidae**, 1201
- Caloric requirements**, and supportive care, 394
- Camphor spirits**, 1262
- Campylobacter**, 514, 959-960, 1189  
 in Galliformes, 1232  
 in Passeriformes, 1179  
 in ratites, 1309
- Canada Goose**, 1257  
 disease in, 872, 928, 1269
- Canary**, 74, 463, 758, 762, 1183, 1185, 1186, 1189, 1193, 1195  
 atoxoplasma in, 1191

- bacteria in, 957, 970, 976  
*Candida* in, 999  
 color varieties, 1183  
 cross-fostering, 806  
 dominant white lethal factor, 1184  
 feather cysts, 1098  
 feathers in, 846, 1184  
 fungal disease in, 1005  
 malnutrition in, 1177f  
 megabacteria in, 982  
 mycotoxins in, 1043  
 myocarditis and encephalopathy in, 909  
 nutrition, 1177  
 ocular disease and, 687, 688  
 parasites in, 1191, 1194, 1196, 1197  
 plant toxicity in, 1042  
 poxvirus vaccine in, 872  
 reproduction in, 768, 1175, 1176t  
 toxoplasmosis and, 688, 742  
 viral disease in, 164, 872, 873, 875, 927, 931, 933, 1059, 1185
- Cancer, liposomes, 127  
 human lung, 1202
- Candida*, 1186  
 clinical signs of, 999  
 culture media for, 999  
 cytology of, 218c  
 in Galliformes, 1232  
 in Passeriformes, 1188, 1189  
 in Ramphastidae, 1282  
 in ratites, 1314  
 secondary to antibiotic therapy, 999  
 treatment, 452-454, 467, 999t
- Candling, 785, 791, 795
- Canker, 491
- Cannibalism, 1233, 1279
- Cannon nets, 1260
- Canthexanthin, 1178
- Canthoplasty, inferior ectropion, 1100
- Canvasback Duck, 1239, 1246
- Cape Barren Goose, 1239, 1252
- Capercaillie, 1220
- Capillaria, 463, 464, 465, 496, 1012f, 1023, 1283  
 clinical signs of, 486  
 in Passeriformes, 1188, 1194
- Caprillic acid, 459
- Capsicum annuum*, 1041
- Captive breeding, reintroduction, 22
- Captopril, 714
- Capture myopathy, in Anseriformes, 1263
- Capture nets, 1260
- Carbamate, toxicosis, 737, 1051
- Carbaryl, 59, 459, 1050, 1316 (see Sevin dust)
- Carbofuran, toxicity, 1051
- Carbohydrate, 78, 851, 603t
- Carbon dioxide  
 in incubation, 1229  
 laser, 1131
- Carbon monoxide, 1049, 1198
- Cardiac  
 arrest, 711, 1080  
 arrhythmias (see arrhythmias)  
 depressants, 711  
 disease, evaluation of (see cardiology)  
 glycosides, 714  
 monitoring, in Anseriformes, 1261 (see anesthesia)  
 silhouette, 252, 697
- Cardiac-induced ascites, 696
- Cardiogenic shock vs congestive heart failure, 712
- Cardiohepatic syndrome, 716
- Cardiology, 695-722
- Cardiomegaly, 252, 313, 401, 696, 710, 717t
- Cardiomyopathy, 518, 716, 717
- Cardiopulmonary resuscitation (CPR), 401
- Cardiovascular  
 diseases, 711-713  
 effects of conditions or agents, 705t  
 system, 252 (see anatomy overlay)
- Carnidazole, 459, 1209
- Carotene, 846
- Carotenoid pigments, 83, 523, 1177, 1178
- Carpometacarpus, surgical approach to, 1153
- Carrot, as an undigestible cellulose, 1178
- Cartilage, 1143
- Caryospora, 1012f
- Cassia occidentalis*, 1307
- Cassowary, 506, 1284, 1286, 1291, 1320  
 artificial insemination in, 776  
 characteristics of, 1285, 1345t  
 digestive anatomy of, 1289  
 plant toxicity in, 1042
- Cast, cellular, 549 (see urinalysis)
- Castling material, 1148
- Castration, in waterfowl, 1274
- Cat, as disease vector, 741, 984, 1191, 1194, 1207
- Cat bite, *Pasteurella* and, 412, 459, 962, 1189
- Cataract, 687, 688, 1101-1103  
 canaries and, 1184  
 familial and, 822  
 in ratites, 1292c, 1316  
 removal of, 1102f
- Catecholamine, 597  
 cardiac effects of, 711
- Catheter, Foley, 1108
- Cave Swiftlet, 485
- Cebocephaly, 746
- Ceca, 509, 953, 1202  
 in Galliformes, 1223  
 in ratites, 1289  
 cecal tonsil, 116, 506
- Cefotaxime, 446, 459
- Cefoxitin, 460
- Ceftriaxone, 460
- Celiotomy, 1118f, 1121, 1129
- Cell, 181 (see cytology)  
 hemic, 205  
 inflammatory, 206  
 macrophages, 206  
 manual counter, use of, 179  
 mesenchymal, 206  
 respiratory epithelial, cytology of, 218c  
 sertoli, 756
- Cellulose, undigestible fiber, 81
- Central European tick-borne encephalitis virus, 919
- Central nervous system (see CNS)
- Centrorhynchus, 1012f
- Cephalexin, 460
- Cephalosporin, pharmacology of, 446, 1046
- Cephalothin, 460
- Cephradine, 460
- Cephalac, 465
- Cere, 160, 609, 770, 1202, 1221
- Cere, color changes in, 774  
 brown hypertrophy of, 609, 631c, 651f, 653f  
 gender determination and, 778
- Cerebellum, 724
- Cerebrovascular accidents, 736
- Cerelose, 496
- Cereopsis Geese, 1243, 1257
- Ceroid, 856
- Certificate of Veterinary Examination, 136
- Cervical spinal cord lesion, clinical signs of, 729
- Cervicocephalic air sac, 558, 1107 (see anatomy overlay)
- Cessation of ovarian activity, 465
- Cestodes, 468  
 in Galliformes, 1232  
 in Passeriformes, 1194  
 in ratites, 1314t
- Chalazae, 754
- Chandelera, 742, 1315
- Channel-billed Toucan, 1276, 1277f
- Charcoal, activated, 38, 1038, 1265
- Chelation therapy, 459, 1035, 1037, 1038t (see lead, zinc)  
 toxicosis, signs of, 1037
- Chemical cautery, 1113
- Chemistry (see biochemistry)
- Chemosterilant, temporary, 784
- Cherries, 1042
- Chewing lice, in Passeriformes, 1197
- Chick (see neonatology)
- Chicken (see Galliformes)
- Chicken anemia agent, 895
- Chicken, obese strain, 119
- Chicken splenomegaly virus, adenovirus, 903
- Chlamydia*, 313, 352, 459, 462, 529, 532, 533, 984, 989c, 1215  
 antibody tests, 992  
 antigen detection systems, 991, 992t  
 cardiac effects of, 718  
 chicks and, 823  
 clinical pathology of, 989t  
 clinical signs of, 989  
 cloacal swabs for, 991  
 CNS signs and, 745  
 control of, 46, 47, 995 (see doxycycline, tetracycline)  
 cytology of liver and, 215, 221c  
 decreased A/G ratio, 238  
 disinfectants for, 987  
 hepatomegaly, radiographs, 991f  
 histopathology, differential diagnosis, 990  
 in Columbiformes, 1216f  
 in Galliformes, 1232  
 in Passeriformes, 1187  
 in Ramphastidae, 1282  
 in ratites, 989, 1303t, 1314  
 incubation period, 988  
 infection cycle, 985, 986f  
 mycoplasma and, 1058  
 ocular disease and, 683c, 685  
 pancreatic necrosis and, 990  
 PMV-1 pigeon, 926  
 reovirus and, 911  
 serovar, 985

## INDEX

- treatment of, 50, 467, 993, 994  
vs aspergillosis, 1003  
vs influenza virus, 931  
vs mycoplasma, 1060  
zoonotic potential and, 995
- Chlamydiazyme test, 992
- Chloramphenicol, 437, 450, 460, 1046, 1187
- Chlorhexidine, 439, 460, 759, 912, 1003, 1190
- Chloride, 239-240, 849
- Chlorinated biphenyl, 518
- Chlorine, 92, 460, 1061
- Chlorine dioxide, 940
- Chloromycetin succinate, 1262
- Chloroquine phosphate, 460, 1192
- Chlortetracycline (CTC), 439, 447, 448, 460, 994t
- Choana, 344, 485, 487 (see anatomy overlay)
- Choanal atresia, 163f, 297, 576, 577, 684, 823
- Chocolate toxicity, 38, 1044
- Cholecalciferol, 83
- Cholera antiserum, human, 960
- Cholesterol, 233, 234, 465  
cardiac effects of, 270
- Choline chloride, 66, 67, 88, 536, 857  
high fat diet and, 88  
in Pekin ducklings, 1251  
in Anseriformes, 1246  
malnutrition and, 857  
skeletal deformities and, 848
- Cholinesterase, (CHE), 741, 1243  
inhibitor toxicosis, 467
- Chorioallantoic membrane, 792
- Chromaffinoma, 601
- Chromosomal abnormalities, 787, 792
- Chronic ulcerated dermatitis (CUD) (see dermatology)
- Ciconiiformes (bitterns, herons), 933, 1238
- Cigarette smoke, 576, 1001, 1033, 1047
- Cimetidine, 460
- Ciprofloxacin, 444, 461
- Circadian rhythm, 225, 235, 752
- Circling, 72, 689, 739, 742, 745, 928, 1035
- Circovirus, 894-903, 1232
- Circulatory disorders, 535 (see cardiology)
- Cisterna magna, 724
- CITES (see Convention on International Trade in Endangered Species)
- Citreoviridin, 741
- Citrobacter, 955, 1188
- CK levels, 229, 743
- Claforan, 459
- Clamazolam, 1214
- Clarithromycin, 449
- Claviceps purpurea*, in Anseriformes, 1265
- Clavicular air sac, 1272 (see anatomy overlay)
- Clavulanic acid, penicillin, 445
- Clazuril, 461
- Clearview chlamydia, latex agglutination test, 992
- Clematis, 1041
- Client communication, 132, 134
- Clinafarm, 462
- Clindamycin, 449, 461
- Clinical chemistry values, 1243, 1328t-1345t
- Clips, hemostatic, 1131
- Cloaca, 150, 211, 347, 657, 760  
anatomy of, 762f  
constriction, 1125  
distended, causes of, radiology, 255, 317  
impaction of, 495c, 511  
in ostrich, 1290f  
malnutrition and, 769  
problems in chicks, 769  
prolapse, 404, 495c, 510, 762, 769, 886, 1125  
papular lesions, with poxvirus, 872  
Vasa Parrot and, 769
- Cloacal  
bursa, 116, 368, 509, 1211, 1290  
gland, 757  
lips, in Columbiformes, 1210  
papillomas, 404, 461, 495c, 536, 657f, 769, 886f, 887 (see papillomas)  
promontory, in Passeriformes, 1178  
stricture, 511, 769
- Cloacitis, 510, 769  
with mycoplasma, 1057
- Cloacolith, 769  
with papilloma, 887
- Cloacopexy, 1125f, 1127
- Clomipramine HCl, 461
- Clonic leg twitches, 736
- Clorox, 460, 1048
- Clorsulon, 460
- Clostridium*, 362, 496, 851, 976  
*C. botulinum*, 739, 740, 976, 978, 1263, 1035  
*C. botulinum* in Anseriformes, 1263  
*C. perfringens*, in Passeriformes, 1188  
in Galliformes, 884, 1263  
in ratites, 363c, 1310c
- Clotrimazole, 452
- Clubs, bird, 132
- Clutch  
double, 772  
size, 775, 1209, 1227t  
synchronization, in Galliformes, 1228
- CNS signs, 976, 982t  
herpesvirus in pigeons, 881  
in oil-contaminated Anseriformes, 1263  
viral diseases and, 904, 927  
with salt toxicity, 1044
- CO<sub>2</sub> level and hatching, 795
- Coagulopathy, 638, 687, 1075
- Coal tar products, 518
- Coastal sulci, 561
- Cobactin, 974
- Cobalt, malnutrition, 858
- Coccidia, 459, 461, 464, 466, 468, 507, 551, 852, 883, 1015, 1023, 1190, 1283  
in chicks, 825  
in Columbiformes, 1208  
in Passeriformes, 1191  
in Ramphastidae, 466, 468
- Coccidioides, fluconazole and, 454
- Coccidiostat, 1225
- Cochlosoma, 1173, 1179, 1190
- Cockatiel, 20, 75, 462, 465  
color mutations of, 30  
development of, 764  
*Giardia* and, 732  
megabacteria in, 982  
papillomas in, 886  
paralysis syndrome in, 732  
spirochetes in, 961  
stifle luxation in, 836f  
viral disease in, 878, 895, 927
- Cockatoo, 38, 75, 437, 448, 453, 462, 463, 465, 558f, 1331t  
aggression of, 757f  
biochemistry values in, 1329t, 1332t  
drug sensitivity in, 468  
feather picking, 635  
viral disease in, 875, 878, 890, 894, 895, 923, 938
- Cockroach, as disease vector, 742, 1195
- Cod liver oil, in ducklings, 1251
- Codistomum*, 1011f
- Coelomic cavity, 514t
- Colchicine, 461, 536
- Coligranulomatosis, Hjarre's disease, 508, 951
- Colinus, herpesvirus in, 875, 883, 884
- Colitis, 492c
- Collagen production, inhibitors of, 461
- Collapsing globe, 1103
- Collared Aracaris, 1282
- Colloid solutions, 384
- Collyriculum*, in Passeriformes, 1194
- Color flow doppler, 697, 713
- Color mutations, 30
- Colored foods, problems of, 1177
- Columbidae, 1201
- Columbiformes, 465, 468, 1200-1217 (see pigeon)  
*Aegyptianella* in, 1062  
artificial insemination in, 776  
biochemistry values in, 1337t, 1338t  
gender determination in, 778  
*Mycobacterium* in, 972  
parasitic infections in, 825  
hematology of, 1337t, 1338t  
poxvirus in, 872  
reproduction in, 751, 756  
retrovirus in, 933  
rickettsia in, 1061
- Coma, 411, 414
- Comb, 1219
- Commercial food products (see formulated diets, nutrition)
- Communication, parrot, 96
- Companion bird, characteristics of, 29t, 30  
common diseases of, 22, 32t  
misguided reasons for choosing, 27t  
selection of, 27  
taming, 29 (see behavior modification)
- Complement fixation, diagnosis of aspergillosis, 1003
- Compounding pharmacist, 462
- Compresses, moist, 1097
- Compressive lesions of CNS, 734
- Compulsive obsessive behavior, 464
- Computed tomography (CT), 246, 250, 326, 723, 726, 734
- Conchae, 557, 1105
- Concussion, 733
- Congenital abnormalities, 684, 745, 822, 1321, 1324
- Congestive heart disease, 706, 711, 714, 715t, 715f  
vs cardiogenic shock, 712
- Conjunctival flora, 685t
- Conjunctival scrapings, 675

- Conjunctivitis, 683c, 685-686  
   in Passeriformes, 214f, 1186  
   parasites and, 686, 742  
   sinusitis and, 1106  
   toxins and, 1047  
   viral disease and, 881, 905, 908, 912, 921, 927, 931  
   with *Chlamydia*, 989, 990f  
   with mycoplasma, 1054, 1058  
 Conservation, veterinarian's role, 17  
 Constipation, renal, 850  
 Constricted toe syndrome, 632, 831, 832c, 1097f-1098  
 Constricting fibers, 631, 1097  
 Contracecum, 1011f  
 Contrast media, 257, 258, 260, 403, 1038  
   enema, 507  
   for gastric foreign bodies, 828  
   transit time delayed, 258  
 Conure, 74, 75, 635, 669, 875, 878, 886, 934  
 Conure bleeding syndrome (erythemic myelosis), 75, 400, 669, 934  
   treatment of, 75  
 Convention on International Trade in Endangered Species (CITES), 22, 49  
 Conversion factors, 469t, 1328t  
 Convulsions, 724  
 Convulsions, 229, 587, 733, 736, 860, 906, 920, 930 (see seizures, tremors)  
   CNS toxins and, 741, 1035, 1050  
   in Anseriformes, 1265  
 Coordination of movement, 724  
 Copper (Cu), 72, 93, 241, 461, 462, 859  
   toxicosis, 504, 774, 1039-1040, 1265  
   and feather quality, 847  
   deficiency, 849, 1038, 1307  
 Copper Pheasant, 1231  
 Coprodeum, 509, 1211 (see anatomy overlay)  
 Copulation, 1129  
 Coracoid, 1156, 1158f (see anatomy overlay)  
 Cormorant, 465  
 Cornea, 213, 686  
 Corneal  
   edema, 1103  
   keratinization, salt, 860  
   ulcers, 679, 686, 1100, 1282 (see keratitis)  
 Coronavirus, 914-915  
 Creosol, 518  
 Crimean-Congo hemorrhagic fever virus, 919  
 Crop, 167, 202, 482, 490  
   anatomy 489, 490, 1203  
   bra, 391, 827f  
   burn, 401, 497, 812f, 826, 835c, 1113, 1114f, 1116  
   burn, repair of, 826, 1116f  
   cytology, 218c, 482  
   emptying, delayed, 732-809, 890  
   emptying, increased, 998  
   impaction, causes of, 496, 845, 998  
   in Columbiformes, 1203, 1209  
   in Galliformes, 1222  
   inflation of, 167, 825  
   lavage of, 403, 414  
   milk, 115, 490, 584, 751, 1058, 1209  
   pendulous, 496  
   peristalsis of, 167, 809  
   pH of, 150, 211  
   sour, ingluvitis, 825, 998, 1216  
   stasis, 740, 825, 826, 827c, 845  
   surgery of, 1113  
   wall, thickened, 1210  
 Cross-fostering, 785, 806, 1179, 1180  
 Crow, as disease vector, 920, 959  
 Crown vetch, 1042t  
 Crustaceans, 464, 1045  
 Cryopreservation, of semen, 777  
 Cryosurgery, 887, 1113  
*Cryptococcus*, 452, 454, 456, 463, 464, 466, 575, 1004  
   ocular disease and, 684  
   in Passeriformes, 1189  
   zoonosis and, 1005  
*Cryptophthalmus*, 684, 822  
*Cryptosporidia*, 576, 1016t  
   conjunctivitis and, 686  
   in Passeriformes, 1190, 1192, 1198  
   viral diseases and, 897, 910  
 CT scan (see computed tomography)  
*Culex annulirostis*, as disease vector, 915, 917, 934  
*Culicoides* spp., biting midges, 912, 1192, 1315  
*Culiseta melanura*, with togavirus, 915  
 Culling, of breeding birds, 47, 61  
 Culmen, 484  
 Culture  
   deficiencies of, 121 (see bacteria)  
   for *Chlamydia*, 992  
 Cuprimine, 462 (see D-penicillamine)  
 Curassow (see Galliformes)  
 Curled toe syndrome, 733, 789, 1251  
   riboflavin deficiency, 856  
   in ratites, 1292c  
 Cushing pattern, 1124  
 Cushing's syndrome, 598  
 Customs service, 143  
 Cuticle, 754  
 Cuttlefish bone, consumption of, 38  
 Cyanide, poisoning, 1042, 1198  
 Cyanocobalamin (see vitamin B<sub>12</sub>)  
 Cyanosis, 1039, 1265  
 Cyclophosphamide, as CNS toxin, 746  
 Cyclopia, 746  
 Cystadenocarcinoma, cytology of, 218c  
 Cystic follicular degeneration, 798c  
 Cystic ovaries, 769, 770  
 Cystine, in Anseriformes, 1250  
 Cyst, feather (see feather cyst)  
*Cytodites nudus*, 1195  
 Cytology, 199-222 (see cells)  
   abdominal fluid, 208  
   abdominocentesis, 201c  
   acid-fast stain, procedures, 222t  
   air sacs, 212  
   alimentary tract, 209-211  
   aspergillosis, 212f  
   bacterial abscess, 210  
   centrifugation, distortion of cells, 201  
   classification of cellular responses, 205  
   goblet cell, 218c  
   cloacal, 211  
   corneal, 213  
   crop, 210, 218c, 482  
   esophagus, 210  
   flow charts, 216, 217  
   hemoperitoneum, 218c  
   heterophilic inflammation, 218c  
   heterophils, degenerate, definition of, 210  
   hyperplasia, squamous, example of, 210  
   infection vs neoplasia, 206f  
   inflammation, 206, 207  
   internal organs, 214  
   intestine, 211  
   kidney, 215  
   lung, 212, 218c  
   mesothelial, 218c  
   mynah bird, 218c  
   neoplasia, 207, 213, 215, 221c  
   oral cavity, 218c  
   pericardial or peritoneal effusions, 697  
   peritonitis, egg-related, 218c  
   pox, 213, 221c  
   respiratory tract, normal, 211  
   sedimentation devices, 201f  
   septic inflammation, 218c  
   sinus, 202f, 211, 218c  
   skin, 212  
   smears, spreading, 201  
   smears, contact, 204  
   spleen, 215, 221c  
   stains, 205t  
   synovial fluid, 214  
   techniques, squash-preparation, 200  
   tissue hyperplasia, examples of, 207  
   tissue imprints, 376  
   tracheal wash, 211, 221c  
   uterus, 211  
 Cytomegalovirus, 1186  
*Cytophaga*, new duck disease, 964
- D** D-penicillamine, 461, 462, 1037, 1038  
 D-tubocurarine, 674, 728, 1101  
 Dacryocystitis, 684  
 Dactylaria, 741, 1232  
 Dancing, in Passeriformes, 1178  
 Dandelion, 1226  
 DDE, toxin, 1050  
 DDT, toxin, 1050  
 Dead-in-shell, 733, 774, 801  
 Deafness, CN VIII and, 728  
 Debeaking, 916, 1226, 1233  
 Defense (see immune system)  
   nonspecific, 110  
   specific, 114-116  
 Deflighting, Anseriformes, 1269  
 Degenerative joint disease, 424, 1146f  
 Dehydration, 384t, 402t, 698f, 738  
 Deletocephalus, 1011f  
 Delta-aminolevulinic acid dehydratase (ALAD), 241, 1034, 1037  
 Demineralization, 737 (see rickets)  
 Demyelination, EMG, 730  
*Dendritobilharzia*, 742, 1266  
 Denervation, EMG and, 730  
 Department of the Interior, 143  
 Dependovirus, 908  
 Depigmentation, of feather, lysine and, 74  
 Depilum mange, in canaries, 1197  
 Depo-medrol, 465  
 Depolarization wave, ECG, 697  
 Depression, 739, 743, 824, 890  
 Dermacentor, as disease vector, 1061  
*Dermanyssus gallinae*, 59, 808, 1193, 1196  
 Dermatitis, 462, 625-627, 632, 982t  
   bacterial disease and, 624, 625f



## INDEX

- fungal disease and, 607, 609, 610, 611, 624, 625  
 gangrenous, with *Clostridium*, 977  
 granulomas, with *Mycobacterium*, 975  
 in Galliformes, 1219, 1251  
 malnutrition and, 846, 848  
 nicotine and, 1033  
 pantothenic acid and, 856  
 parasitic disease and, 624, 631c  
 periocular, 680c  
 riboflavin and, 856  
 stress-related, 626  
 viral disease and, 623, 632  
 zinc and, 859  
 Dermatology, 11, 605-639 (see feather, integument)  
 achromia, malnutrition, 617  
 aerofil, effect of, 615  
 alular patagium, 611  
 beak, 609-611  
 biopsy and diseased feathers, survey of  
   histologic lesions, 633t  
 bumblefoot, causes of, 631c, 632  
 burns, 626, 628c  
 canary, male baldness, 637  
 chronic ulcerative dermatitis (CUD), 164c, 626f, 627f, 631c, 632, 635  
 collar, use of, 637f  
 constricted toe syndrome, 632  
 database, 622t  
 digits, necrotic, 631c  
 disease, investigation of, 621  
 lipids, dermal sources of, 611  
 liver disease, 637  
 malnutrition, 607, 615, 617, 625f, 626, 627  
 molt, 620, 621  
 mutilation, flock, mate, 634  
 pathological terms used in, 633t  
 PBFV virus, 628c  
 polyfolliculitis, 638  
 regions of body, 612f  
 self-mutilation, 631c, 636, 637f  
 skin, 608, 609, 611  
 stress marks, 628c, 633, 634f  
 uropygial gland, 613f, 614  
 wasp, stings from, 624, 631c  
 Dermatomycoses in Passeriformes, 1005, 1189  
 Dermoplasty, 1115  
 Detergent, oil exposure and, 413  
 Determinate layers, 783  
 Devocalization, 1111  
 Dewlap, 607, 1219  
 Dexamethasone, 386, 461, 599, 600, 1262  
   neuromuscular disease and, 734, 736  
   peritonitis and, 771  
   suppression test, 598  
 Dextran, 384  
 Dextrose solution, 393, 461, 738  
 Diabetes insipidus, 584  
 Diabetes mellitus, 235, 771, 1283  
 Diagnostic test, limitations of, 121 (see specific test)  
 Diaphragm, 567  
 Diaphysis, 1142  
 Diarrhea, 149, 150, 404, 465, 740, 742, 744  
   cryptococcosis and, 1004  
   database, 404  
   emergency treatment for, 414  
   hemorrhagic conure syndrome and, 934  
   in Anseriformes, 1266  
   in Passeriformes, 1188-1190  
   lead poisoning and, 1264  
   malnutrition and, 845  
   parasites and, 1062, 1194  
   viral disease and, 877, 906, 908, 911-913, 922, 926, 927, 931, 935, 938, 942  
 Diathesis, exudative, 855 (see vitamin E)  
 Diazepam, 411, 461, 737, 738, 1038, 1213  
 Diazinon, toxin, 1050  
 Dicheilonema, in ratites, 1314  
 Dichlorvos pest strip, 1050, 1195, 1197  
 Dicrocoelid, 1011f  
 Didunculidae, 1201  
 Diet, 534, 788, 842, 1043, 1178, 1233, 1246 (see feed)  
   antiflagellates, 1225  
   Arctic circle waterfowl, 1257  
   bacterial contamination of, 57, 951  
   caching, 78  
   coccidiostat, in Galliformes, 1225  
   deficiency of seeds, 842  
   dyspnea and, 1001f  
   energy content and, 66  
   formulated (see formulated diets)  
   grit, in Galliformes, 1225, 1226  
   hand-feeding neonate, 811t  
   hepatopathies, 845  
   high-carbohydrate, 737  
   high-fat, low calcium, 753  
   high-protein, effects of, 849  
   high-quality protein, 737  
   in Anseriformes, 814, 1247  
   in Columbiformes, 1206t  
   in ducklings, 1248t  
   in Galliformes, 1225  
   in ratites, 1289  
   leg problems and, 1324  
   organic vs conventional, 842, 1049  
   pesticides in, 773  
   storage of, 57  
   Dietary guidelines, need for 70  
   Diethylstilbestrol, 461  
   Diff-Quik stain, 221c, 999  
   Diffenbachia, 1041  
   Digit necrosis, 1187, 1243  
   Digitalis, toxicity, 714  
   Digits, 1187, 1221, 1243  
   Digoxin, 461, 518, 706, 713, 714, 718  
   toxicity and, 709  
   Dihydrocholecalciferol, 587  
   Dihydrostreptomycin, 461  
   Dilated cardiomyopathy, 705t  
   Dimercaprol (British Anti-Lewisite - BAL), 461, 1038  
   Dimethyl sulfoxide (DMSO), 46, 419, 461, 469, 762, 1262, 1264  
   semen preservation and, 777  
   Dimetridazole, 461, 741, 1187, 1190, 1193, 1209  
   toxicity and, 1045  
   Dimorphism, in ducks, 1239  
   Dinoprost tromethamine, 462  
   Diphenhydramine HCl, 462  
   Diphtheroid lesions (wet pox), 873, 881, 908  
   *Diplotrianena* sp., 1193  
   Direct bilirubin (BIDI), 1244  
   Disease management (see aviary)  
   Dish-washing machine, 58, 135  
   Disinfectant, 37, 59, 135, 138, 403, 594, 809, 887, 1048, 1073, 1208  
   for bacteria, 979t  
   for *Chlamydia*, 987  
   fumes and aspergillosis, 1001  
   fumes and respiratory damage, 111f  
   in ratites, 1318  
   nursery and, 809  
   *Dispharynx*, 59, 496, 1023, 1195  
   Diuretic therapy, 463, 537, 1076  
   Diverticulum, in Galliformes, 1222  
   DNA, cell production, 127  
   fingerprinting, bird identification, 43, 44  
   DNA probes, 122-124f  
   false positive results, 124  
   PBFV virus, positive, 123f  
   polyomavirus negative response, 123f  
   sensitivity, 122, 125  
   specificity, 122, 124  
   use in histology, 124  
   Dog, as vector for disease, 960, 984  
   Domestic pigeon (see pigeon)  
   Domoic acid, 741  
   Domoso (see dimethyl sulfoxide)  
   Doppler flow probe, 1261  
   Dopram, 462  
   *Dorisiella*, 1191  
   Double buff, 1193  
   Double clutching, 772  
   Dove (see Columbiformes)  
   Down, 616 (see feather down, powder down)  
   Doxapram HCl, 462  
   Doxepin HCl, 462  
   Doxycycline, 437, 448, 460, 462, 784, 827, 1063, 1193  
   for *Chlamydia*, 994  
   medicated food, 994-995t  
   vomiting and, 1046  
   Doyle technique, 1150f  
   Dressing, hydroactive, 1097, 1099, 1133  
   Droncit, 467  
   Droppings (see excrement)  
   Drought, effect on reproduction, 752  
   Drowning, in Anseriforme chicks, 1254, 1260  
   Drug doses, conversions and formulas, 469t  
   Dry chemistry, 227  
   DTPA, 1264  
   Duck, 106, 282, 461, 485, 1265  
   ataxia in, 1265  
   bacteria in, 939, 955, 959, 964, 975  
   beak and, 1249f  
   breeding in, 1252  
   cardiac rhythm in, 1262  
   *Chlamydia* in, 985, 987, 989, 995  
   clinical pathology in, 1264, 1341t-1344t  
   convulsions in, 1265  
   dabbling vs diving, 1246  
   diet, pellets vs mash, 1249  
   dimorphic, exceptions, 1239  
   duck hepatitis virus, 532, 537  
   dyspnea in, 718f  
   fungal disease in, 1006  
   gender determination of, 1252  
   heart and, 707  
   lead in, 1036  
   muscular dystrophy in, 1250  
   mycoplasma in 1054, 1057  
   mycotoxins in, 1043

- obesity in, 1248  
ocular disease and, 685  
parasites and, 1062, 1265  
peritonitis in, 1131  
syringeal bulla in, 1239  
viral diseases in, 744, 884, 875, 882, 903-938, 1237  
Duck plague, 372, 875, 877, 1237  
Duck viral enteritis, vaccine, 744  
Duck viral hepatitis, 532, 938, 1267  
Duckling, 938, 1246, 1253  
Duculidae, 1201  
Ductus deferens, 334, 756  
Duodenal feeding tube, 392, 403, 1124  
Duodenum, 516 (see anatomy overlay)  
Dura mater, 724  
Dwarfism, 586  
Dyschondroplasia, 848, 860  
Dysphagia, 872, 887, 1255  
Dyspnea, 408, 557, 704, 846, 1136, 492c  
  aspergillosis and, 1001f  
  cardiac effects, 713, 714, 718f  
  causes of, 557, 566, 575  
  *Chlamydia* and, 989  
  egg binding and, 758  
  emergency treatment for, 414  
  in neonates, 821  
  in Passeriformes, 1188, 1195, 1197  
  liver disease and, 829  
  pericardial effusion and, 708  
  viral diseases and, 744, 872, 884, 887, 890, 911-930  
Dystocia (see egg binding)
- D** *E. coli*, 466, 748  
  cardiac effects of, 705t, 715, 718  
  coronavirus and, 915  
  in ratites 1292c, 1309, 1310c  
  metritis and, 768  
  orchitis and, 774  
  peritonitis and, 772  
  yolk sacculitis and, 1256  
  vs paramyxovirus, 928  
Ear, 344, 352, 838f  
Earthworm, as disease vector, 1194  
Eastern equine encephalomyelitis, 825, 915, 919, 1309  
Eat, reluctance to (see dysphagia)  
ECG (see electrocardiogram)  
*Echinophaga gallinacea*, 624  
Echinacea, 462  
*Echinura uncinata*, 496  
Echocardiography, 252, 697, 713  
Eclectus Parrot, 74, 831, 890, 1330t  
Eclipse plumage, 1239  
Ectoparasite, in Columbiformes, 1209, 1215t  
Edema, 302, 848, 855, 1233 (see effusion)  
  of nictitating membrane, 884, 1266  
EDTA, 461, 462  
*Edwardsiella*, 951  
EEG (see electroencephalogram)  
Effusion, abdominal, 325  
Egg  
  abnormal, 773  
  adherence to uterine tissue, 408  
  anatomy of, 754f  
  blood clots, meat spots, 773  
  blood spot, 764c, 767c  
  calcium deficient, 787  
  candling, 791, 792f  
  components, 754f  
  dead-in-shell, 733, 801c  
  decreased hatchability, 856  
  double-yolked, 773  
  ectopic, 771  
  evaluation, 785, 792  
  evaporative water loss, in ratites, 1319  
  formation of, 749, 750f  
  fungal infection, 801c  
  handling of, 788c  
  hatch, normal, 786c  
  incubation, 767c, 792, 794, 1229  
  malnutrition and, 859, 860  
  manipulation, 792, 794, 1229  
  marked for identification, 791  
  microbiology of, 794  
  morphology of, 755f  
  *Mycobacterium* and, 972  
  mycoplasma and, 1058  
  necropsy of, 792  
  parasites of, 769  
  peritonitis (see egg-related peritonitis)  
  physiology, in ratites, 1320  
  recession of blood vessels, 795  
  repairs, 794  
  retention of, 751, 798c  
  rough-shelled, uterine infections, 773  
  shell, 755, 846, 854, 859, 1292c  
  soft-shelled, 256, 752, 801c, 769, 773, 1050  
  storage of, 788  
  structure and physiology, 753  
  therapeutics, 759, 794, 795  
  tooth, 610, 808  
  toxins and, 1051  
  ultraviolet light exposure, 787  
  viral diseases and, 914, 928, 937  
  washing, in ratites, 1318  
  weight formulas, 792t, 1319  
  xeroradiograph of, 1319f  
  yolk, 764c  
Egg binding, 406, 407, 758, 759f, 760f, 761f, 768, 770, 771f, 772, 787, 801c  
  and neuromuscular disease, 733, 736  
  dystocia, 758  
  in ostriches, 1301  
  treatment of 407f, 414, 759, 760, 761f, 801c  
Egg laying, 407f, 462, 772, 784, 1129  
  chronic, 772  
  frequency of, 807  
  in Anseriformes, 1241, 1244t  
  in Passeriformes, 1176t  
  in Ramphastidae, 1279  
Egg-related peritonitis, 147, 200, 235, 238, 315, 408, 465, 771, 914, 752, 758, 768, 771c, 798  
  in Anseriformes, 1266  
  in Passeriformes, 1188  
  in ratites, 1304, 1322f  
*Eimeria*, 1012f, 1015, 1191  
Einthoven's triangle, ECG, 702f  
Ejaculatory papillae, 756  
Elavil, 458  
Electrical fencing, predator control, 1245  
Electrical current stimulation, 1142  
Electrocardiogram (ECG), 553, 696 700, 702  
  African Grey Parrot, normal, 703f  
  anesthetic effects on, 699, 1078  
  atherosclerosis and, 707f  
  auricular T-wave, 700  
  cardiomyopathy and, 717  
  congestive heart failure, 706f, 715f  
  halothane recovery and, 713f  
  in Anseriformes, 1261  
  interpretation of, 701  
  lead II, normal, 700f  
  measurements on lead II rhythm strip, 704  
  P-wave, 700, 704  
  pericardial effusion and, 708f, 718  
  pigeon, 697, 700, 703f, 1204  
  PR-segment, 700  
  Q-wave, 700  
  QRS-wave, 700  
  R-wave, 700  
  recording of ECG, 699  
  reference values, 699t  
  S-wave, 700  
  ST-segment, 700  
  T-wave, 700  
Electrodiagnostics, neurology, 729  
Electroencephalogram (EEG), 723, 731-738  
Electrolytes, 239  
Electromyogram (EMG), 720, 723, 730  
Electron microscopy, 121, 864  
Electrophoresis, 237, 864  
Electrophysiology, 696  
Electrosurgery (see radiosurgery)  
Elementary bodies, 985  
ELISA test, for *Chlamydia*, 991, 992  
Embolicisms, yolk, 458  
Embryo  
  adhesions to CAM, 793  
  assisting hatch, 797f  
  development, 767c  
  lethal rings, 787  
  malposition, 791, 793t, 801c  
  management, 1253  
  monitoring, candling, 791  
  viral diseases and, 926  
Embryonal nephromas, 735  
Embryonic death, 463, 768, 774, 787t, 789, 791t, 792, 855, 890  
  hemorrhage, vitamin E and K, 787  
  in Passeriformes, 1187  
  in ratites, 1319  
  structures and physiologic function, 755t  
Emerald Toucanets, 1278  
Emergency equipment, 415t  
Emergency therapy, 392-416  
Emetics, 503  
EMG (see electromyogram)  
Emollient cathartics, 1038  
Emphysema, 341, 529, 1107, 1137  
Emtryl, 461  
Emu, 499, 506, 543, 916, 1288-1289, 1308-1320, 1345t  
Enalapril, congestive heart failure, and 714  
Encephalin, 584  
Encephalitis, 372, 1054  
Encephalocele, 746  
Encephalomalacia, 731, 732, 937  
Encephalomyelitis, 741, 744, 915, 916, 919, 1309  
Enclosure (see housing)  
Endocarditis, 518, 535, 714, 716f  
  in ratites, 714  
Endocrinology, 582-606

## INDEX

- ACTH stimulation test, use of 598  
 Addison's disease, 598  
 adrenal gland, 597-598  
 adrenocortical disorders, 598  
 $\beta$ - and  $\gamma$ -lipoprotein ( $\beta$ - and  $\gamma$ -LPH), 584  
 $\beta$ -endorphin, 584  
 $\beta$ -melanocyte stimulating hormone ( $\alpha$ - and  $\beta$ -MSH), 584  
 behavior and, 584  
 calcitonin (CT), 587  
 calcium metabolism, 587-589f  
 carbohydrate, metabolism, 603t  
 corticosterone, 597  
 Cushing's syndrome, 598  
 daylight and, 584  
 dexamethasone, screening test, 598  
 Fanconi's syndrome, 605  
 feather formation, endocrine control, 601, 602  
 feather picking, 596f  
 goiter and, 593-594, 596  
 Graves' disease, hyperthyroidism, man, 596  
 Hashimoto's thyroiditis, 596  
 hyperestrogenemia, 592f  
 hyperostosis, 589f  
 hyperparathyroidism, 582, 590, 591f  
 hyperthyroidism, 593, 596  
 hypoadrenocorticism, 598, 601  
 hypothyroidism, 582, 593, 595  
 immunity and, 599  
 insulin, in birds vs mammals, 603  
 Jod-Basedow phenomenon, 596  
 lipoma, relation to thyroid, 595f  
 luteinizing hormone (LH), 583  
 mineralocorticoid activity, 600  
 neurohypophyseal hormones, 583  
 PU/PD, 587, 604, 605f  
 parathyroid hormone (PTH), 587  
 pituitary gland, 583, 586, 587  
 plasma  $T_3$  and  $T_4$ , 595  
 prolactin and proopiomelanocortin (POMC), 584  
 pseudohyperparathyroidism, 590  
 reproductive physiology, and 589  
 stress and, 600f  
 thyroid gland, 584, 593-596, 602  
 thyroxine induced molt, sensitivity to, 597  
 TSH stimulation test, 595  
 water deprivation test, 586
- Endoscopy, 327-354, 1117, 1124, 1210, 1231, 1264  
 anatomy, 328f, 330f, 333c  
 approaches, 330f  
 biopsy and, 346-354, 348t, 505  
 choana, 344, 352c  
 cloaca, 347  
 collecting fluid, pericardial effusion, 718  
 contraindications, 340, 341  
 crop evaluation and, 352c, 1116  
 ear canal, 344, 352c  
 esophagus, 345, 352c  
 equipment manufacturers, 349t, 354  
 gonads, 334, 343, 349  
 in Passeriformes, 1178  
 landmarks, 331f, 333c  
 liver biopsy, 352c  
 Menghini or Jamshidi needle, 349  
 oral cavity, 352c  
 palate, 352c  
 patient preparation, 339, 341  
 proventriculus, 345, 352c  
 renal disease and, 347  
 respiratory tract and, 341, 342, 346, 348, 352c  
 spleen and, 348  
 sterilization of equipment, 338  
 surgical sexing, 341  
 ventral hepatic peritoneal cavities, 346, 351c
- Endotoxins (bacteria), 1033  
 Energy requirements, 74, 1249  
 Enilconazole, 454, 455, 462, 1004  
 Enrofloxacin, 436, 443, 460, 462, 1060, 1187  
 articular cartilage and, 821, 1046  
 medicated food for *Chlamydia*, 995  
 oral vs parenteral, 438  
 plasma concentrations of, 435f
- Enteral nutrition, 390, 394, 395, 1086, 1125  
 Enteritis, 174, 464, 466, 483, 492c, 507, 845, 906, 940f, 952, 982t  
 in Galliformes, 1233  
 necrotic vs ulcerative, 977  
 viral, 912-915, 938
- Enterobacter*, 715, 951  
 Enterobacteriaceae, 484, 950, 990, 1188  
 abnormal hosts and, 951t  
 lactobacilli, 111, 980
- Enterococcus*, 968-971, 1187  
 Enterotomy, 1124  
 Enterovirus, in cockatoos, 938
- Entropion, 679  
 Enucleation, 689, 1103f
- Environmental responsibility, domestic raised birds, 142  
 Enzyme inhibitors, 67  
 Enzymes, damaged cell release, 226, 525  
 digestive, 844, 845  
 Enzymology, 226, 523-536
- Eosin-nigrosin stain, for semen evaluation, 757  
 Eosinophilic inclusion bodies (Cowdry A type), 878  
 Eosinophils, 112, 186, 190-194  
 Epicardial diseases, 718  
 Epididymis, 334, 756, 757  
*Chlamydia* and, 990
- Epinephrine, 463  
 Epiphora, 576, 684, 885, 905, 931, 1101  
 Epiphysis, 1142  
 Episiotomy, 760, 1129  
 Epistaxis, 934, 1051  
 Epithelial surfaces, nonspecific immunity, 110  
 Epithelioid cells, with *Chlamydia*, 987  
 Epitopes, 114
- Equatorial birds, photoperiod of, 752  
 Ergocalciferol, 83  
 Ergonovine maleate, 463  
 Ergotism, 1265, 1282
- Erysipelothrix*, 535, 715, 975, 1183, 1232  
 Erythremic myelosis, 669, 934  
 Erythroblastosis, 933, 1197  
 Erythrocytes, 183, 188  
 iron in, 530  
 life span of, 399  
 protoporphyrin levels, free, 1037  
 values, in vitamin C, 1251
- Erythroleukosis, 934  
 Erythromycin, 438, 442, 449, 459, 463, 1060, 1189  
 Erythropoiesis, 183, 196  
*Escherichia coli*, 814, 951-953, 1188  
 in Galliformes, 1232  
 in Ramphastidae, 1281
- Esophageal  
 air sac, in Galliformes, 1222  
 stethoscope, 1078, 1261  
 strictures, 497, 1113  
 thermometer, 1261
- Esophagus, 352, 345, 489-492, 1265  
 Estrogen, 753  
 Ethambutol, 463  
 Ethanol, 1044, 1198  
 Ethoxyquin toxicity, 1045  
 Ethylene glycol, 538, 1044  
 Eucalyptus, 573  
 Euthanasia, 61, 357, 822, 1138  
 Euthyroid, 597  
 Evoked potentials, 730
- Examination (see physical examination)  
 hospitalized, daily assessment, 135  
 initial, forms, 135  
 post-purchase, 132  
 resident bird, 61  
 veterinary certificate of, 136
- Excrement, 149, 150, 169, 172c, 495, 769f, 819, 887, 943, 989, 1044, 1189  
 blood in (see hematochezia)  
 consistency, changes in, 743  
 evaluation of, 60, 172c  
 pericloacal accumulation, 168
- Excretory urogram, 307  
 Exercise, 1178, 1207, 1221, 1324  
 intolerance to, 1136
- Extrahepatic biliary cysts, 822  
 Exertional rhabdomyolysis, 550, 855, 1263  
 Exocrine pancreatic insufficiency, 507, 513  
 Exophthalmos, 684, 736  
 Expirations, respiratory, audible, 557  
 Extensor carpi radialis, 1235 (see anatomy overlay)
- External coaptation, 1145  
 External fixator, 1141  
 Kirschner-Ehmer (KE), 1148  
 Extraluminal masses, radiology, 255  
 Exuberant granulation, in ratites, 1310c
- Exudative diathesis, 732, 859
- Eye  
 anatomy of, 675f, 678f  
 blink, 728, 732  
 canthoplasty, 1100-1101f  
 chronic lesions in, 1184  
*Mycoplasma* and, 1056  
 parasites in, 1195  
 surgery of, 687
- Eyelid malformation, neonate, 838  
 Eyelids, swollen, 885
- F** Facial nerve (CN VII), 726  
 Falconiformes, 19, 508, 557, 773, 873, 875, 880, 882, 973, 933, 1001  
 Falling from perch, and neuromuscular disease, 737  
 Fasting periods, 852, 1077
- Fat  
 dietary considerations of, 76, 81, 855, 1202, 1248

- disease of, 851, 856  
 Fatty acids, malnutrition, 851  
 Fatty liver degeneration, 311, 526, 533, 536, 828, 844, 851, 857, 1198, 1246, 1251  
 Fatty liver hemorrhagic syndrome, 851  
 Feather  
   abnormalities, 144, 159, 463, 625, 824, 837, 846 (see feather picking, dermatology)  
   anatomy, 614f, 615, 616t, 616-621  
   barbules, 614, 615f, 621  
   bristles, 616  
   color, 74, 617t-618, 847f, 626  
   cyst (*Hypopteronosis cystica*), 628c, 638, 673, 1098, 1099, 1183  
   depigmentation, 74 (see depigmentation, feather)  
   development, 619f  
   down, 616  
   dysplasia, 837, 846  
   dystrophy, 463, 616, 625f, 628c, 638, 890, 926  
   filoplumes, 616  
   follicle, inactive, 637  
   folliculitis, 625  
   formation, endocrine control, 601  
   growth, in neonates, 819f  
   hemorrhage, with polyomavirus, 890  
   hepatic dysfunction and, 632  
   hydrophilic compounds and, 623  
   hyperkeratosis and, 609, 618f, 632  
   hypothyroidism, 637  
   interlocking nature of, 628f  
   loss of, 772, 1246, 1317  
   malcolored, from hepatic dysfunction, 632  
   malnutrition and, 628f, 846  
   mites, in Passeriformes, 1196  
   molt (see molt)  
   pin, 143, 159, 618, 628c, 634  
   removal, 1084f  
   secondary, 615  
   in ratites, 1295c  
   sempiplumes, 616  
   sheath, retention of, 159, 846  
   types, 615, 616, 1139  
   waterproof, 615  
   curling of, in ratites, 1298  
 Feather picking, 38, 107, 461, 462, 464, 466, 468, 523, 572, 631c, 634, 636, 637, 846, 1233  
   tobacco smoke and, 1047  
   cannibalism and, 916  
   malnutrition and, 107, 596, 810, 847f, 857  
 Feather duster, budgerigar, 873, 880  
 Feces (see excrement)  
 Fecal  
   examination for parasites, 150, 379, 1009 (see parasites)  
   sex steroid determination, 779  
 Food and Drug Administration (FDA), extra-label drug use, 142  
 Feed  
   consumption, pigeons, 1206  
   for Galliformes, 1233  
   for aviary birds, 50  
   for Passeriformes, 1178  
   general recommendations, 50  
   gram-negative pathogens in, 57, 149  
   growth additives in, 1246  
   storage of, 57f, 57, 1178, 1233  
   passing undigested, 483, 855, 887, 940 (see passing whole seeds)  
   mycotoxins in, 1043  
   mites, 1206  
 Feeding  
   response, and neurologic disease, 728  
   seasonal, 1178  
   techniques, 37-38, 393, 1255  
   tubes, 1086, 1111, 1124  
 Femur (see anatomy overlay)  
   in egg laying hens, 753  
   surgical approach to, 1163f  
 Fenbendazole, 463, 1314, 1194, 1195  
   toxicity of, 1046  
 Fence, for ratites, 1300, 1301  
 Fennel leaf pond weed, 1247  
 Ferric subsulfate, 399, 463  
 Fertility, 732, 785, 1039, 1225  
 Fertilizers, and Anseriformes, 1266  
 Fiber, crude, in formulated diets, 76  
 Fibrillation potentials, 730  
 Fibrinous air sacculitis, 885  
 Fibrosarcoma, 486  
 Fibrosarcoma, REV, 643, 934  
 Figure-of-eight bandage (see bandage)  
 Filaridea, 371, 1024f, 1315  
 Filoplumes, 616  
 Finch, 97, 154c, 372, 450, 464, 465, 1173, 1186, 1188, 1190, 1193, 1336t  
   amyloidosis in, 1198  
   bacteria and, 956, 973, 1060  
   characteristics of, 1174t  
   *Chlamydia* in, 989  
   megabacteria in, 982  
   ocular disease and, 685  
   parasites and, 467, 1192, 1194  
   praziquantel toxicity in, 467  
   reproduction and, 752, 756, 780, 1175  
   straw feathers in, 1184  
   toxicities in, 1050  
   toxoplasmosis in, 742  
   twirling syndrome in, 928, 939  
   vasectomy of, 1178  
   viral diseases and, 875, 884, 889, 891, 912, 916, 927, 955  
 Fish and Wildlife Service, 143  
 Fish  
   feed for Anseriformes, 1246  
   meal, ventricular ulceration and, 851  
   toxicity, 464, 468  
   -eating birds, *Erysipelothrix* in, 975  
 Fistula, crop, 116, 826, 1113  
 Fixation  
   external 1141-1148f, 1141, 1147t,f  
   intramedullary, 1148  
   types of, 1138t  
 Fixatives, 378t  
 Flaccid paralysis, 978  
 Flagellates, 1013  
 Flagyl, 466  
 Flamingos, 550, 1237  
 Flatulence, 887  
 Flavivirus, 915, 918-919  
 Flea, 154, 624c, 1024  
   collars, toxic, 1051  
 Fledging  
   of Anseriformes, 775, 1253  
   of Columbiformes, 1210t  
   of Passeriformes, 1176t  
 Flies, as disease vector, 624, 739, 742, 977  
 Flights, training, in Columbiformes, 1204  
 Flock  
   acclimation of, 50  
   acquisition of, 47  
   behavior, 806  
   disease testing, subclinical, 46, 48  
   health of, 45, 48  
   identification of, 49  
   preventive medicine, 46-59  
   pre-sale testing, 47  
   quarantine of, 48  
   screening techniques, 48  
 Flooring, padded, in Anseriformes, 1244  
 FLSH (see fatty liver hemorrhagic syndrome)  
 Fluconazole, 454, 455, 463, 999  
 Flucytosine, 452, 459, 463, 999, 1004, 1005  
   toxicity of, 1046  
 Fluid, 821  
   deficit, estimation of, 384  
   dehydration, findings, 384t  
 Fluid therapy, 384, 385f, 386f, 387, 611, 1026, 1074f  
   requirements for, 383  
   sodium retention, 712  
 Flukes, 463, 769, 1021, 1215, 1282 (see trematodes)  
   in ratites, 1316  
 Flunixin meglumine, 413, 463, 836, 1095  
 Fluorescein dye, for corneal ulcers, 674, 686  
 Fluoroquinolones, 442-443  
 Fluoroscopy, 260  
 Flying, 729, 1178, 1207, 1221, 1239  
 Foley catheter, 393  
 Folic acid, 72, 87, 857, 1251  
   feather picking and, 846  
   malnutrition and, 87, 857, 858  
 Follicle stimulating hormone (FSH), 583, 584, 751, 753, 757  
 Follicular atresia, aflatoxicosis, 749  
 Folliculitis, 625  
 Food (see feed)  
 Foot  
   baths, 58  
   cracking of, 632  
   lesions, 625, 632, 743, 1265f  
   pads, 608f  
 Foreign body, 488f, 686, 503f  
   in Galliformes, 1222f  
   ingestion, in ratites, 1305  
   ingestion, neonate, 828  
 Formaldehyde, ingestion vs *Candida*, 999, 1048, 1061  
 Formulary, 457-479  
 Formulated diets, 38, 63, 65, 76, 132, 389, 469, 814, 845, 848, 849, 851, 854, 1030, 1046, 1133 (see diets)  
 Formulator, 476-477  
 Foster parents, 785, 788, 806  
 Fovea, 677  
 Fowl  
   adenovirus (FAV) in, 903  
   cholera, 961  
   domestic, 757, 773  
   favus, 1005  
   plague, avian influenza A (AIV), 929, 930  
 Fowlpox vaccine, in ostriches, 874

## INDEX

- Fox, 1207  
 Foxglove, 1041  
 Fracture, 591, 1164 (see orthopedic surgical technique)  
   electrical stimulation, 1142  
   diagnosis of, 246, 250  
   in Galliformes, 1233  
   in ratites, 1306  
   malunion of, 1142  
   mandibular, 1164  
   tarsometatarsal, 1160f  
   types of, 1141  
 Fracture stabilization, 428, 1138, 1146-1148  
   principles of, 1138t  
*Francisella*, 964, 1232  
 Free flight, in aviaries, 1178  
 Free radicals, 84  
 Free-ranging birds  
   captive birds vs dietary fat, 851  
   disease in, 906, 929, 962  
   *Mycobacterium* and, 972  
   orthopedic surgery of, 1138  
   poisoning of, 1051  
   vs captive, 847  
   waterfowl, loss of weight in, 1253  
 French moult, causes of, 623, 869c, 890, 899  
 Frostbite, 413, 414, 715, 775  
   in Anseriformes, 1243  
   in Galliformes, 1233  
 Frounce, 491  
 Fruits, in Galliformes, 1225  
 FSH (see follicle stimulating hormone)  
 Fumes, household, 576, 1049  
 Functional ileus (see ileus)  
 Fungal dermatitis, STA solution and, 468  
 Fungal infections, treatment of (see mycoses)  
 Fungizone, 459  
 Funnel nets, 1260  
 Furacin, 1187  
 Furazolidone, 463, 518, 1307  
 Furcula, wishbone, 1221  
 Furosemide, 413, 458, 463, 518, 554  
   brain swelling and, 411  
   heart disease and, 706, 713  
   side effects of, 714  
 Fusariotoxicosis, 1265  
*Fusarium*, 1043, 1044, 1265
- G** Gadwall, 1247  
 Gagging, 1190  
 Gall bladder, 506, 522, 1202, 1223, 1290  
 Galliformes, 465, 1194, 1195, 1218-1236, 1248, 1338, 1339  
   aspergillosis in, 1000  
   bacterial diseases in, 959, 960, 964t, 973, 977  
   *Campylobacter* in, 959  
   cardiomyopathy and, 717  
   clutch size, 1227  
   coccidia and, 459, 461, 466  
   diseases of, 1232  
   Enterobacteriaceae in, 484  
   families and subfamilies, 1220t  
   hypovitaminosis A and, 487  
   incubation times and, 1227  
   levamisole toxicity and, 1045  
   longevity and, 1223t  
   megabacteria in, 982  
   parasites and, 769, 1061, 1265  
   physiology of, 1221  
   streptomycin and, 468  
   vent sexing and, 778  
   viral diseases and, 744, 776, 872, 875, 884, 903, 907, 912, 914, 916, 919, 922, 923, 926, 929, 932, 934, 935, 937, 1054, 1056  
   *Gallus gallus, forma domestica*, 1218  
   Galvanized wire, 54  
 Gamebirds, 1218  
 Gander, castration of, 1274  
 Gangrenous dermatitis, 967, 1187  
 Ganglioneuritis, 501, 939 (see NGD)  
 Gapeworm, 464, 574, 1195  
 Gas chromatography, toxin detection, 1050  
 Gas exchange, 569  
 Gastric acid secretion, inhibitor of, 460  
 Gastric  
   impaction, 501, 503  
   lavage, 828, 1038, 1264  
   ulceration, 460, 504  
 Gastroenterology, 482-521  
   ascites, 516-517  
   bacterial inhabitants of, 484  
   beak and, 484, 485f  
   ceca, 506  
   choanal papillae, hypovitaminosis A and, 487  
   cloaca, anatomy and physiology, 495c, 509f,t, 510c, 511  
   cloacal bursa, bursa of Fabricius, 495, 509c  
   coelomic cavities in birds, 514t  
   colon strangulation, 495c  
   crop, diseases of, 489, 489f, 490, 491, 495c, 496  
   diagnostic tools, techniques for, 482  
   differential diagnosis of, 483t  
   dilatation of, 495c  
   duodenum, 506  
   esophageal disorders, 490, 492  
   esophagus, anatomy and physiology, 489  
   foreign bodies, 488, 503f  
   gall bladder, 522  
   gastrointestinal diseases, upper, 487t  
   gastrointestinal neoplasias, 505t  
   gastrointestinal perforation, 508  
   ileus, 507  
   ingluviolith, 495c, 497f  
   intestinal obstruction, causes of 503, 508  
   intestines, anatomy and physiology, 506  
   maldigestion, 514  
   motility, 465, 1203  
   neoplasia of, 505  
   neuropathic gastric dilatation, 500, 500t, 501, 502f  
   oropharynx, anatomy and physiology, 485, 486f  
   palatine beak necrosis, 488f  
   pancreas, 512-513  
   papilloma, 512f  
   peritoneal cavities, 515  
   proctodeum, 509  
   proventriculus, 492, 492c, 498-499  
   rectum, 506  
   regurgitation and, 490f  
   rhinotheca, 484  
   Smadel's disease, 486  
   stomatitis, 488  
   tongue, 489  
   traumatic gastritis, 503  
   ultrasonography, ascites in, 517  
   urodeum, 509  
   ventriculus, 499, 503  
   vitamins and, 504, 514  
   volvulus, 508  
   vomiting, 492c  
   zinc toxicosis and, 1039  
 Gastrointestinal tract  
   displacement of, 258  
   normal flora of, 484  
 Gender determination, 148t, 154, 344, 499, 756, 757, 777-779, 1231, 1277  
   in Anseriformes, 1239, 1252  
   in Columbiformes, 1210  
   in Galliformes, 1228  
   in Passeriformes, 1178  
   in Ramphastidae, 1277t  
   in ratites, 1291  
   sexual dimorphism and, 77, 779t  
 Genetic  
   and chick, 805  
   disease, 720, 784, 1182, 1226  
   selection, for heart disease, 713  
 Genital tract, and mycoplasma, 1054  
 Gentamicin, 239, 446, 463  
 Gentian violet, 464  
 Geothermal energy and incubation, 1229  
 Geriatric birds, nutrition in, 72  
 Germinal disc, description, 754  
 GGT (see alanine aminotransferase)  
 GI blockage, 887 (see gastrointestinal blockage, ileus)  
 Giardia, 174c, 461, 464, 466, 495c, 631c, 1014, 1283  
   cockatiel, paralysis and, 732, 845  
   hypovitaminosis E and selenium, 852, 855  
   in finches, 1190  
   in Ramphastidae, 1282  
   in ratites, 1314  
   lid paralysis and, 680c, 686  
   nestling mortality and, 807  
 Giemsa stain, 987  
*Gigantobilharzia*, 1194  
 Gizzerosine, ventricular ulceration, 851  
 Glands, 608, 675, 1129, 1221, 1245  
 Glauber's salts (sodium sulfate), 1038  
 Glaucoma, 687  
 Glomerulomphistis, 352c  
 Glossopharyngeal nerve (CN IX), 726  
 Glucagon, birds vs mammals, 603  
 Glucocorticoid, 600t  
 Glucose (GLU), 234, 243, 1244  
   effect of, 542  
   kidney filtration of, 539  
   relationship to hepatic dysfunction, 235  
 Glucosuria, 243, 464, 539, 548, 636  
 Glue traps, rodents, 413  
 Glutamate dehydrogenase (GLDH), 230  
 Glutathione peroxidase (GSHp), 84  
 Glycerol, semen storage, 777  
 Glycogen body, 726  
 Glycopyrrolate, 1261  
 Gnatotheca, 484  
 Goblet cells, cytology of, 218c  
 Going light syndrome, megabacteria, 982  
 Goiter, 594-596, 461, 464-465, 495c, 594-596, 860  
 Goldfinch, ivermectin in, 464

- Gonadotrophin, suppression of, 584  
 Gonads, 343, 1131  
   functional relationship of, 758  
 Gongylonema ingluvicola, 496  
 Goose, 501, 875, 907-908, 910, 912, 934, 936, 1243  
   aggressiveness in, 1243  
   bacterial diseases of, 950, 956, 959, 975, 963, 973, 1054, 1057, 1060  
   *Candida* in, 998  
   Derzsy's disease, parvovirus in, 908  
   diets of, 1249  
   fatty liver in, 851  
   fungal disease in, 1006  
   mebendazole in, 465  
   *Neisseria*, sexually transmitted, 774  
   nutrition in, 1247  
   pair bond in, 1252  
   parasitic diseases of, 960, 1062, 1266  
   respiratory rate of, 1243  
   sexual maturity in, 1252  
   viral diseases of, 875, 877, 907, 908, 910, 912, 920, 929, 931, 934, 936, 939  
 Goose-stepping, pyridoxine and, 856  
 Goslings, nephroenteritis, 943  
*Gossitis gelatinosa circumscripta*, in Anseriformes, 489  
 Gouridae, 1201  
 Gout, 458, 461, 540, 547, 829, 849  
   allopurinol and, 458  
   articular, 850  
   causes of, 850  
   in ratites, 1295c  
   visceral, 850  
 Grackles, as disease vector, 1315  
 Graft (see bone)  
 Graft rejection, 120  
 Grains, in Galliformes, 1225  
 Gram scale, 136f  
 Gram's stain, 1187  
   antibiotics, and, 436f, 437, 442, 443, 807  
   monitoring chicks and, 412, 824  
   *Candida* and, 999  
   yeast, and treatment, 436  
 Gram-negative bacteria, 436f, 437, 443, 807  
 Gram-positive bacteria, 437, 443  
 Granulocytic leukemia, 186, 669  
 Granuloma, 683c, 745, 952  
   CNS signs and, 745  
   *Mycobacterium* and, 973, 975  
 Granulomatous  
   dermatitis, 955, 962  
   ingluvitis, 1188  
   sinusitis, amphotericin B and, 459  
 Granulosa cell tumor, 770  
 Green foods, 1178  
 Grey-cheeked Parakeet, 30, 656  
 Grid keratotomy, 687  
 Griseofulvin, 1190  
 Grit, 38, 77, 496, 845, 846, 1038  
   (see myoventricular dysgenesis)  
   in Anseriformes, 1247f  
   in Galliformes, 1225  
   shell vs, 846  
 Grooming, excessive, 1269  
 Grouse, 960, 977, 1220, 1229  
 Growth hormone (GH), 584  
 Growth plate, 1142  
 Growth rate, 815, 829, 1243  
   leg deformities in ostriches, 1324  
 Gruber-Widal method of antibody titration, 959  
 Gruiformes (see cranes)  
 Guinea pig, *Chlamydia* in, 984  
 Guineafowl (see Galliformes)  
*Gymnodinium breve*, 1266
- H** Habronema, 1011f  
 Haecaputeus, 1019  
*Haemophilus*, 221c, 961, 963, 1189  
   clinical disease and, 964t  
   differential diagnosis of, 982t  
   in Galliformes, 1232  
*Haemoproteus*, 190, 194c, 468, 1176, 1192  
 Hafnia, pathogenicity of, 951  
 Halodol (see haloperidol)  
 Halofuginone, 1225  
 Haloperidol, 464, 637  
 Halothane, 569, 1068, 1261  
   cardiac effects of, 705t, 709, 711, 713f  
 Haloxon, 464  
 Hand-feeding, 468, 806f, 808, 812, 813  
   diet, 395, 812, 813t, 814f, 846  
   feeding amounts and frequency, 813  
   in Columbiformes, 1210  
   methods of, 812  
   percent solids, cooking effects, 812  
   species differences, 822  
   tubes, 813  
 Haptens, 114  
 Harderian gland, 116, 675  
 Hardware disease in ratites, 1313c  
 Harvesting free-ranging birds, 21-22  
 Hatchability, 72, 856, 890, 1253  
   decreased, from malnutrition, 849, 855  
   in ratites, 1318  
   pesticides and, 1051  
   mycoplasma and, 1054  
 Hatching, 786f, 793  
   in Anseriformes, 1253  
   in ratites, 1320  
   muscle, 793  
   records, 793  
 Hawk-headed Parrot, 30, 886, 911  
 Hay, aflatoxin in, 69  
 Head  
   and neck extension, schistosomiasis, 742  
   trauma, 410, 414, 465  
   tremor, 689, 743, 744, 1035, 1264  
 Head tilt, 742, 745, 1035  
   CN VIII defect, 728  
   heavy metal toxicosis, 739, 1035  
   twirling syndrome, in finches, 928  
 Healing process, of bone, 1140  
 Health  
   certificate, 31, 133, 136  
   exam, new bird, 31  
   factors in, 65f  
   guides for choosing a new bird, 31  
 Heart, 695 (see cardiology, cardiac)  
   anesthetic effects on, 1077  
   arrhythmias, 705  
   auscultation of, 1078  
   AV blocks, 709, 710  
   disease, clinical signs of, 371, 696  
   electrically vertical, 702, 704f  
   electrophysiology, 696  
   failure, right-sided, 713  
   imaging, 697, 698f  
   lesions, common causes of, 717t  
   surgery of, 718  
   ventricular septal defect, neonate, 816f  
 Heart rate  
   determination of, 148t, 701  
   ECG (see electrocardiogram)  
   in Anseriformes, 1243  
   in Columbiformes, 1204  
   in Galliformes, 1221t  
 Heat loss, in Anseriformes, 1243  
 Heaters, fumes, toxicity, 1049  
 Heavy metal toxicity, 173c, 248, 349, 468, 739, 937, 1038t (see lead, zinc, toxin)  
   CNS signs and, 739  
   myocardial lesions and, 717  
   renal damage and, 553  
   shell and, 846  
 Helmeted Curassow, trachea, 560 (see Galliformes)  
 Helmeted Guineafowl, 1218  
 Helminths, 532, 1021, 1208  
 Helper cells, 118  
 Hemacolor, stain, *Campylobacter* and, 484  
 Hematochezia, 149, 164c, 172c, 404, 483t, 887, 982  
 Hematology, 176-198, 1330t-1345t  
   anemia, causes of, 188t  
   basophil development, 190, 193c  
   blood cells, characteristics of, 186t  
   blood film, 178  
   blood parasites, identification of, 190  
   bone marrow, collection of, 191  
   cells, identification of, 181, 186  
   corpuscular hemoglobin concentration, mean (MCHC), 180  
   corpuscular volume, mean (MCV), 180  
   EDTA, 177, 178  
   eosinophil, 189, 190, 193c, 194  
   erythrocyte, 183c, 188, 196  
   erythropoiesis, 183c, 196  
   granulopoiesis, 196  
   hematologic stains, 179  
   hemogram, 188, 194c  
   heparin, 177  
   heterophil, 189, 193c  
   leukocyte, 180  
   leukocytosis, 188, 189, 194c  
   leukogram, interpretation of normals, 188  
   leukopenia, causes of, 189  
   lymphocytes, reactive, 194c  
   lymphocytosis, causes of, 189  
   manual cell counter, use of, 179  
   methylene blue stain, 180  
   monocyte development, 184c  
   monocytosis, causes of, 189  
   myeloblast, 193c  
   Natt and Herrick's method, 180  
   packed cell volume (PCV), 179  
   polycythemia, causes of, 188  
   prolymphocyte, differentiation of, 197  
   prorubricyte, basophilic erythroblast, 196  
   red blood cell count (RBC), 179  
   reticulocyte count, 180  
   rubricyte, hemogram, 194c  
   thrombocyte, interpretation of, 190  
   thrombocytopoiesis, 183c, 196  
   toxic heterophils, 194c  
   Unopette system, cell counting technique, 179

## INDEX

- white blood cell counts (WBC), 181t  
Wright's stain, standard, 179
- Hematuria, 150, 890, 1040
- Hemicellulose, 458, 464, 536, 844, 1038  
(see psyllium)
- Hemochromatosis, 209, 409, 464, 517,  
526c, 534, 713, 849, 1198, 1281f  
in Passeriformes, 1197  
in Ramphastidae, 1281  
renal, 547c  
treatment of, 530, 536
- Hemoglobin values, vitamin C and, 179,  
1251
- Hemoglobinuria, 1035
- Hemogram, 176, 1330t-1345t  
normal cockatoo hen and, 753t
- Hemolysis, glucose, effect on, 234
- Hemoparasites, 1019
- Hemopericardium, 718
- Hemoperitoneum, 218c
- Hemorrhage, 398, 399, 464, 526, 890,  
916, 927, 934, 1051, 1087-1089,  
1233, 1265  
control, 39, 399, 463, 1113, 1269
- Hemorrhagic  
conure syndrome, 934  
enteritis, EEE, emu, 916  
nasal discharge, PMV-3, 927  
syndrome, with sulfa antibiotics, 1045
- Hemosiderosis, 366
- Hemostatic clip, 1034f, 1086, 1103,  
1129, 1131, 1135
- Hen, reproductive  
anatomy, 749 (see anatomy overlay,  
endoscopy)  
disorders, 758  
hormones, 751
- Henle, loops of, 539
- Hepadnavirus, orthohepadnavirus,  
909-910
- Heparin, 1135
- Heparinized flushes, 387
- Hepatic  
anesthesia and, 1068  
damage, 73, 632 (see hepatitis, liver)  
dysfunction, relationship to glucose  
level, 235  
encephalopathy, 525, 736  
fibrosis, 461, 530, 537  
lipidosis, 88, 215, 221c, 828, 829f, 1198  
stenosis, 533
- Hepatitis, 148, 154, 221c, 405, 462,  
526c, 529, 714, 798c, 982t, 312,  
1054, 1062c  
black, *Plasmodium*, 529c  
granulomatous, mycobacteriosis, 529c  
relationship to glucose level, 235  
viral, 904, 906, 909, 916
- Hepatocellular carcinoma, 1197
- Hepatocellular necrosis, 889, 529c
- Hepatology, 522-537 (see liver)  
ammonia tolerance test, 530  
ascites and, 523, 530, 537  
aspergillosis and, 535f, 526c  
beak, overgrowth and, 523  
bile acids, 525, 530  
bile salts in skin, pruritus, 523  
biliverdin reductase, 523  
biliverdinuria, 523, 526c  
chlamydiosis and, 537  
colchicine and, 537  
corticosteroid and, 537  
enzymology, 523-530  
enzyme activities, 463, 523-530  
enzyme activities, liver vs muscle  
disease, 525t  
fatty liver, 526c, 529c, 533, 534  
hepatic encephalopathy, 525  
hepatic fibrosis, 531f, 537  
hepatomegaly, 523, 533f, 529c  
icterus and, 523  
jaundice and, 523  
malnutrition and, 526, 533, 536  
neoplasia and, 536  
parasitic disease and, 529-533, 529c,  
536, 537  
portal hypertension, 536  
radiology, 530  
serum iron concentration, 530  
toxins and, 529, 530, 535-537  
traumatic rupture, 536  
ultrasonography, 536  
viral diseases and, 527, 532, 537
- Hepatomas, 829
- Hepatomegaly, 523, 529, 533f, 719, 823,  
1121, 1197  
differential diagnosis of, 254t  
cardiac disease and, 697
- Hepatopancreatitis, with coronavirus,  
914
- Hepatopathies, 485f, 858, 1075
- Hepatosplenomegaly, 532
- Hepatotoxins, 335-337, 529, 1043
- Herbst's corpuscles, 609, 1249
- Hernias, abdominal, 1132
- Herniorrhaphy, 1132
- Hérons, 910, 1238
- Herpesvirus, 874-885  
*Chlamydia* vs, 990  
CNS signs and, 687  
cross-reactions, 876t  
differential diagnosis of, 871t  
in Galliformes, 1232  
in Passeriformes, 1186  
in Ramphastidae, 1282  
inclusion bodies and, 874  
ocular disease and, 687  
PMV-1 pigeon vs, 926  
survey of hosts, 875t  
treatment of, 878, 879
- Hetastarch, 384
- Heterakis*, 361, 367, 644, 1023  
in Galliformes, 1235f
- Heterogametic gender, 779
- Heterophil, 111, 112, 186, 189, 194,  
1206 (see hematology)  
left shift, 111
- Heterophilia, 915, 934, 1003, 1063 (see  
hematology)
- Hexamita*, 459, 462, 466, 732, 1015
- Hind limb paresis, progressive, 736
- Hippoboscids flies (*Ornithomyia  
avicularia*), 190, 1010f, 1197
- Histology, relation to biochemical  
changes, 226
- Histomonas*, 366, 459, 461, 464, 1015  
in ratites, 1314
- Histopathology, problems of, 121
- Histoplasma, 454, 1005
- Hjarre's disease, coligranulomatosis, 951
- Hock, enlarged, zinc deficiency, 848, 859  
enlarged, vitamin E, 855
- Holocrine secretion, in Columbiformes,  
1210
- Homogametic gender, 779
- Hooding, 1233
- Hopping, and neurologic disease, 728
- Hormonal cycle, diminishing exposure to  
light, 772
- Hormone (see endocrinology)  
measurement, 584  
parathyroid (PTH), 587  
follicular, 1211
- Hornbills, 499, 1282
- Horner's syndrome, 689, 728
- Horse, as disease vector, 929, 984
- Hospital management, 133, 135-137,  
138, 248
- Hospitalization, 398, 1244
- House Sparrow, as disease vector, 916,  
919, 926, 929, 955, 1054, 1195
- Housing, 34f, 35, 54f, 146, 1176, 1207,  
1223, 1233, 1244 (see aviary)  
crowded, 1179  
galvanized wire toxicity and, 54  
hygiene, 37  
in Anseriformes, 1244, 1269  
in Columbiformes, 1207  
in Galliformes, 1223, 1228, 1233  
in ratites, 1300, 1301  
indoor environment, 146  
nest box size, 54t  
suspended flights, 53
- Humerus (see anatomy overlay)  
in egg laying, 753  
surgical repair of, 1156f
- Humidity, 792, 1097
- Hunting, falconry, 19
- Husbandry, 50, 61  
in Galliformes, 1223  
in Passeriformes, 1175
- Hyclate, 462
- Hydrated collagen, 687
- Hydroactive (HAD) dressing, use of, 412,  
420, 1099
- Hydrocephalus, 746, 822
- Hydrochloric acid, 464
- Hydrocolloid dressing, 420
- Hydrogen peroxide, use in bleeding, 399,  
987
- Hydropericardium, causes of, 371, 717t,  
904, 1198
- Hydroxyzine hydrochloride, 636
- Hyperactivity, 732, 1044
- Hypercalcemia, 407, 589, 769
- Hypercholesterolemia, 464
- Hyperestrogenism, 256, 314, 518, 592,  
637
- Hyperexcitability, 743
- Hyperglobulinemia, with reovirus, 897,  
911
- Hyperglycemia, 234, 605, 915, 1039
- Hyperkalemia, 542, 705t, 706, 915
- Hyperkeratosis, 164c, 558, 609, 618,  
632, 859, 1001, 1196  
in ratites, 1298, 1310c  
malnutrition and, 852, 859, 1173, 1196
- Hypernatremia, in waterfowl, 1245
- Hyperostosis, 406, 407f, 769
- Hyperparathyroidism, 371, 373, 582,  
590, 591  
secondary nutritional, 590, 857-858, 1258
- Hypersensitivity responses, 114, 119, 120

- Hyperthermia, 463, 1203  
   clinical signs of, 413, 829  
   emergency treatment of, 414  
 Hyperthyroidism, 593, 596  
 Hyperuricemia, 554  
 Hypervitaminosis A, 852, 1046  
 Hypervitaminosis D, 74, 551f, 592, 845, 855, 1046  
   high-protein diets and, 850  
   renal damage and, 239  
 Hypoadrenocorticism, 598-601  
 Hypoalbuminemia, 911, 915  
 Hypocalcemia, 411, 464, 592  
   cardiac effects of, 705t  
   dietary management of, 858  
   hemorrhagic conure syndrome with, 934  
   in African Grey Parrots, 411  
   neuromuscular disease and, 737  
   seizures and, 857-858  
 Hypochromasia, 188  
 Hypoglossal nerve (CN XII), 726  
 Hypoglycemia, 234, 389, 738, 821, 852, 934  
 Hypokalemia, cardiac effects of, 705t, 709, 710, 714  
 Hyponatremia, 554  
 Hypopennae, 1220  
 Hypophosphotemia, 590  
 Hypoproteinemia, 1310c  
*Hypopteronosis cystica* (see feather cyst)  
 Hypopyon, 911  
 Hypothalamus, 583  
 Hypothyroidism, 465, 595, 637, 844  
   iodine and, 860  
 Hypovitaminosis A, 166, 487, 552, 558, 845, 853, 1250, 1298  
   aspergillosis and, 1001  
   *Candida* vs, 999  
   embryo death and, 787  
   ocular disease and, 679, 680c  
   syringeal granuloma, 853f  
 Hypovitaminosis B<sub>1</sub> (thiamine), 733  
 Hypovitaminosis B<sub>2</sub> (riboflavin), 733  
 Hypovitaminosis B<sub>6</sub> (pyridoxine), 733  
 Hypovitaminosis D, skeletal disorders, 250, 845, 848, 853, 1257  
 Hypovitaminosis E, 731, 854, 1298  
 Hypoxia, cardiac effects, 709  
 Hysterectomy, 407, 408, 760, 770-772, 1129 (see salpingohysterectomy)
- I** Iatrogenic intoxications, 1045  
 Ibuprofen, 1113  
 Icterus, 523, 1062  
 IDEA test, for *Chlamydia*, 992  
 Identification systems, 40, 49, 611, 810  
 Idiopathic epilepsy, 410, 738  
 Ileus, 255, 826, 1035, 1039  
   radiology of, 255, 258  
 Iliotibialis, 1213  
 Illness, increased metabolic rate, 73  
 Imaging, 246-346 (see radiography)  
   air sacculitis, 317f  
   air sacculography, 294f  
   alternative, 260  
   Amazon, 262f, 264f, 265f, 267f, 268f, 269f  
   Amazon, head, 266f  
   Amazon, pelvic limb, 720f, 721f  
   Amazon wing, 269f  
   bone lesions and, 324f  
   cardiomegaly, 313f  
   cloacal distention, 317f  
   cockatiel, 272f, 273f, 274f  
   contrast studies and, 318f, 319f, 321f, 322f, 330f  
   duck, 275f, 276f, 277f  
   duck, head, 279f, 280f, 281f  
   duck, pelvic limb, 282f  
   duck, wing, 283f  
   egg-binding, 315f  
   egg-related peritonitis, 315f  
   femoral head necrosis, 324f  
   fibrosing cellulitis, 292f  
   goose, head, 279f  
   hepatitis, 312f  
   Hyacinth Macaw, 291f  
   hyperestrogenism, 314f  
   lipidosis, 311f  
   liver herniation, 316f  
   mass and, 298f, 302f  
   microhepatia, 310f  
   nephromegaly, 308f, 309f  
   ovary, 314f  
   peafowl, 290f  
   pigeon, neonate, 323f  
   pneumonia, 301f, 303f  
   quail, 284f, 286f  
   quail, head, 287f, 288f  
   quail, wing, 289f  
   quail, pelvic limb, 290f  
   renal calcification, urogram, 307f  
   respiratory tract and, 298f, 304f, 305f, 306f  
   restraint and positioning, 248  
   rhinogram, 294f  
   round cell tumor, 302f  
   sinography, 295f, 296f, 297f  
   splenomegaly, nephromegaly, 313f  
   tracheal mass, 299f, 300f  
   Trumpeter Swan, 278f  
 Imaging technique, 246 (see radiographic technique)  
 Imidazole antifungals, 459  
 Immune complex reactions, 120  
 Immune response, 114, 119, 754, 849  
   cell-mediated, 118  
 Immune stimulant, 389, 462, 465  
 Immune system, 110-119  
   disturbance of, 119  
   humeral system, 115  
   immunoglobulins, IgM, IgG, IgA, 115  
   in Anseriformes, 1244  
   lymphocyte activity, 116  
   macrophage, 112t  
   mechanisms of the avian host, 109  
   myeloid system, 111  
   pH, low intestinal environment, 111  
   weakened from inbreeding, 110f  
 Immunodiffusion assays, problems of, 121  
 Immunogenic glomerulonephritis, 120  
 Immunoglobulins, 115, 754  
 Immunoregulin, 464  
 Immunosuppression, 119, 461, 468, 772, 870, 897, 910, 914, 931, 1001, 1017, 1256  
   in Columbiformes, 1208  
   in Passeriformes, 1189  
   in waterfowl, 1265  
 Impaction  
   in Columbiformes, 361, 828, 1205f  
   in ratites, 1313c  
   in neonates, 828f  
   in Anseriformes, 1254  
 Impregnated pellets, CTC, 460  
 Imprinting, 97, 772, 775, 783, 1180, 1243, 1301  
 Inbreeding, 713, 784, 792  
 Inclusion bodies, 125, 878, 882, 889, 906, 1016  
   differentiation of, 890  
   hepatitis, 878, 882  
 Incoordination, 462  
   viral disease and, 774, 881, 911, 937  
   vitamin E and, 855  
   NGD with, 942  
 Incubation, 757, 788, 796, 1227, 1229  
   artificial, 788, 1227t  
   chicks and, 62, 790, 791t, 805  
   common problems with, 790-795  
   embryonic death and, 790, 792  
   in Anseriformes, 1241t, 1253  
   in Columbiformes, 1210t  
   in Galliformes, 1227t  
   in Passeriformes, 1176t  
   in Psittaciformes, 789t  
   in Ramphastidae, 1279  
   in ratites, 1303, 1318, 1320, 1324  
   natural, 785  
   parameters for, 792-794  
   periods of, for common species, 789t  
   requirements of, 788, 789  
 Incubator management, 790, 791  
 Indeterminate layers, 752, 783  
 Indian Hill Mynah, 858, 872, 929, 1197  
 Indocyanine green, 242  
 Indolent corneal ulcers, 1100  
 Infectious  
   disease outbreak, 60, 807  
   esophagitis, 880  
   laryngotracheitis virus, 579, 875  
   neuropathies, 741  
   salpingitis, adenovirus, 903  
   stunting syndrome (ISS), 507, 513  
 Infertility, 460, 784, 786t, 792  
   malnutrition and, 849, 855  
 Influenza A virus (see avian influenza)  
 Influenza C, 929  
 Influenza virus, 704, 705t, 707, 709, 924, 1057  
   in ratites, 1309  
   in Anseriformes, 1237  
 Infra-acoustic waves, 1204  
 Infraorbital  
   air sac, inflation, 1105 (see anatomy overlay)  
   diverticulum, flushing of, 203f  
   sinus, 160, 558, 905, 1106f (see anatomy overlay)  
 Infrared heat lamp, 1254  
 Infundibular cleft, 353c, 485  
 Infundibulum, 561, 749  
 Ingluvies (see crop)  
 Inguvolith, 495c, 497f  
 Inguvotomy, 414, 828, 1115, 1117f  
 Injacom, 469  
 Injectable anesthetics, in Anseriformes, 1262  
 Injections, 1203, 1212, 1213, 1221  
 Insecticide (see pesticide)  
 Insectivore, low-protein diet for, 851  
 Insectivorous Passeriformes, 558, 1173



## INDEX

- Insects, as viral vectors, 912, 916, 1215  
 Insemination, artificial (see artificial insemination)  
 Inspiration, fresh air, 569  
 Inspiratory strider, 711f  
 Instincts, avian behavior and, 724  
 Insulin, 603  
 Insurance, ratites and, 1309  
 Integument (see dermatology)  
 anatomy of, 608-611f, 615f  
 diseases of, 621t, 622t  
 in Columbiformes, 1202  
 in Galliformes, 1219, 1233  
 lesions, general therapy for, 622  
 physiology of, 608  
 Interdigitating bandage (see bandage)  
 Interferon, antiviral, 862  
 Interleukin 1, 112  
 Interleukin 2, antiviral, 932  
 International Chick Units (ICU), 83  
 International Racing Pigeon Association, 1201  
 International System of Units, 226, 1328t  
 Interosseus metacarpal artery, 1269  
 Interstitial cell tumors, 774  
 Intervertebral discs, 734  
 Intestinal  
 disease, 904, 942, (see gastroenterology)  
 microflora, in Galliformes, 1225  
 peritoneal cavity (IPC), 346  
 surgery, 1124  
 Intestinal tract  
 gas in, 255  
 length of, in Columbiformes, 1203  
 in ratites, 1313c  
 Intracranial pressure, 465  
 Intramedullary PMM, 1149  
 Intramuscular injection, 388, 440, 1181  
 Intranuclear inclusion bodies, 125, 881, 906  
 Intraocular  
 pressure, 465  
 tumors, 689  
 Intraosseous cannula, 386-387, 1133f, 1134, 1181  
 Intraventricular conduction  
 disturbances, 710  
 Intubation, 1068f  
 Intussusception, 507, 828  
 Iodide, 93  
 Iodine, 461, 464, 860, 1190  
 Ionophore coccidiostat, 1307  
 Iothalamate sodium, radiography, 259  
 Iprnidazole (Ipropran), 464  
 Iris, 676, 728  
 Iron, 72, 92, 235, 462, 858  
 deficiency of, 188  
 dextran, 464  
 diet low in, 713  
 diet high in, 1197  
 oxide, in Columbiformes, 1204  
 Iron storage disease (see hemochromatosis)  
 Iron storage protein ferritin, 530  
 Ischemic infarction, 736  
 Ischiatic plexuses, 727  
 Isoelectrical lead, 701f  
 Isoflurane, 135, 705, 1066, 1213 (see anesthesia)  
 in Anseriformes, 1270  
 in Ramphastidae, 1280  
 recovery from overdose, 711  
 Isolation areas, for new or sick birds, 60  
 Isoniazid, 464, 468  
*Isospora*, 1015, 1191t, 1012f  
 Israel turkey meningoencephalitis (ITM), 918, 919  
 ISS (see infectious stunting syndrome)  
 Isthmus, 498f, 749, 1121, 1123  
 Itraconazole, 451, 453-455, 464, 999, 1004  
 Ivermectin, 464, 499, 1196, 1314, 1316  
 environmental toxicity of, 464, 1045
- J** Japanese B-encephalitis, (JBE), 919  
 Jaundice, 523, 1193  
 Jaw tone, reduced, 686, 732  
 Joint abnormalities, 463, 982, 1054, 1146  
 in Anseriformes, 1269  
 Junctional tachycardia, differentiation, 707  
 Junglefowl, 1231
- K** Kanteling, in ostriches, 1302  
 Kaolin, activated charcoal, 458  
 Kaprycidin A, 459  
 KE apparatus (see external fixator)  
 Keel, abscesses of, 1258  
 Keel-billed Toucan, 1276, 1282  
 Kelp, 87  
 Keratin, in Columbiformes, 1202  
 Keratinocytes, 611  
 Keratitis, 679, 686, 687, 1101  
 in ratites, 1295c  
 Keratoconjunctivitis, with *Chlamydia*, 989  
 Keratogenic cysts, 487  
 Keratomas, 632  
 Kerosene fumes, toxic, 1049  
 Ketamine hydrochloride, 462, 711, 1213, 1214  
 Ketoconazole, 455, 459, 464, 1005, 1189, 1190  
 Ketones, presence of, 150  
 Ketonuria, 549, 843  
 Ketosis, 843  
 Kidney, 74, 539, 851 (see nephrology)  
 anatomy, physiology, 539 (see anatomy overlay)  
 calcification of, 74  
 Kinky back, with *Staphylococcus*, 967  
 Kirschner wires, 1146  
 Kirschner-Ehmer (KE) device (see external fixator)  
 Kiwi, 1284, 1285  
*Klebsiella*, 956, 1189  
 in Galliformes, 1232  
 in Ramphastidae, 1281  
 in ratites, 1309  
 Knee web, 611, 1118  
*Knemidokoptes*, 40, 464, 631c, 1026  
 ocular disease and, 680c, 684  
 in Passeriformes, 1196  
 Knob, 607  
 Knuckling over, 728  
 Koilin membrane, 1289 (see ventriculus)
- L** L-form bacteria, 459, 955, 967, 969  
 Laboratories  
 fax, security of, 141  
 samples, submission of, 138, 140-142  
 Laboratory tests, not diagnostic alone, 226  
 Lacrimal gland, 675  
 Lacrimal sac abscesses, 684  
 Lacrimation, 905, 931  
 LaCrosse fever virus, 919  
 Lactate dehydrogenase (LDH), 231, 890, 911, 916, 989, 1243  
 Lactated Ringer's solution (LRS), 384, 464  
 Lactobacillus, 111, 465, 575, 978, 980, 955  
 Lactophenol cotton blue, fungal and, 999, 1003  
 Lactose, 78  
 Lactulose, 439, 464, 465, 467, 536, 953  
 Lady Amherst's Pheasant, 1231  
 Lafora body neuropathy, 738  
 Lake Victoria Cormorant herpesvirus, 875, 883  
 Lamellae, 1238, 1249  
 Lameness, 935, 942, 999, 1001  
 Laparoscopy, in Passeriformes, 1178  
 (see endoscopy)  
 Laparotomy, 770, 771 (see celiotomy)  
 Larynx, 560  
 Lasalocid, 1307  
 Laser surgery, 1113  
 Lasix, 463  
 Latex agglutination, aspergillosis and, 1003  
 Latitude, effects on, Anseriformes, 1243  
 Laxative, mineral oil, 466  
 Laying ducks, nutrient requirements for, 1250  
 Laying process, calcium levels, 753  
 Lead  
 ALAD levels and, 1037  
 analysis for, 1036  
 blood levels and, 1036t  
 cardiac effects of, 709  
 CNS signs, 739, 1038  
 ECG and, 701  
 in Anseriformes, 1263  
 intoxications vs picornavirus, 937  
 muscle tissue and, 1034  
 sources of, 1034t  
 testing kit, 1035  
 toxicosis, 258, 459, 550, 1033, 1034, 1035, 1198  
 treatment for, 458, 1038  
 Left lateral, celiotomy, 1120  
 Left-to-right (LeRtL) view, radiograph and, 248  
 Leg  
 band, injury, 42f (see band, leg)  
 chains, warning against use, 36f  
 deformities, 823, 830, 850, 858, 1161, 1165f, 1298, 1310c, 1324  
 paresis, 724, 743, 1035, 1264  
 surgical approach to, 1159f  
 weakness, with NGD, 942  
 Leiomyomas, 770  
 Leiomyosarcomas, 770  
 Lembert pattern, 1124  
 Lens luxation, cataract and, 687  
 Lens removal, 1100  
 LeRtL, left-to right lateral view, radiograph and, 248  
*Leucocytozoon*, 190, 194c, 533, 1020

- in Passeriformes, 1193
  - in ratites, 1314
  - Leucopenia, 189, 882, 911
  - Leukemia virus (SLV), 931
  - Leukemic blood panel, and neoplasia, 668
  - Leukocyte morphology, 111, 186t
  - Leukocytosis, 189, 194, 942, 1188
  - Leukosis, 553, 587, 774, 933
    - in Passeriformes, 1187
  - Leuprolide, 465
  - Levamisole, 465, 499, 1004, 1193-1195
    - toxicity of, 1045
  - Levinthal-Cole-Lillie (LCL) bodies, 985
  - Levothyroxine sodium, 465
  - LH (see luteinizing hormone)
  - Libyostrongylus*, in ratites, 1314
  - Lice, 464, 1197
  - Lid paresis, 686
  - Lidocaine, 1133, 1214
  - Ligament, dorsal of uterus, 749
  - Light
    - for Arctic circle waterfowl, 1257
    - relationship to breeding, 51, 584, 853, 1175, 1233
  - Limberneck (see *C. botulinum*)
  - Lincomycin, 450, 465, 686
  - Lincosamides, pharmacology, 449
  - Lipase, 236
  - Lipemia, 234, 465, 844
  - Lipid production by keratinocytes, 611
  - Lipid solution, 393
  - Lipogenesis, 851
  - Lipoma, 213, 221c, 595f, 640, 642, 662
    - breeding and, 784
    - treatment of, 1133
  - Liposomes, 127
  - Liquid diets, 1125
  - Lissencephalic, 724
  - Listeria*, 718, 744, 976, 1188
    - CNS signs and, 744
    - in Galliformes, 1232
  - Live yeast cell derivatives, 419
  - Liver, 522, 536 (see hepatology)
    - biopsy of, 530, 532
    - cirrhosis of, 530, 1265
    - damage, 362, 524, 526, 772
    - disease of, 405, 414, 465, 530, 532-536, 853, 1280
    - enlargement, hemorrhages, 878
    - enzymes and, 524
    - fatty infiltration of, 828, 849, 851, 856
    - flukes, 460
    - function, 524
    - hemorrhagic syndrome and, 851, 1186
    - herpesvirus lesions, 882
    - in oil-contaminated birds, 1263
    - in ratites, 1308
    - Mycobacterium* and, 973
    - mycotoxins and, 1043
    - neonates and, 506, 828, 832c
    - normal, 526c
    - posthepatic septum, 515
    - rupture, 526c
    - specific enzyme for, 524
    - tumors, classification, 536
  - Local inflammation, 120
  - Loft, pigeons and, 1206t, 1207
  - Longevity
    - in Anseriformes, 1244t
    - in companion birds, 30t
  - in Galliformes, 1223t
  - Lorelco, 465
  - Lory, 463, 878, 977
  - Louping Ill virus, 919
  - Lovebird, eye disease of, 679
  - LRS (see lactated Ringer's solution)
  - Lugol's solution, 464
  - Lumbar plexuses, 727
  - Lumbosacral spinal cord lesion, 729
  - Lung
    - cancer, risk of, human, 37
    - movement of, 167
    - normal, 362
    - parenchyma, radiograph, 252
    - pigeon breeder's, 1202
    - resistance to disease, 112
  - Lupine, 1041
  - Lutalyse, 462
  - Luteinizing hormone (LH), 583, 751, 753
  - Luxations, repair of, 1161
  - Lymph follicles, 116
  - Lymphatic erection, 756
  - Lymphocytes, in Anseriformes, 1244
    - (see hematology)
  - Lymphocytic blood differential, in
    - Columbiformes, 1204
  - Lymphocytosis, 189
  - Lymphoid leukosis, 587, 774, 933
  - Lymphoid neoplasia, 116, 221c
  - Lymphokines, 118
  - Lymphomatosis, 770
  - Lymphopenia, 599
  - Lymphoreosis, 184c, 197
  - Lymphoproliferative disease (LPD), in
    - turkeys, 931, 932
  - Lymphosarcoma, 352, 529, 1197
  - Lysine, 72-74
    - in Anseriformes, 1250
  - Lysozyme activity, 1251
- M** M response, 730
- M. avium*, (see *Mycobacterium*)
  - M. flexor cruris medialis*, 342
  - MAC, 1068
  - Macaw, 29, 75, 97, 462, 523, 886-888, 927
    - beak deformities, 836
    - biochemistry values in, 1329t, 1334t, 1336t
    - constricted toes, 831
    - doxycycline dose, 448
    - drug susceptibility, 449, 1046
    - effects of aging, 149t
    - hematology values, 1333t
    - hepatic lipidosis, 829
    - regurgitation and, 827
    - vitamin D toxicity in, 51, 74, 469, 829
    - wasting disease (see neuropathic gastric dilatation)
  - Macchiavello's stain, 532, 987
  - Macrolide, 449
  - Macrophages, complement factors, 112t, 113
  - Maggots, 739, 1263
  - Magnesium, 91, 858, 1244
    - feather quality and, 846, 848
  - Magnetic field, flight orientation, 1204
  - Magnetic resonance imaging (MRI), 723, 734, 736
  - Magnum, 749
  - Malabsorption, 149, 173c, 845, 969
  - Malaria, 460, 467, 936, 1192
  - Malathion, 1316
  - Male
    - behavioral abnormalities, 775
    - courtship, in Passeriformes, 1178
    - imprinted on humans, 775
    - reproductive disorders, 774, 777
  - Mallard Duck, 927, 1039, 1243, 1247, 1255, 1257
  - Malnutrition, 842-861, 1030, 1224
    - biotin, 857
    - calcium to phosphorus ratio, 858
    - carbohydrate, 851
    - cardiac effects, 713
    - choline, 857
    - clinical conditions associated with, 843-849
    - copper, 859
    - fatty liver, 844
    - feather changes, 846f
    - folic acid, 857
    - formulated diet and, 849f
    - in Anseriformes, 1257
    - in Passeriformes, 1189, 1196
    - infectious disease and, 1001
    - insectivore, low-protein diet, 851
    - iodine, 859-860
    - iron, anemia, 858
    - magnesium, 858
    - manganese, 859
    - minerals, 857-860
    - neurologic signs and, 848
    - niacin, 856
    - nutrient deficiencies, 849
    - obesity and, 843, 844f
    - ocular lesions and, 679
    - pantothenic acid and, 856
    - potassium, 860
    - protein and, 850
    - pyridoxine, perosis, 856
    - reproduction and, 762, 772, 774, 792, 849
    - riboflavin, 856
    - selenium, 859
    - skeletal disorders and, 848
    - skin changes and, 848
    - sodium and chloride, 860
    - symptoms of, 146f
    - thiamine, seizures, 856
    - vitamins, 852-857
    - water, 860
    - zinc, 859
  - Malunion, types, 1142t
  - Mammography, 247
  - Managing disease outbreaks,
    - histopathology, 60
  - Mandible, 558, 609, 728, 837, 891
  - Manganese, 72, 93, 859
    - feather quality and, 846
    - in ratites, 1298
    - in Anseriformes, 1258
  - Mannitol, 411, 413, 465
  - Marble spleen disease, 903, 907
  - Marek's disease virus, 645, 653, 744, 874, 884
  - Marijuana, 1047
  - Marine diatoms, 741
  - Mast cell tumor, 645
  - Mastadenovirus, 903
  - Masturbatory behavior, 772, 775
  - Maternal immunity, 754
  - Maxitrol, 688
  - Maxilla, 609

## INDEX

- Mealworms, 1225  
 Mean corpuscular hemoglobin concentration, (MCHC), 180  
 Mean corpuscular volume (MCV), 180  
 Mean electrical axis, 696-702f  
 Measurement, units of Systeme International d'Unites (SI), 226, 1328t  
 Mebendazole, 465  
 Mechanical ileus, radiography, 258  
 Meckel's diverticulum, 116  
 Medroxyprogesterone acetate, 465, 621, 636  
   egg binding and, 761  
   peritonitis and, 771  
 Medullary calcification, 251, 753 (see hyperostosis)  
 Megabacterium, 174, 372, 464, 499, 978, 980f, 982c, 1188  
 Megapodes, 611, 1219, 1225, 1228  
 Meglumine diatrizoate, radiography, 259  
 Meibomian glands, 675  
 Melanin, and feather quality, 847  
*Meleagris gallopavo, forma domestica* (see Galliformes, turkey)  
 Melena, 149, 404, 656, 908 (see hematochezia)  
 Menace reflex, 728  
 Meningeal cryptococcosis, 453  
 Meninges, 724  
 Meningocele, 746  
 Meningoencephalitis, 741, 881  
 Mental status, and neurologic disease, 728  
 Mercury, toxicity of, 774, 1040  
 Merganser, 363c, 1246  
 Mesotocin, 583  
 Metabolic  
   acidosis, 389  
   disease, 813f, 1076  
   rate (BMR), in Passeriformes, 1173  
   scaling, 1349  
   tests, causes of increases in, 231  
 Metabolizable energy (ME), 74, 78  
 Metal toxicities, chelating agents for, 1038t  
   picornavirus vs, 937  
 Metamucil, 464  
 Metapatagium, 611  
 Metaphysis, 1142  
 Metazoal parasites, 1232  
 Methionine, 72, 846, 1250  
 Methomidate, 1213  
 Methomyl, toxin, 1050  
 Methoxyflurane, 711, 1068, 1261  
 Methoxymol, use in ducks, 1260  
 Methridine, *Capillaria* in raptors, 465  
 Methylcellulose, 464  
 Methylene blue, diagnosis of  
   aspergillosis, 999, 1003  
 Methylprednisolone acetate, 465  
 Metoclopramide HCl, 403, 465  
 Metomidate, 1260  
 Metritis, 462, 760, 768  
   in ratites, 1318  
 Metronidazole, 406, 466, 686, 741, 1209, 1282  
   toxicity in finches, 466  
 Mibolerone, 466  
 Miconazole, 452, 466, 999, 1004  
 Microbiology, courier service for, 377  
 Microcardia, causes of, radiograph, 697f  
 Microchips, 42-43, 49, 810, 1300f  
 Microfilaria, 463, 576, 1193  
 Microhepatia, 153c, 254, 310, 531, 739f  
 Microphthalmia, 684, 746  
*Microsporium*, 625, 1189  
 Microwave oven, 401, 1114  
 Mid-tibiotarsus, cast repair, 431f  
 Midbrain, 724  
 Migration, fat reserves, 1248  
 Migratory Bird Treaty Act, 1237  
 Mikado Pheasant, 1228  
 Milk, crop, 1210 (see crop milk)  
 Mimicking, talking ability, 27t, 1174  
 Mine wastes, in waterfowl, 1264  
 Mineral, 89  
   antagonists, 68  
   mixture for pigeons, 1206  
   oil, 466  
   requirements, 1252t  
 Mineralization, soft tissue, 84 (see gout, hypervitaminosis D<sub>3</sub>)  
 Mineralized eggs, radiography, 256  
 Mineralocorticoid, 600  
 Minimal inhibitory concentration (MIC), 435  
 Mink, influenza virus in, 929  
 Minocycline, 448  
 Mirrors, 36  
 Mist nets, 1260  
 Misting, 1178  
 Mite, 59, 459, 464, 916, 1026f, 1176  
   egg of, 1012f  
   protectors, 38, 1027, 1051  
   in Passeriformes, 1196  
   in ratites, 1317  
   tracheal vs *Streptococcus*, 970  
 Moist dermatitis, 464  
 Mollicutes, 1215  
 Molt, 618  
   cycle, 159, 547, 618-620, 926, 1220  
   in raptors, aminoloid, 458  
   in Anseriformes, 1239, 1244  
 Monensin, 459, 461, 466, 1307  
 Monistat, 466  
 Monk Parakeet, 28, 30, 714  
 Monoclonal antibodies, 127, 864  
 Monocular vision, 724  
 Monocytosis, 189, 976, 1188 (see hematology)  
 Monogamy, 781, 1209  
 Monsel's solution, 39, 463, 1269 (see hemorrhage)  
*Moraxella*, 964  
 Morbillivirus, 920  
 Morphine, 466  
 Mosquito, as disease vector, 624, 924, 934, 960, 1192, 1193  
 Motion sickness, 107  
 Mourning Dove (see Columbiformes)  
 MRI (see magnetic resonance imaging)  
 Mucoid tracheitis, with PMV-3, 927  
 Mucolytic agents, 390, 458  
*Mucor*, 625, 1003, 1005  
 Mucormycosis, 456, 575, 1005  
 Multifocal ventricular rhythms, in Anseriformes, 1262  
 Murexide test, 542  
 Murray Valley Encephalitis virus (MVE), 919  
 Muscle  
   cell necrosis, 229  
   pectoralis, 1213  
 Muscular dystrophy, 732, 1250  
 Muscularis complexus, hatching muscle, 793  
 Musculoskeletal disorders, 829  
 Muskgrass, 1247  
 Mute Swans, 1257  
*Mycobacterium*, 352, 363c, 437, 463, 486, 518, 971-975  
   aspergillosis vs, 1003  
   cytology and, 221c  
   in Columbiformes, 1211  
   in Galliformes, 1236  
   in Passeriformes, 1188  
   in Ramphastidae, 1282  
   ocular disease and, 684c  
   paratuberculous form, 973  
   viral diseases and, 883  
 Mycoplasma, 437, 443, 450, 469, 574, 718, 795, 1053  
   avian hosts, clinical signs, 1053t, 1060  
   *Chlamydia* vs, 990  
   diagnosis of, 1060  
   egg transmission and, 1058  
   in Anseriformes, 1057  
   in Columbiformes, 1058  
   in Galliformes, 1056, 1057f, 1232  
   in Passeriformes, 1059, 1187  
   in ratites, 1303t, 1314  
   influenza vs, 931  
   metritis and, 768  
   ocular disease and, 685  
   parvovirus vs, 909  
   treatment, 1060  
 Mycoses, 997-1006  
   antifungal agents, 999t, 1003-1004  
   in Columbiformes, 1215t  
   in Galliformes, 1232t  
   in Ramphastidae, 1282  
   in ratites, 1303t  
   neuropathies with, 741  
   treatment of, 437, 466, 741  
 Mycotoxins, 69t, 68, 553, 857, 1004, 1033, 1043, 1206 (see aflatoxin)  
   breeding and, 784  
   CNS signs and, 741  
   formulated diets certified free of, 1043  
   in Anseriformes, 1265, 1267t  
   in Galliformes, 1232  
   in Ramphastidae, 1282  
   sources and pathology, 69t  
   treatment of, 1043  
 Mydriasis, 674, 1101, 1266  
 Myeloblastosis, 933  
 Myelography, 260, 734  
 Myenteric plexus, 942  
 Myeloblast, 193  
*Myrialgae*, pruritus and, 1028  
 Mynah bird, 366, 459, 464, 713, 738, 1172, 1189, 1195  
   blood parasites in, 1192  
   hemochromatosis in, 1197  
   keratitis and, 687  
   ocular disease and, 679  
   parasites in 1196  
   reproductive characteristics of, 1176t  
 Myocardial degeneration, Psittaciforme, 717  
   hypoxia, 705, 711f

infarction, heavy metal poisoning, 717  
 Myocarditis, 518  
   causes of, 717t, 912f  
 Myoglobinuria, 550  
 Myopathy  
   degenerative in ratites, 1307  
   primary, 730  
 Myoventricular dysgenesis, 504  
 Myxedema, 595  
 Myxomatous, glandular tissue  
   proliferation, 575  
 Myxosarcoma, REV, 934

## N

**Nail**  
   bleeding, treatment for, 39  
   clipping, 38f  
   overgrowth and liver disease, 523f  
 Naloxone, 466, 734  
 Naphthalene, toxicity, 1051  
 Naprosyn, 1113  
**Nasal**  
   aspergillosis, 1002f  
   discharge, 160, 877, 912, 1190, 1266  
   salt gland, 240, 860, 1245  
   septum, 559  
   sinuses, in Passeriformes, 1173  
 Nasolacrimal ducts, 675, 680c, 684, 685f  
 National Animal Poison Control Center, 1033  
 Nebulization, 390, 441, 573, 574  
 Neck braces, 1094, 1125  
 Neck stretching, in Passeriformes, 1190  
 Necropsy, 355-379  
   air sacs, 361c, 365  
   antibody, fluorescent, 377  
   bone, 375  
   brachial plexus, 374  
   brain, 369, 372c  
   communication with pathologist, 357  
   brain, encephalitis, Amazon, 372c  
   cloacal bursa, 368  
   crop, 372c  
   fecal material, fixative solutions for, 379t  
   fixatives for tissue, 378t  
   form, 356f, 357  
   heart, 371c  
   histopathology, tissues routinely  
     collected, 376t  
   instruments, disinfected, 357  
   ischiatric nerve, 374  
   kidney, 362c, 368  
   lung, 362c, 368  
   normal organs, 371c  
   oviduct, 368  
   pancreas, duodenum, relation to, 360c  
   parasite, 377, 379t  
   pericarditis, 371c  
   procedure, 359-363f  
   proventriculitis, Anseriformes, 372c  
   sacral plexus, 374  
   spleen, 367  
   staining, 377  
   thymus, 372c  
   thyroid gland, 370c, 370c  
   tissue for histopathology and electron  
     microscopy, 357  
   toxicology, samples for, 377  
   urate crystals, 375  
   vaccine reaction, 372c  
   ventriculus, 368  
   vertebral column, 362c, 369  
   viral isolation, tissue to collect, 377  
   zoonotic precautions, 357  
 Necrotic enteritis, *Clostridium* and, 977  
 Necrotic tracheitis, 1234f  
*Neisseria*, 774  
 Nematodes, 464, 465, 486, 507, 1194  
   in Galliformes, 1232, 1236  
   in Passeriformes, 1194  
   in ratites, 1314t  
 Neomycin, 466, 1103  
 Neonate, 805-839  
   abandoned, 807  
   abdominal distention, 821  
   abnormal urine, 829  
   anorexia, 821  
   beak problems, 836, 837  
   body weight charts, 818t, 829  
   bone deformities, 823  
   clinical signs of illness, 822t  
   congenital abnormalities, 822  
   critical care of, 821  
   crop and, 809, 819, 825, 826, 828, 835c  
   developmental characteristics of, 816  
   diagnostic procedures, 819-820  
   diets, hand-feeding, 808, 811t, 850  
   disease outbreak, handling procedures,  
     822t  
   droppings, 819  
   ear, membrane of, 838f  
   edema, in ratites, 1324  
   egg tooth, 808f  
   endoscopy of, 820  
   eyes, 817, 838  
   feather plucked, 807  
   feeding, 808, 811-814, 812f, 835c  
   fetal monster, 832c  
   foreign body ingestion or impaction, 828  
   fostering, 806  
   gout, vitamin D<sub>3</sub>, toxicosis, 829  
   hand-raising, 806, 808-820  
   hepatic lipidosis, 828  
   hepatomas, 829  
   ileus, 826  
   infectious diseases, 807, 814, 823-825  
   integument, 819, 837  
   leg deformities, 807, 816f, 830f, 831f,  
     832c  
   liver, 832  
   management, in Anseriformes, 1253,  
     1255, 1256  
   management, in Galliformes, 1226  
   management, in ratites, 1320, 1324  
   manufacturers of diets, 811t  
   microbial flora, 808, 820, 823  
   musculoskeletal disorders, 829  
   nestling posture, 817  
   nursery management, 809, 810t,f, 1135  
   omphalitis, 835  
   parasitic infections, 807, 808, 825  
   parent-raising, problems with, 807t-808t  
   pharyngeal trauma, 825  
   pipping muscle, 820f  
   pneumonia, aspiration, 828  
   problems of, 807, 820-838  
   radiographic characteristics, 249, 820,  
     832  
   regurgitation, case report, 827, 835c  
   stunting, 821, 822f  
   surgery in, 1135  
   ventricular septal defect, 816f  
   weaning, 813  
 Neoplasia, 505, 640 (see oncology)  
   in Passeriformes, 1198  
   in ratites, 1308  
   reproductive tract and, 650, 770, 774  
 Neoplasms  
   circulatory system and, 646  
   differentiation of, 670t  
   feminization or masculinization, 651  
   nervous system and, 736  
   NGD vs, 942  
   of muscles, 647  
   of urogenital system, 650-654  
   specific treatment for, 670t  
 Neoplumonic, 1174  
 Nephritis, 541f, 547, 551, 914  
 Nephroblastoma, 553  
 Nephrons, 539  
 Nephrocalcinosis, 84, 551f, 855  
 Nephroenteritis, 909, 943  
 Nephrology, 538-558  
   amyloidosis, 552  
   anatomy, physiology of kidney, 539  
   cellular cast, 549  
   chemical test and strips, 549  
   electrolyte changes and, 542, 554  
   endoscopy of, 550  
   Fanconi's syndrome, 549  
   flow-osmol factor, definition of, 548  
   glucose, urine and, 548, 549  
   gout, 539, 540f, 544c, 547c  
   granular cast, 549  
   infectious diseases, 550  
   ketonuria, 549  
   kidneys, normal, 544c  
   malnutrition and, 551  
   metabolic disorders, 551  
   neoplasia and, 544c, 547c  
   nephritis, 547c, 551  
   nephrons, 539  
   nephropathy, 554  
   non-nephrotoxic antibodies, 554  
   pathophysiology, 539  
   Ponceau S method, 548  
   porphyrin, urine test for, 550  
   postrenal renal failure, 541, 553  
   prerenal renal failure, 541, 553  
   prerenal azotemia, definition of, 541-542  
   radiography, 550  
   renal hemorrhage, 547c, 553  
   renal dysfunction, clinicopathologic  
     diagnosis, 541-543  
   renal, agenesis, 552f  
   renal output, 539  
   renal failure, 541, 553, 554  
   therapeutic considerations, 553-555  
   toxic, nephropathies, 553  
   ureteral obstruction, 553  
   uric acid, 540, 542  
   urinalysis, 543t, 547c-549  
   urinary enzymes, 549  
   urine concentration ability, 543  
   urine water, reabsorbed from colon, 539  
   urography, 551  
   water deprivation, 548  
 Nephromegaly, 74, 245t, 256, 308, 309,  
   313, 362  
 Nephropathies, 904, 906  
 Nephrotoxicity, 444, 458, 463, 538, 1046  
 Nerve conduction velocities, (NCV), 730  
 Nerve injury, 734

## INDEX

- Nervous system, disease of, 723, 877, 904f, 922, 999, 1044, 1264
- Nest  
behavior in, 1129  
box, 54t-56, 58, 783, 788, 806, 807  
building, 757, 1178  
material, problems, 56, 807
- Neurapraxia, 734
- Neurocalcinosis, 1251
- Neurologic examination, 727
- Neurology, 723-748  
diagnostic technique, data base, 729
- Neuromuscular disease, vitamin E, selenium, 469, 728, 737
- Neuropathic gastric dilatation (NGD), 155, 348, 500f,t, 501, 502f, 704f, 743, 825, 924, 1123, 1269  
case report, 869c  
diagnosis of, 258, 501, 942f, 981f  
leukocytosis with, 942  
viral serositis vs, 917
- Neuropathies, 727, 731  
bacterial, 744  
infectious, 741  
metabolic, 736  
toxic, 739  
traumatic, 733  
viral, 743
- Neurohypophyseal hormone, 583
- New bird kit, contents of, 134
- New duck disease, duck septicemia, 964
- New wire disease, 1198 (see galvanized wire)
- New World Psittacines, 886, 895, 911
- Newcastle disease, 143, 562c, 709, 768, 920-925  
cardiac effects of, 705t  
host susceptibility, 922t  
in Anseriformes, 1237, 1267t  
in Ramphastidae, 1282  
in ratites, 1309  
pathology, 924t-925t  
*Chlamydia* vs, 990
- NGD (see neuropathic gastric dilatation)
- Niacin, 86, 856, 858, 1251
- Niclosamide, 466
- Nicotine toxicity, 966f, 1033, 1047
- Nidifugous young, 1228, 1253
- Nitrates, toxicosis, 1041
- Nitric acid, 542
- Nitrofurazone, 438, 466
- Nitromidazole, 496
- Nitrothiazole, toxicity in finches, 466
- Nizoral, 464
- Nocardia, 575, 978, 1005
- Nodules, miliary, with *Mycobacterium*, 973
- Nolvasan, 460
- Non-breeding season, 1209
- Non-determinant layers, 1228
- Non-selective angiography, 260
- Non-steroidal anti-inflammatory medications, 1113
- Non-stick cookware, toxicity, 1047
- Northern fowl mites, 808, 1209, 1215t
- Nortriptyline HCl, 466
- Nosocomial infection, 412
- Nuclear scintigraphy, 325
- Nucleic acid, 125
- Numida meleagris, forma domestica*, 1218
- Nuptial, 1239
- Nursery management, 808, 809t, 814f, 815, 823t (see neonate)
- Nuttallia* spp., in Passeriformes, 1192
- Nutrient  
allowances, recommended, 71t  
antagonists, 67  
density, effect on energy level, 66t  
debilitation needs, 73t  
essential, biological functions, 78  
interrelationships, 66  
potential toxic effects, 75t  
requirements, 69-72, 74, 394, 842, 1206  
toxic potential, 75t
- Nutrition, 63-95 845, 850, 1177  
bird health and, 64  
chicks and, 805  
energy, 78  
energy nutrient density, 66t  
essential nutrient and functions, 78-94  
fatty acids, 81  
fertility and, 786, 787  
food sources, nutrient content, 79t, 80t  
formulated diets, 76, 77  
free-ranging birds and, 63  
in Anseriformes, 1246, 1257  
in Columbiformes, 1205  
in Galliformes, 1224  
labeling, commercial products, 76, 77  
minerals, 75, 89-94  
mycotoxins, 68, 69t  
neuromuscular disease and, 731  
oxidation, control of, 77t  
plumage abnormalities and, 846  
protein, 73, 74, 81, 82  
research potential, 64  
respiratory disorders and, 846  
vitamins, 74, 82-89  
water, 65
- Nutritional  
deficiencies vs paramyxovirus, 928  
deficiency, neonates, 811  
support, sick birds, 390-396  
hyperparathyroidism (see hyperparathyroidism)
- Nystagmus, 728
- Nystatin, 451, 454, 455, 466, 824, 999, 1189
- O** Oak toxicosis, 1042
- Obesity, 75, 164, 173c, 582, 596, 637, 844, 1121, 1133, 1248  
anesthesia and, 1076  
dyspnea and, 557  
egg binding and, 758  
hypothyroidism and, 582  
in Galliformes, 1225  
in ratites, 1301, 1313c  
reproductive failure and, 775  
species predisposition, 844
- Obstruction, tracheal/syringeal, 1107
- Obstruction, GI, 361
- Ocluded ear openings, 838
- Ochratoxin, 533, 1044
- Ocular lubricants, 679
- Ocular prosthesis, 1103
- Oculomotor nerve (CN III), 725
- Oculonasal discharge, chicks, 823
- Oil-contamination, 413, 598, 623, 628c, 1263
- Old World Psittacines, 742, 878, 895, 911
- Oleander toxicity, 1041, 1266
- Olfactory center, 724
- Olfactory navigation, in Columbiformes, 1204
- Olfactory nerve (CN I), 725
- Oliguria, 541 (see nephrology, renal failure)
- Omphalitis, 821, 835c, 1187, 1256  
in ratites, 1309
- Onciola canis*, 496
- Onciola pomatostomi*, 1193
- Oncology, 640-672  
adenocarcinoma, 605c, 644, 646  
adrenal gland, 661  
astrocytoma, 661  
basal cell tumors, 644  
bile duct hyperplasia, 658  
biliary cyst, 658  
bone cyst, 649f  
bone neoplasia, 251, 649, 650f, 665c  
carcinoma, 644, 662c  
cartilage and bone, neoplasms of, 649  
cholangiocarcinoma, bile duct carcinoma, 658  
chondroma, 649  
choroid plexus papilloma, 666  
circulatory system, neoplasms of, 646  
cloacal neoplasia, 657  
cyst, ultimobranchial, 644, 646  
digestive system, neoplasms of, 655  
ectopic pulmonary ossification, 645  
embryonal nephroma, 651  
feather folliculoma, 644  
fibroplasia, reactive, 644  
fibrosarcoma, 643f, 645, 655c 662c, ganglioneuroma, 666  
glioblastoma, 666  
granulosa cell tumors, 653  
hemangioma, 645, 647, 648f  
hepatocellular neoplasia, 658  
hibernoma, 642  
integumentary system, neoplasms of, 641, 644, 655, 662c  
interstitial cell tumor, 653  
intestinal carcinoma, 657  
islet cell carcinoma, 661  
leiomyoma, 647, 657  
lymphoid neoplasms, 645, 647, 662c, 667, 668, 653  
malignant medulloepithelioma, 667  
malignant melanoma, 667  
malignant schwannoma, 667  
mast cell tumor, 645  
meningioma, 665c, 666  
myeloblastosis, retrovirus and, 669  
myelocytomas, 669  
myxoma, 643  
neoplasia, definition of, 640  
neoplasms and feminization or masculinization, 651  
neoplasms, differentiation of, 670t  
neoplasms of muscles, 647  
neoplasms of urogenital system, 650-654  
neoplasms, specific treatment, 670t  
nodular hyperplasia, hepatic, 658  
oligodendroglioma, 666  
pancreatic neoplasia, 659f  
papilloma, 640, 644, 655c, 662  
pheochromocytoma, 661  
pinealoma, 660  
pituitary neoplasia, 659, 660

- proventricular neoplasia, 656  
 pseudoneoplasia, 641f  
 renal neoplasia, 652f, 662c  
 respiratory system, neoplasms of, 645  
 rhabdomyomas, 648, 667  
 sarcinomatosis, 654  
 schwannoma, 666  
 thymoma, 669  
 thyroid neoplasia, 660  
 uropygial neoplasia, 644, 645f, 665c  
 ventricular neoplasia, 656  
 xanthoma, 642, 665c
- Oophoritis, 769  
 Open bands, 49  
 Open vs closed reduction, advantages, 1139 (see orthopedic surgical techniques)  
 Operculum, 160, 1105  
 Ophthalmoscope, 673  
 Opisthotonus, 1045, 1265  
   chlamydia and, 745, 989  
   CNS toxins and, 740, 741  
   bacteria and, 744  
   viral diseases and, 743, 873, 906, 922  
 Oponin, 112  
 Ophthalmology, 673-694  
   blindness, 689  
   congenital disorders, 684  
   conjunctiva, 685  
   eye anatomy, 675  
   in ratites, 1316  
   keratitis, 687  
   lids and periorbita, 677  
   lovebird eye disease, 679  
   malnutrition, 679  
   mycoplasma, 1054  
   ocular examination, 674  
   periorbita, 676  
   periorbital abscesses, 684  
   retinal disease, 688  
   tumors, 689  
   uvea, 687  
   viral diseases, 678, 872, 911, 937  
 Optic nerve (CN II), 725  
 Optic nerve glioma, 684  
 Oral cavity, 352, 462  
   in Anseriformes, 1266  
   malnutrition and, 845  
   poxvirus and, 872  
   white plagues and *Candida*, 998  
 Oral ulcers, trichothecene, 1044  
 Orbital abscesses, 684  
 Orbital round cell sarcoma, 684  
 Orbivirus, 912  
 Orchiectomy, 1131  
 Orchipedium, 1011f  
 Orchitis, 774, 990  
 Orchratoxin, 1044  
 Organ function, measure of, 226 (see biochemistry)  
 Organic iodine, 464  
 Organochlorine, toxicity, 773, 1050  
 Organophosphate, toxicity, 459, 706, 737, 1050  
 Ornithosis (see *Chlamydia psittaci*)  
*Ornitysluss sylviarum*, 808  
 Oropharyngeal papillomas, 1113  
 Orthohepadnavirus (see hepadnavirus)  
 Orthomyxoviridae, 929-931  
   in Galliformes, 1232  
 Oropharynx, 486  
 Orthomyxovirus, 929  
 Orthopedic surgical techniques, 1137-1169  
 Orthoreovirus, 910, 911  
 Osmoregulation, in oil-contaminated Anseriformes, 1263  
 Osmotic diuretic, 465  
 Ossification, 1142, 1144f (see biochemistry)  
 Osteoblast vs osteoclast, 197  
 Osteoconduction, 1114  
 Osteodystrophy, 591, 1046  
 Osteogenesis, 1144  
 Osteoinduction, 1144  
 Osteomalacia, 591  
 Osteomyelitis, 650, 745, 967f, 1139, 1141  
 Osteomyeloclerosis, 406  
 Osteopetrosis, 649, 933  
 Osteoporosis, 591  
 Osteotomy, dome, 1161  
 Ostium, smooth muscles, 566  
 Ostrich, 565c, 821, 1283, 1284, 1302f, 1309, 1314, 1316, 1320 (see ratite)  
   anesthesia in, 1070  
   aspergillosis in, 1001  
   bacteria and, 956, 978, 982  
   characteristics of, 1285  
   *Chlamydia* in, 989  
   cloaca of, 1290f  
   *Clostridium* in, 977  
   digestive system of, 499, 501, 845, 1288f  
   egg binding and, 1301  
   eggs of, 1319f  
   hematology, 1345t  
   male anatomy, 775, 1291, 1296  
   management, 1300, 1301  
   maturity in, 1301  
   mycotoxins in, 1043  
   ocular disease and, 683c, 686  
   parasites and, 1062, 1314, 1316f  
   reproductive system, 798, 1131, 1296f, 1302t, 1304  
   thoracoabdominal anatomy of, 1289f  
   viral disease and, 874, 915  
 Otidiphabidae, 1201  
 Otitis, 154, 372, 745  
 Ototoxicity, 463  
 Ovarian growth, enhanced, 784  
 Ovarian neoplasm, 173c, 770, 798c (see oncology)  
 Ovary  
   cystic, 173c, 770  
   melanistic, 749, 798c  
   persistence of, 773  
 Overcrowding  
   aspergillosis and, 1001  
   in Galliformes, 1233  
 Oviduct, 334, 368f, 749, 768, 770, 1129, 1210  
   anatomic abnormalities and, 773  
   cystic hyperplasia of, 770  
   flushing of, 768  
   growth and secretory activity of, 752  
   impaction of, 768  
   in ratites, 1304  
   masses, radiography, 256  
   ovulation, preventing, 465  
   prolapse of, 759, 762  
   ruptured, 771  
   stretch stimulus of, 752  
   surgery of, 769  
 Oviposition, 752 (see egg laying)  
 Ovocentesis, 407f, 760, 801c  
 Ovotomy, 796  
 Ovulation, inhibition of, 465  
 Owl, 145, 463, 773, 875, 882, 884, 914, 960  
   ear, 353c  
   esophagus, 353c  
   mast cell tumor in, 645  
   ocular characteristics and, 353c, 676f  
 Oxfenbendazole, 466, 1194  
 Oximeter, 1079  
 Oxygen, 395, 396  
   flow rate with anesthesia, 1069  
   saturation, 1074, 1079  
   toxicity, 396, 1047  
 Oxypurinol, 554  
*Oxyspirura*, 464, 686, 1023, 1195  
 Oxytetracycline, 448, 466, 994, 1046  
 Oxytocin, 406, 467, 752, 759  
   complications of, 760  
 Ozone, toxicity, 1048
- P** P mitrale, 704  
 P on T phenomenon, 707  
 P-wave, 700, 704  
 PA, 1264  
 Pacemaker, wandering, 706  
 Pacheco's disease virus, 173c, 875, 878, 879f  
   treatment of, 458  
   vaccine, 879f, 880  
 Packed cell volume, 179 (see hematology, CBC)  
 Pain  
   control, 1094, 1095  
   perception and neurologic disease, 729  
 Pair bond, in Anseriformes, 1252  
 Palate, 352, 488  
 Paleopulmonic parabronchi, 1174  
 Palpation, of abdomen, 770  
 Panacur, 463  
 Pancreas, 255, 512, 603, 859, 1043, 1263  
   adenovirus and, 904, 906  
   *Chlamydia* and, 990  
   enzymes and, 467  
   tumors and, 363, 514  
   zinc toxicosis and, 859, 1039, 1264  
 Pancreatic exocrine insufficiency, 173c, 513  
 Pancreatitis, 405, 513, 771  
 Pancuronium bromide, 467  
 Pantothenic acid, 72, 846, 849, 856  
 Papillae, 756, 1210  
 Papilloma, 512f, 640, 644, 655, 656, 798, 886, 887, 1113  
   affect on urine pH, 243  
   autogenous vaccines for, 887  
   bile duct carcinomas and, 657, 887  
   clinical changes of, 887t  
   diagnosis of, 169, 511, 887  
   feet and, 885f  
   herpesvirus and, 875, 885  
   in ratites, 1300  
   malnutrition and, 887  
   oral, 1113  
   species predilection, 886  
 Papillomavirus  
   in African Grey Parrot, 886  
   in finches, 886, 1186  
   internal, clinical signs, 887t  
 Papovavirus, 885-894

## INDEX

- Para-chlormetazymol, mite protector, toxicity, 1051
- Para-dichlorobenzene, toxicity, 1051
- Parabronchi, 561
- Paracentesis, 770
- Parainfluenza-2-virus, in humans, 928
- Paralysis, 411, 467, 733
  - bacteria and, 976, 978
  - Chlamydia* and, 989
  - CNS toxins and, 739, 1035
  - cryptococcosis and, 1004
  - flaccid, with *Corynebacterium*, 978
  - in Passeriformes, 1188
  - malnutrition and, 469, 845, 848
  - viral diseases and, 744, 873, 881, 922, 926, 927
- Paramunity inducers, 114, 862
- Paramyxovirus (PMV), 501, 514, 743, 920-928, 1232
  - Chlamydia* vs., 990
  - control of, 940t
  - hosts, 921t
  - in Columbiformes, 1208, 1216f
  - in Passeriformes, 1186
  - in ratites, 1304
- Paranasal lymphatic tissue, 116
- Paranasal sinus, 558
- Parasites
  - blood, 1010, 1016, 1018t
  - Capillaria*, 1023
  - coccidia, 1015
  - companion birds and, 1008t
  - Cryptosporidium*, 1016t
  - diagnosis of, 377t, 379, 1009t, 1011f, 1012f
  - diagnostic stages, 1012f
  - external, in ratites, 1314t
  - fecal examination, 1009t
  - Giardia*, 1014f
  - helminths, 1021
  - hemoparasites, 1019
  - Hippoboscidae, 1010f
  - in Anseriformes, 1253, 1267t
  - in Columbiformes, 1208, 1215t
  - in Galliformes, 1232t
  - in Ramphastidae, 1282
  - in ratites, 1303t, 1314t
  - leg swelling, 1025f
  - mites, 1026f
  - neonates and, 825
  - neuropathies and, 741
  - ocular, 684
  - preserving, 1012
  - protozoa, 1008, 1009, 1013-1015, 1017
  - reproductive disease and, 769, 1007-1029
  - Sarcocystis*, in psittacines, 1017t
  - Syngamus*, 1024f
  - tapeworms, 1013f
  - treatment of, 1008t
  - Trypanosoma*, 1021
- Parathion, toxicity, 1050
- Parathyroid glands, 366, 737
- Parathyroid hormone, 587, 857
- Parconazole, 467, 1004
- Parent-raised, 806, 807
- Parenteral alimentation, sites for, 391, 393, 827
- Paresis, 732, 735
  - bacteria and, 976
  - Chlamydia* and, 989
  - CNS toxins and, 739, 740, 1035
  - egg binding and, 758
  - in Passeriformes, 1188
  - in Ramphastidae, 1278f
  - neoplasia and, 774
  - viral diseases and, 744, 873, 916, 920
- Paroxysmal, supraventricular tachycardia, 707
- Parsley toxicity, in ratites, 1043, 1317
- Parvoviral hepatitis, 943
- Parvovirus, 904, 908-909, 1232
- Passeriformes, 1172-1199
  - air sacs in, 1174
  - anemia in, 1193, 1996
  - breeding characteristics of, 1176t
  - characteristics in, 1174t
  - Cryptosporidiosis* in, 1998
  - diseases of, 1183t
  - dyspnea in, 1195
  - gender determination and, 778, 1178
  - hydropericardium in, 1198
  - intramuscular injections, 1181
  - jaundice in, 1193
  - liver disease and, 1197, 1198
  - malnutrition in, 1196
  - Mycobacterium* and, 972
  - neoplastic diseases in, 1198
  - nutrition in, 1177
  - ocular disease and, 689
  - parasites and, 1192-1195
  - pneumonia in, 1186
  - pruritus in, 1197
  - reproduction in, 756
  - respiratory distress in, 1193, 1195
  - sexing of, 1178
  - toxicosis in, 776, 1198
  - viral diseases and, 870, 872, 884, 914, 921, 927, 933, 1185, 1198
- Passing whole seeds, 483t, 1190 (see pancreatitis, enteritis, neuropathic gastric dilatation)
- Pasteurella*, 232, 361, 412, 459, 961, 982, 1189
  - heart disease and, 715
  - metritis and, 768
  - ocular disease and, 684
  - orchitis and, 774
- Patagiotomy, in geese, 1269
- Patagium, 611, 626
- PBFD (see psittacine beak and feather disease)
- PCR amplification of nucleic acid, 125f
- PCV, 753, 934 (see hematology)
- PD (see polydipsia)
- Peafowl, 366, 875, 1057, 1220, 1230
- Peanuts, aflatoxin, 50, 69, 1043, 1265
- Pecten, 677
- Pectoral crest, 1270
- Pectoral muscle atrophy, and NGD, 743
- Pendulous crop (see crop, pendulous)
- Penetran, 458
- Penicillin, 412, 444, 445
  - toxicity, of, 1046
- Penicillium fungi, 625, 1044
  - aspergillosis vs., 1003
  - in Ramphastidae, 1282
- Penny ingestion, in Anseriformes, 1264
- Penrose drains, 1086, 1131
- Pentobarbital sodium, 1260
- Pepper tree, 1041
- Pepto-Bismol, 459
- Perches, 35, 39, 55, 1094, 1223
- Perching ability, and neurologic disease, 728
- Perforation, esophageal, 1113
- Pericardial effusion, 697, 704, 706f, 709f, 718, 719f
- Pericardial sac, 695
- Pericarditis, 371, 518, 547, 709, 711, 718, 999
  - causes of, 717t
  - Pericardium, surgery of, 718
- Periodic acid-Schiff stain, 1005
- Periorbital, 558, 673
  - masses, 558, 684, 1106
  - disease, 677
- Periosteum, 1139
- Peripheral nervous system, trauma, 734
- Peristaltic waves, 490, 940
- Peritoneal hernia, in ratites, 1304
- Peritoneum, yolk, effect on, 771
- Peritonitis, 218c, 515, 518, 769, 771, 798c, 1131 (see egg-related peritonitis)
  - clinical signs of, 771
  - in ratites, 1313c
  - yolk-related, 1129
- Perosis, 848, 856, 857, 859, in Anseriformes, 1251, 1258
  - species predisposition, 848
  - surgical repair of, 1259f
- Peroxidation, 84
- Peroxide levels, rancid fat, 851
- Peru's Manu Biosphere Reserve, 96
- Pessulus, 1107
- Pest control, 59
- Pesticide, 740, 1033, 1049
  - Anseriformes and, 1266
  - CNS signs and, 740
  - egg production, hatchability and, 1051
  - food contamination and, 773
  - poisoning, 1049-1057
  - prophylactic use of, 808
  - treatment for toxicity, 458, 741
- Petechiation
  - rodenticide and, 1051
- Petrochemicals, and migratory bird populations, 1050
- Petroleum distillates, as CNS toxins, 746
- Peyer's patches, 116
- pH
  - of crop, 150, 827
  - with megabacteria, 499, 980
  - with papilloma, 887
- Phacoemulsification, 688, 1101
- Phagocytosis, 112
- Phallus, 756
  - in Anseriformes, 1253f
  - with mycoplasma, 1057
  - prolapse of, 511, 774
  - ratites, 1290f, 1291, 1304
  - types of, 509
- Pharmaceutical use in birds, 142, (see formula)
- Pharmacokinetics, 437
- Pharyngostomy tube, 392, 1112f
- Phasianiformes (see Galliformes)
- Pheasant, 1229, 1230 (see Galliformes)
  - ocular disease in, 686, 689
  - Borrelia* in, 960
- Phenobarbital, 411, 467, 736, 738, 741
- Phenol, as disinfectant, 1061
- Phenylbutazone, 467

- Phenylephrine, 689  
 Phenylmercuric acetate, 746  
 Pheochromocytoma, chromaffinoma, 601  
 Philodendron, 1041  
 Philophthalmus, 686  
 Phosphorus, 90, 235, 590, 811, 857  
   deficiencies and skeletal disorders, 848  
   protein in diet, 850  
   vitamin D<sub>3</sub> and, 854  
 Photoperiod, in equatorial birds, 752  
 Photophobia, 877  
 Photorefractoriness, 752  
 Photosensitization, 485, 1317  
 Physical examination, 144-175  
   abdomen palpation, 168  
   abdominal muscles, in Passeriformes, 168  
   aging, effects of, in macaws, 149t  
   Amazon, anorectic excrement, 173c  
   anamnesis, 145t  
   auscultation, 167f  
   beak, normal appearance of, 161  
   behavior, 147, 148  
   Blue and Gold Macaw, normal, 153c  
   cere, color of, 160, 161  
   choana, 163  
   cloaca, 150, 151f, 168, 170  
   cockatiel, 154c  
   crop, 167  
   dermis, 157  
   diet, effect on skin and feathers, 158  
   ear, 154c, 160  
   environment, evaluation of, 147  
   feathers, 157-159, 170  
   feet, abnormalities, in 154c, 170, 171f  
   frequency of, 147  
   glottis, 163c  
   Gram's stain, 151t, 174  
   head, 160, 166f  
   heart rate, 148t  
   house-training, 150  
   hydration evaluation, 170  
   minimum database, 171  
   molting, seasonal, 159  
   nail length, 171  
   nares, 160  
   odors, 151  
   oral cavity, 161, 166  
   palpation, 167  
   prepatagium, tattoo ink, 164c  
   regurgitation in, 151  
   respiratory tract, 147-148t, 166  
   restraint, 156f, 158f  
   speculum, oral, 167f  
   sternal muscle mass, 168f  
   sternal necrosis, 164c  
   thermometer, tympanic, 169  
   toxins, 146  
   translucent skin, 159f  
   urates, normal, 149, 174c  
   urophygial gland, 169  
   vomiting, 150, 151  
   weak grip, cause of, 171  
   weight in comparison with condition, 168f  
 Physical therapy, postsurgical, 1140  
 Physiology  
   of Anseriformes, 1244t  
   of Columbiformes, 1203  
   of Galliformes, 1219  
   of Passeriformes, 1173  
     of ratites, 1286  
 Physis, 1142  
 Pia mater, 724  
 Piciformes (see Ramphastidae)  
 Picornavirus, 744, 913, 937-938  
 Pigeon, 459, 461-465, 742, 1204, 1218  
   (see Columbiformes)  
   bacterial diseases in, 910, 913, 920, 923, 956, 959, 960, 961, 962, 964, 969, 970, 977, 1054, 1060, 1062, 1212  
   breeding season in, 1208  
   *Chlamydia* in, 985, 989, 995  
   *Cryptococcus* in, 1004  
   diseases, 1215t  
   drug susceptibility to, 1046  
   ECG, 697, 714f  
   fledgling age of, 1210  
   grit and, 77  
   health certificate for, 1208  
   heart, 710, 711f, 717  
   housing requirements, 1207  
   incubation period, 1210  
   ketoconazole in, 453  
   lead in, 1035, 1037  
   parasites in, 466, 715, 962, 1005, 1061, 1209, 1215  
   racing season, 1208  
   stones, 1206t  
   susceptibility, disease, 1208  
   special management, 1208  
   urine, reference values, 543t  
   varieties, 1200  
   viral diseases in, 743, 875, 881, 895, 911, 921  
 Pigment changes, in feathers, 523, 617  
 Pigs, influenza virus in, 929  
 Pin feathers, 38, 159, 618  
 Pinioning, 1235, 1245, 1269f  
 Pinning, for fracture repair, 1149 (see orthopedic surgical techniques)  
 Pins, positive-profile threaded, 1146  
 Piperacillin, 445, 467, 554  
 Piperazine, 467, 1194  
 Pipping, 795, 1253  
 Pipping muscle, 820, 1292c  
 Piroplasmosis, in Passeriformes, 1193  
 Pituitary  
   adenoma syndrome, 736  
   chromophobe syndrome, 736  
   chromophobe tumors, 684  
   gland, 583, 660  
 Plants, toxic, 536, 741, 1041t, 1042t, 1224, 1266  
 Plasma ammonia, 231  
 Plasma bile acid (PBAC), 525  
 Plasma cells, differentiation of, 197  
 Plasmodium, 194c, 460, 467, 529, 936, 1020, 1176, 1192, 1282  
   characteristics of disease, 190, 191  
 Plates, bone, 1150  
 Pleuro-peritoneum, 514  
 Pleuromutilin, 1060  
 Plexus subcutaneous collaris, 926, 1203f  
 Plexuses, lumbar, ischiatic, pudendal, 727  
 Ploceidae, 912  
 Plumage (see feather)  
   male vs. female, 602  
 PMSG (gonadotrophin serum), 776  
 PMV-1 pigeon, 921, 926  
 PMV-3 to PMV-9, 927-928  
 Pneumatic, bones, 1138  
 Pneumonectomy, 1111  
 Pneumonia, 301, 303, 872, 927, 1054, 1186, 1189  
   aspiration, 562, 828  
 Pneumonology, 556-581  
   air capillaries, 566  
   air sac, 565f, 567, 568f, 572, 579  
   air sacculitis, 576, 579  
   aspergillosis, 565c  
   aspiration, with hand-feeding, 562c  
   auscultation, 571  
   bacteria in, 575  
   bronchi, 561, 567f  
   caudal air sacculitis, 568  
   cervical air sac inflation, 580f  
   cervicocephalic air sacs, 566  
   choana, 575, 576  
   conjunctivitis and, 576  
   coughing, 557  
   dermatitis, 576  
   dyspnea, 557, 566f, 575  
   endoscopy, 571, 572  
   epithelium, trachea, type of, 561  
   facial swelling, 562c  
   feather picking, air sac problems and, 572  
   feathers over nares, stained or matted, 557  
   foreign body inhalation, 579  
   gas exchange, efficiency of, 569  
   infraorbital air sacs on expiration, insufflation of, 577  
   infraorbital sinus, 558  
   infraorbital sinusitis, 574  
   inhalation, toxicosis, 576, 1048  
   lung biopsy, 573  
   lung, changes in the size or position of, 561  
   malnutrition and, 557, 574, 576  
   muscles, expiratory, 568  
   muscles, inspiratory, 567  
   nares, 557  
   nasal concha, 557, 558  
   nasolacrimal ducts, lack of, 557f  
   nebulization therapy, 574t  
   neoplumonic parabronchi, 566, 569  
   operculum, 557, 577  
   palatine salivary glands, 574  
   paleopulmonic parabronchi, 566, 569  
   parabronchi, surfactant, 566  
   parasites, 557, 562c, 575, 576  
   periorbital depression (sunken sinus syndrome), 577  
   pharyngitis, 565c  
   pneumonia, 565c  
   pneumonitis, severe allergic, 576  
   respiratory cycles, two, 569  
   respiratory disease, 559t, 560t, 578t  
   respiratory imaging, 571  
   respiratory problems, database for, 572  
   respiratory rate, influences on, 569t  
   respiratory recovery time, 571  
   respiratory system, avian vs mammal, 561t  
   respiratory tract, 557-567  
   rhinogram, 576  
   rhinorrhea, 574  
   septum, oblique, 567  
   sinus aspirate, 572  
   sinusitis, 562c



## INDEX

- sunken sinus syndrome, 562c  
 syrinx, classification of, 560, 561  
 tail-bob, 557, 568  
 trachea, 560, 567  
 tracheal lavage, 572  
 tracheitis, 562c, 565c  
 tracheitis, proliferative, 579  
 transtracheal injection, 574  
 zinc toxicosis, acute, 557  
 Pneumoviruses, 929  
 Pododermatitis  
   in Anseriformes, 1262  
   in Passeriformes, 1187  
   malnutrition and, 632, 848 (see  
     bumblefoot)  
   nicotine toxicity and, 1047  
 Polarized light, toxic fumes, 1049, 1204  
 Polychlorinated biphenyl, cardiac, 706  
 Polychromasia, 194c, 196  
   hemorrhagic conure syndrome with, 934  
 Polyclonal antibodies, virus  
   identification, 864  
 Polycythemia, 188, 590, 713  
 Polydipsia (PD), 586, 604, 845, 860  
   malnutrition and, 845  
   plant toxicity and, 1042  
   salt toxicity and, 1044  
   viral diseases and, 877, 905, 908, 916,  
     926, 942  
 Polyfolliculitis, 638  
 Polyglactin, 910, 1092, 1093  
 Polymerase chain reaction (PCR), 125  
 Polymethylmethacrylate, in orthopedic  
   repair, 1148  
 Polymorphonuclear granulocytes, 111  
 Polymyxin B, 467  
 Polyomavirus, 46, 47, 361, 526, 718, 790,  
   808, 826, 869c, 885-894, 1186  
   CNS signs and, 744  
   anemia, 399  
   antemortem vs postmortem diagnosis,  
     869c, 893  
   gross lesions, 892t  
   histologic lesions, 892t  
   in Passeriformes, 1198  
   vaccine and, 891f, 894  
   viral-specific antibodies, 866c  
   *Mycoplasma* vs, 1058  
 Polyostotic hyperostosis, 251, 256, 753  
 Polyphagia, 844, 845  
 Polymer rods, orthopedics, 1149  
 Polypropylene welding rods, orthopedics,  
   1149  
 Polyserositis, 930, 952, 964  
 Polytetrafluoroethylene (PTFE) gas,  
   1047, 1198  
 Polyunsaturated fatty acids, 851  
 Polyurates, with *Chlamydia*, 989  
 Polyuria (PU), 463, 541, 543, 586, 604,  
   605  
   causes of, 149, 150, 173c, 547c, 890, 905,  
     926, 942, 1035  
   egg laying and, 772  
   in Passeriformes, 1188  
   intermittent, 934  
   malnutrition and, 845, 850  
   neonates, 819  
   physiologic, 539  
   salt toxicity, 1044  
   zinc toxicosis, 1039  
 Pons, 724  
 Pool, transmission of disease in  
   Anseriformes, 1246f  
 Popcorn stool, 1189  
 Porcine circovirus, (PCV), 895  
*Porrocaecum*, 1011f, 1194  
 Portal hypertension, 536  
 Portomicrons, birds vs mammals, 516  
 Positive pressure ventilation, 1068,  
   1261, 1288  
 Positive sharp waves, 730  
 Post-capture gastrolavage, in  
   Anseriformes, 1260  
 Posterior chamber, of eye, 676f  
 Posterior umbilicus, 614  
 Postoperative care, 1139  
 Postorbital, 558  
 Post-patagium, 611  
 Postventer, 627  
 Potassium, 91, 240, 407, 706, 840  
 Powder down, 608, 616, 1202  
 Pox ulcerations, 166  
 Poxvirus, 114, 344, 462, 865t-874f, 866c,  
   967, 999, 1216t, 1232c  
   acyclovir and, 458  
   cross-reactions, 871t  
   cytology of, 221f  
   diagnostic techniques, 865t  
   differential diagnosis, 873t  
   free-ranging birds and, 872f  
   host spectrum, 871t  
   in Columbiformes, 1208  
   in Galliformes, 1234f  
   in Passeriformes, 1176, 1185  
   in ratites, 1309  
   infectivity, 870f  
   ocular lesions, 678, 679, 680c  
   species susceptibility, 871t  
   stage of infectivity, 870f  
   survey of hosts, 871t  
   vaccine reactions and immunity of flock,  
     874f  
 PR interval, normal findings, 704  
 Practice dynamics, 131-143  
 Practice management, 130  
 Pralidoxime hydrochloride, toxin  
   antidote, 741, 1051  
 Praziquantel, 467, 1194, 1283  
   toxicity of, 1046  
 Precocial birds, 802, 805, 1324  
 Predators, of Anseriformes, 1245  
 Prednisolone, 389, 461, 467, 600, 632  
   feet sores and, 632  
   Prednisone, 600  
 Preening, 92, 159, 781, 782  
 Preservatives, wood, 1033  
 Preventive medicine, future of, 121  
 Primaquine phosphate, 467  
 Primary feathers, 615  
 Probes, contamination, problems of, 126  
 Probiocin, 465  
 Probuco, 1099  
 Procaine penicillin, 467, 1046, 1214  
 Proctodeal glands, 756  
 Proctodeum, 509, 757  
 Profuse hemorrhagic diarrhea, 744  
 Progesterone, 752  
 Prognathism, mandible, 1165  
 Prognosis, postsurgical, 1139  
 Progressive paresis, in geese, 1266  
 Prolactin, 84, 584, 751, 753, 783, 1210  
 Prolapse of the nictitans, 740  
 Pronate, 1139  
 Propatagium, 165, 611, 1153, 1213  
 Propranolol, 467  
 PU/PD (see polyuria, polydipsia)  
 Propylene glycol, 464, 1045  
   toxicity of, 1190  
 Prostaglandin, 406, 462, 597, 752  
   egg binding and, 759  
 Prosthetic beaks, 1272 (see acrylic, beak)  
*Prosthogonimus*, 769, 1194  
 Protamine zinc insulin, 1283 (see  
   insulin)  
 Protein  
   amino acids and, 81-82  
   breeding and, 72  
   calcium and, relationship between, 589  
   chicks, 811  
   crude, in Galliformes, 1225  
   determination, 548  
   energy and, 66t  
   in Anseriformes, 1247, 1257  
   in Columbiformes, 1206  
   in ratites, 1297, 1298  
   labeling and, 76  
   leg deformities and, 1324  
   levels, 71t, 73, 530, 850  
   quality of, 76, 82  
   slow growth rate species, 1257  
   total, in egg development, 753  
   urinalysis and, 543  
 Proteinuria, 548  
*Proteus*, 951, 1309  
 Prothrombin time, in Columbiformes,  
   1204  
 Protoporphyrin, for diagnosis of lead,  
   1037  
 Protozoa, 1013, 1215  
   in Galliformes, 1232  
   in ratites, 1314t, 1315  
 Proventricular dilatation, geese, 1269  
   (see neuropathic gastric dilatation)  
 Proventriculotomy, 828, 1038, 1121  
 Proventriculus, 74, 345, 352, 372, 492,  
   498, 499, 656, 887, 1023, 1195, 1265  
   flushing, cautions of, 345  
   impaction of, 940, 1037, 1195  
   in ratites, 499, 1288, 1310c, 1313c  
 Pseudochylous, cause of, 516  
*Pseudomonas*, 460, 462, 463, 468, 565,  
   958, 1189  
   heart disease and, 715  
   in Galliformes, 1232  
   in ratites, 1295c, 1309  
 Pseudohyperparathyroidism, 590  
 Psittacine beak and feather disease  
   (PBFD), 30, 46, 47, 790, 808, 822,  
   824f, 837, 894-903  
   diagnosis of, 866c, 885f, 897, 902  
   HI titer data, 898t  
   incubation, 897f  
   stability, 902  
   susceptibility, 895t, 897  
   transmission, 895f  
   vaccination, 866c, 902, 903t  
 Psittacosis, ornithosis, 984 (see  
   *Chlamydia*)  
 Psyllium, 81, 384, 415, 464, 1038 (see  
   hemicellulose)  
 Ptarmigan, 1220, 1229  
 Pterygiae, 614  
 PTH, parathyroid hormone, 587

- Ptyalism, and CNS toxins, 740  
 PU (see polyuria)  
 Pudendal plexuses, 727  
 Puerto Rican Amazon Parrot, 96  
 Pullorum disease, 769 (see pneumonology, salmonella)  
 Pulmonary silicosis, 1049  
 Pulviplumes, in Columbiformes, 1202  
 Pupil, 676, 728  
   dilation of, 467  
 Pupillary light reflexes, 676, 728  
 Pruritus, 160, 523, 1026, 1197 (see dermatology)  
 Purkinje fibers, conduction of, 696  
 Pygmy Goose, 1239  
 Pyrantel pamoate, 467  
 Pyrethrin, toxicity, 467, 808, 1050f, 1195-1197  
 Pyridoxine, 72, 86, 856, 858  
 Pyridoxine anemia, 858  
 Pyrimethamine, 467, 1192
- Q** Quill mite, 1215  
 Q-fever, 1061-1062  
 Q-wave, 700  
 QRS complex, 700, 704  
 QT interval, 705  
 Quail, 1219, 1225, 1229 (see Galliformes)  
   bacterial disease in, 970, 977  
   mycoplasma in, 1054, 1056  
   parasites in, 466, 1062  
   viral diseases in, 872, 875, 905, 910, 915, 930, 932, 935, 937  
 Quaker Parakeet, 461, 464, 886 (see Monk Parakeet)  
   digoxin dosage in, 714  
 Quarantine, 33, 48, 60, 143  
   bands, USDA, 143  
 Quaternary ammonium, for *Chlamydia*, 987 (see disinfectant)  
 Quetzal, iron storage disease in, 534  
 Quill mites, 1196, 1316
- R** R-waves, 700  
 Rabies virus, 920  
 Raccoon ascarid, (see *Baylisascaris*)  
 Rachis, 158, 614f, 619, 1245  
 Racing pigeon (see Columbiformes)  
   EEG lead II, 700f  
   impaired cardiac function, 697  
   race basket, 1207  
 Radiation safety, hospital personnel, 248  
 Radiation therapy, 736  
 Radiocautery (see radiosurgery)  
 Radiography, (see imaging techniques)  
   anatomy, 249-251, 697, 698f, 720  
   anatomy, cardiovascular, 252  
   anatomy, coelomic cavity, 253-255  
   anatomy, gastrointestinal system, 253-255  
   anatomy, respiratory system, 252  
   arthritis, acute septic, 251  
   barium sulfate transit times, 256-258, 257t  
   bone, marbled appearance, 251  
   CNS disease and, 733  
   contrast procedures, dehydration and, 698f  
   contrast procedures, indications for, 256  
   dilated proventriculus, 942, 982  
   egg binding and, 761  
   gastrointestinal motility and, 248  
   heavy metal and, 248, 1035  
   hepatomegaly, 254, 255  
   hyperestrogen syndrome, 256  
   hypovitaminosis D<sub>3</sub> imbalances, 250  
   in Passeriformes, 247  
   interpretation, 249-256  
   intravenous excretory urography, 257, 259  
   left-to-right (LeRtL) position, 248  
   lung architecture, inspiration, 253  
   metritis and, 768  
   *Mycobacterium*, diagnosis of, 974  
   neonatal, 249  
   nephromegaly, causes of, 256  
   pancreas, 255  
   pericardial effusion, 718  
   presurgical, 1139  
   reproductive tract, 769, 1128  
   respiratory disorders and, 253  
   rhinosinography, 259  
   risk and benefit, 246  
   screen, film, 247  
   skeletal disorders and, 250-251  
   splenomegaly, 254  
   sternal/rib distance, (SR), 254  
 Radioimmunoassay (RIA), hormone measurement, 584  
 Radiosurgery, 39, 1103, 1113  
   bipolar, 399, 1106, 1138  
 Radius, 1139  
   surgical repair of, 1155  
 Rafoxanide, 468  
*Raillietina*, 1011f  
 Rales, 922, 989 (see auscultation)  
 Ramphastidae, 534, 777, 1276-1283  
   anesthesia in, 1280f  
   atherosclerosis in, 720  
   bacterial infections in, 1281-1282  
   biochemistry values in, 1335t  
   diabetes mellitus and, 1282-1283  
   gender dimorphism, 1277t  
   GI, neoplasia of, 505t  
   hemochromatosis, 526, 530, 534, 1281f  
   liver disease in, 1280-1281  
   radiographs, 1278f  
   reproduction in, 756, 1279  
 Ranching, free-ranging birds, 21  
 Rancid fat, 851, 855  
 Rape seed, and canaries, 536, 1043  
 Raptor, 687, 710, 749, 870, 910, 923, 1207  
   free-ranging vs captive, 987  
   gender determination in, 778  
   ocular characteristics in, 677  
   protein electrophoresis, 1335t  
   rabies in, 920  
 Ratite, 1174, 1284-1326, 1345t (see ostrich, emu, cassowary, rhea)  
   anatomy and physiology, 1286f, 1287f, 1288f, 1290f, 1291f  
   aorta, ruptured, 1307  
   blood collection in, 1297f  
   characteristics of, 1285  
   chick management, 1318, 1322  
   *Clostridium perfringens* in, 363c  
   congenital disorders of, 1322-1324  
   dermatology of, 1317  
   egg production in, 755, 768  
   fracture repair, 1150, 1161-1162, 1306-1307  
   gender determination in, 778  
   gout in, 547c  
   incubation, 1319-1320  
   infectious disease, 989, 992, 998, 1303t, 1314, 1308  
   liver, ruptured in, 363c  
   medical disorders, 716f, 720, 848, 1303-1304  
   microchip, 1300f  
   musculoskeletal disorders, 717, 850, 858, 1298, 1324  
   neoplasms in, 1308  
   neural diseases in, 1317  
   ocular problems in, 1316  
   parasites in, 1314t  
   peritonitis, 1313c  
   reproduction in, 509, 757, 768, 1303-1305  
   respiratory problems in, 1316  
   sinusitis in, 678f  
   transportation, 1300  
   yolk-related problems in, 1135, 1321, 1322f, 1323f  
 Rats, vectors of disease, 938, 961, 1207  
 Raw fish, *Erysipelothrix* in, 975  
 Records, medical, 135  
 Rectal thermometer, 1261  
 Rectrice, 615, 1220  
 Red blood cell count, 179 (see hematology, CBC)  
 Red factor, in canaries, 1177  
 Red mites, *Ornithonyssus*, 1196, 1209  
 Red tide, 978, 1266  
 Reference intervals, 225  
 Reference values, 225, 1329t-1345t  
 Reglan, 465  
 Regurgitation, 150, 414, 490, 497, 743, 775 (see vomiting)  
   crop pH and, 150, 827  
   egg laying and, 772  
   in adults, differential, 483t  
   in chicks, 824  
   in Passeriformes, 1190  
   malnutrition and, 849  
   sexual, 36  
   undigested seeds in feces and, 500  
 Rehabilitation, wildlife, native birds, 19  
 Reintroduction to wild, 806, 1229  
 Remige, 615  
 Renal, 538-581 (see kidney, nephrology, urine)  
   adenocarcinomas, and neuromuscular disease, 735  
   calcification in, 1046 (see hypervitaminosis D<sub>3</sub>)  
   damage, in oil-contaminated Anseriformes, 1263  
   disease, diets for, 850  
   dysfunction, 446, 758  
   excretion of calcium, increased, 737  
   failure, causes of, 408, 890, 1247  
   glucosuria, 605  
   neoplasia, 553  
   portal system, 539  
   toxicity, 444  
 Renografin, 464  
 Reovirus, 718, 744, 904, 910-913, 943, 1232  
 Reproduction (see theriogenology)  
   cessation of, 771  
   daylight length and intervals in, 1174  
   disorders, evaluation of, 748, 758, 774, 787

## INDEX

- E. coli* in, 951  
 failures, evaluation of, 61t  
 genetic abnormalities, 1226  
 in Anseriformes, 1243, 1252  
 in Columbiformes, 1209  
 in Galliformes, 1226  
 in Passeriformes, 1174  
 in Ramphastidae, 1279  
 in ratites, 1290, 1302t, 1304  
 neoplasia and, 770  
 salt and, 860  
 stimulation in Psittaciformes, 782  
 surgery and, 1128  
 Respiratory (see pneumonology)  
   arrest, 711, 1080  
   cycles, two, 569  
   disease, 144, 558, 559t, 560t, 578t, 677t, 770, 828, 904, 908, 915, 927, 982, 1190  
   imaging, 571  
   *E. coli* and, 951  
   in Passeriformes, 1187, 1193, 1195  
   in ratites, 1316  
   malnutritional disorders and, 846, 860  
   mycoplasma and, 1054  
   problems, database for, 572  
   radiographic lesions and, 252t  
   recovery time, 571  
   system, avian vs mammal, 561t  
   tract, 557-567  
   toxic fumes and, 1049  
   viral disease and, 905, 922, 928  
 Respiratory rate  
   in Anseriformes, 1243  
   in birds, formula, 148t, 166  
   in Columbiformes, 1204  
   in Galliformes, 1221t  
   influences on, 569t  
 Respiratory stimulant, 462  
 Restraint, 156, 157f (see physical exam)  
   in Anseriformes, 1258, 1260f  
   in Columbiformes, 1211f, 1211t  
   in Galliformes, 1233  
   in Passeriformes, 1181  
 Restraint board, plexiglass, 248  
 Retarded growth (see stunting)  
 Rete testis, 756  
 Reticulate body, 985  
 Reticulocyte, 934  
 Reticuloendotheliosis virus, 934-935  
 Retinal disease, 688  
 Retrovirus, 931-936, 1185, 1232  
 Rhabdomyolysis, exertional, vitamin E, 855  
 Rhabdovirus, 920, 1232  
 Rhamphotheca, 484, 609, 618, 1220  
 Rhea, 685, 973, 1049, 1284-1286, 1288, 1290, 1298, 1308, 1320 (see ratite)  
   digestive anatomy in, 1288  
   reproduction in, 1303  
   testicle in, 1290f  
 Rhinitis, 160, 562c, 576, 680c, 881, 930, 963, 1106  
   mycoplasma and, 1054  
 Rhinogram, 294-297, 576, 577f  
 Rhinolith, 577, 683c, 1105f  
 Rhinorrhea, 560t, 574, 912, 1106  
 Rhinosinography, 259  
 Rhinosporidiosis, 575, 1005  
 Rhinotheca, deformed, 485f, 562c  
*Rhizopus*, from sprouted seed, 1005  
 Rhododendron, 1041  
 Riboflavin, 72, 85, 849, 856, 1251  
   deficiencies in, 848, 1298  
 Rickets, 590, 854f, 858  
   in Anseriformes, 590, 1252, 1258  
   rubber beak, 484, 590  
*Rickettsia*, 1053, 1061, 1215, 1232  
 Rifamate, 464  
 Rifampin, 452, 464, 468, 1005  
 Right jugular vein, catheter, 385f  
 Right ovary, persistent, 773  
 Rima infundibuli, 486  
 Roaches, pest control, 59  
 Robert Jones bandage, 430f (see bandage)  
 Rocket nets, 1260  
 Rocky Mountain Spotted Fever (RMSF), 1061  
 Rodenticide, toxin, 1051  
 Rodent, as disease vector, 59, 917, 961-964, 1061, 1188, 1281  
 Rolled toes, in ratites, 1324f  
 Roller Canary, 1174  
 Ronidazole, 1190, 1209  
 Rose-breasted Cockatoo (see cockatoo)  
 Rostral, 558  
 Rotating skin flap, 1115  
 Rotational deformity, in ratites, 1310c  
 Rotavirus, 913  
 Round heart disease, 717  
 Roundworms, 1021f, 1194, 1215  
 Rubber band, tourniquet, 1007  
 Rubber bill, 484 (see rickets)  
 Rubivirus, German measles, 918  
 Rubriblast, proerythroblast, characteristics of, 196  
 Rubricyte, 188, 196  
 Ruddy Shelduck, 1239  
 Ruffed Grouse, 1229  
 Runners, budgerigars, 623  
   polyomavirus in, 890  
 Ruptured aorta, 1307  
 Russian spring-summer encephalitis virus, 919
- S** *Struthio*  
   *S. camelus australis*, 1285  
   *S. massaicus*, characteristics of, 1285  
   *S. molybdophanes*, 1285  
 S-wave, 700  
 Sabouraud  
   dextrose agar, 1003, 1005  
   cornmeal agar, 999  
 Saccopleural membrane, 514  
 Safflower seeds, dietary fat, 851  
 Sagittal saw, 1133  
 Salinomycin, 1307  
 Salivary ducts, swelling, 845  
 Salivary glands, 485  
 Salivation, in Anseriformes, 1266  
*Salmonella*, 59, 466, 718, 953-955, 982, 1208  
   *Chlamydia* vs, 990  
   control of, 955  
   in Anseriformes, 1237, 1257  
   in Columbiformes, 1212  
   in Galliformes, 1232  
   in ratites, 1309  
   metritis and, 768  
   mycoplasma and, 1058  
   paramyxovirus vs, 928  
   reproduction and, 768, 774, 1256  
   *S. typhimurium* var *copenhagen*, 1188  
 Salpingeal orifice, 1211  
 Salpingitis, 462, 768-769, 798c  
   heart disease and, 714  
 Salpingohysterectomy, 772, 1129  
 Salt (NaCl), 553  
   feather quality and, 846  
   in Galliformes, 1221  
   polydipsia and, 845  
   toxicosis, 38, 553  
 Salt gland (see nasal salt gland)  
 Sandpaper perches, warning, 39  
*Sarcocystis*, 59, 362, 742, 808, 826, 1017  
   in Passeriformes, 1190  
   susceptible species, 1017t  
   treatment for, 467  
 Sarcoma/leukosis virus (SLV), 931-934  
 Scaly mites (see *Knemidokoptes*)  
 Schirmer tear test, results in, 674  
 Schistosomiasis, 742, 1266  
 Schroeder-Thomas splint, indications, 430f  
 Scintigraphy, 734  
 Scissors beak, 789, 1165f  
 Screamers (Anhimidae), 1238  
 Sea ducks, 1246  
 Sebaceous secretions, irradiation, 83  
 Secondary feathers (see feathers)  
 Seed, 842, 951 (see feed)  
   amino acids in, 851  
   calcium deficiency of, 858  
   undigested in droppings, 855, 887  
 Segmental reflex, 729  
 Seizure, 410, 461-462, 739 (see convulsion, tremor, epilepsy)  
   causes of, 738t  
   *Chlamydia* and, 745  
   CNS toxins and, 740, 1038-1039, 1044, 1047  
   emergency treatment for, 411, 414  
   idiopathic epilepsy and, 738  
   recording of, 738  
   viral diseases and, 744  
 Selective breeding, Columbiformes, 1204  
*Selenidera* spp., 1277  
 Selenium, 71t, 84, 94, 469, 848, 859 (see vitamin E)  
   deficiency of, 504, 848, 937, 1298  
   degenerative myopathy in ostriches, 1307, 1308  
   egg binding and, 759  
   feather quality and, 846  
   food sources of, 80t  
   immune response and, 849  
   malabsorption and, 845  
   requirement in ducklings, 1251  
   toxicosis, 75t, 1041  
 Self-adherent bandages, 422  
 Self-mutilation, 424f, 461, 464, 846  
 Semen, 757, 780, 1211 (see artificial insemination)  
   extender, 757, 1231  
   in ratites, 1305  
   preservation of, 777, 1253  
   volume and concentration, 757t  
 Seminal glomus, 756, 857, 1178f  
 Seminal papilla, 757  
 Seminoma, 774  
 Semiplume, 615, 1202  
 Sentinel birds, for viral monitoring, 916

- Septicemia, 362c, 459, 826, 982t, 1187  
 Septum, horizontal, 514, 515  
 Serofibrinous pericarditis, 709f  
*Serratia*, 951  
*Serratospiculum amaculata*, 1193  
 Sertoli cells, 756  
   tumors in, 251, 774  
 Sexing (see gender determination)  
 Sexual characteristics, 770, 778, 1175  
 Sexual maturity, age of, 779, 1210, 1229, 1252, 1301  
 Sexual orientation, 1180  
 Sheep, *Chlamydia* in, 984  
 Sheldgoose, 1239, 1252  
 Shelduck, 1239  
 Shell gland, 1129  
 Shell vs grit, 846  
*Shigella*, 951  
 Shock, 389, 414  
 Shock molt, 1233  
 Shoe splint, 431  
 Shuttle pins, 1149  
 SI Unit System, 226, 1328  
 Sialolith, in Columbiformes, 487, 881  
 Siberian tick encephalitis virus, 919  
 Silicosis, silicone/sulfur ratio, 1049  
 Silkie chickens, as foster brooders, 788  
 Silver nitrate, 39, 113, 1269  
 Silver sulfadiazine, for burns, 412, 424  
 Singing  
   in Passeriformes, 1178  
   testosterone-induced, 1175  
 Sinoatrial block, 706  
 Sinuses, heart  
   arrest, 705  
   arrhythmias, 705  
   bradycardia, 706-707  
   tachycardia, differentiation, 708  
 Sinuses, respiratory, 558, 160, 905, 1106  
   (see anatomy overlay)  
   aspiration of, 202, 345, 1038  
   inflation, 680c  
   infraorbital, 558, 931  
 Sinusitis, 558, 562, 572, 678f, 680c, 683c  
   *Chlamydia* and, 989  
   cytology of, 202f, 218c  
   from airborne toxins, 1048  
   mycoplasma and, 1054, 1058  
   radiograph, 251  
   rhinorrhea, 459, 1106  
 Skeletal deformities, 848, 918f, 1324  
 Skeleton, ostrich, 1287f  
 Skin, 1097, 1197  
   discoloration, with *Clostridium*, 977  
   leg scales, in Passeriformes, 1097, 1197  
 Skull, radiography, 249 (see imaging)  
 Slide agglutination test, for  
   *Mycobacterium*, 974  
 Slipped tendon, 1258, 1324  
 Slit lamp, 674f  
 Smuggled birds, 47  
 Snail, aquatic, 769, 1194  
 Snake, pest control, 59  
 Sneezing, 905, 1048, 1058, 1106  
 Snood, 1219  
 Snowshoe splint, 432f  
 Sodium, 91, 240, 712, 850, 1252  
   toxicity of, 714, 1044  
 Sodium diatrizoate, radiography, 259  
 Sodium fluoride, 234  
 Sodium hypochlorite, toxicity, 1048  
 Sodium polyanetholsulfate, 950  
 Sodium sulfate (Glauber's salt), 415, 458, 468, 1038  
 Soft tissue mineralization, 84 (see renal calcification)  
 Soft tissue surgery, 1096-1136, (see surgery)  
 Soft-shelled eggs, 256, 752, 1336 (see egg, soft-shelled)  
 Solar heat, 1229  
 Somatotropin, 584  
 Sour crop, 825, 1216 (see ingluvies)  
 Sparrow, 20, 461  
   as disease vector, 1191-1194  
 Sparatrix, 459  
 Specific gravity, urine, 242, 548  
 Spectinomycin, 438, 468, 686, 1060  
 Speculum, canine vaginal, 1108  
*Speleognathus*, 1195  
 Sperm, 174c, 756 (see semen)  
   in Anseriformes, production, 1265  
 Spermocrit, 757  
 Spermatogenesis, 458, 757, 784  
 Spermatozoa, blood clotting agents, 757  
 Sphenisciformes (penguins), 933  
*Spherophorus*, 953  
 Spica splint, 431, 1161  
 Spinal  
   abnormalities, 734  
   accessory nerve (CN XI), 726  
   autonomic nervous system, 727f (see anatomy overlay)  
   surgery, 734  
 Spiramycin, toxicity, 1060  
*Spirillum pulli*, 489  
 Spirochaetaceae, 960  
 Spirulina, 87, 1177  
 Spiruroid, 486, 1011f, 1023, 1195  
 Splay leg (see spraddle leg)  
 Spleen, 116, 882, 907, 973, 1043, 1173  
 Spleen necrosis virus, 934  
*Splendidofilaria*, 1193  
 Splenomegaly, 117f, 254, 907-909, 930, 1054  
   *Chlamydia* and, 990  
   differential diagnosis, 254t, 313  
 Splints, 431, 1182  
   spica-type, 1161  
 Spondylolisthesis, 734  
 Spontaneous cardiomyopathy, in broilers, 713  
 Spraddle leg, 732, 830f, 855, 1324  
 Spring-loaded nets, 1260  
 Sprouts, source of pathogens, 57  
 Sputum solvents, for *Mycobacterium*, 974  
 Squab, 821, 880, 1046  
 Squamous metaplasia, 344, 558, 850, 852, 1108, 1113  
 Squamous plaque, 655  
 St. Louis encephalitis virus (SLE), 919  
 ST-segment, 700, 704  
 STA solution, 468  
 Stains (see hematology, cytology)  
 Stamp stain, 532, 987  
 Stanazolol, 468  
*Staphylococcus*, 535, 965-967, 1187, 1232, 1281, 1309  
   Amazon foot necrosis and, 966f  
   *Chlamydia* and, 991  
   dermatitis and, 460  
   heart disease and, 715  
   ocular disease and, 685  
   peritonitis and, 772  
   spinal deformities and, 968f  
 Star gazing, 1251  
 Starling, as disease vector, 28, 872, 960, 1054, 1195  
 Starvation, effects on glucose, 234  
 Starveout, in Anseriformes, 1255  
 Steatitis, vitamin E, 855  
 Steatorrhea, 514, 846  
 Steinmann pins, 1146  
*Sternostoma tracheacolum*, in Passeriformes, 464, 575, 1026, 1195  
 Sticky chick, in ratites, 1321  
 Stifle subluxation, neonate, 831, 836f  
 Stool (see excrement)  
 Stomatis, 488  
 Strabismus, 684, 728  
 Straw feathers, 1184  
*Streptococcus*, 535, 820, 968-971  
   cardiac effects and, 715, 718  
   in Galliformes, 1232  
   in Ramphastidae, 1281  
   infection from children, 970  
   metritis and, 768  
*Streptomyces*, 978  
 Streptomycin sulfate, 468  
 Stress, 72, 394t, 850, 1257, 1323  
 Stress marks, feather, 601, 628, 633-634, 837, 846  
 Strictures, esophageal, 1113  
*Strigeid*, 1011f  
*Struthio camelus*, characteristics of, 1285  
 Struthioniformes (see ostrich, ratites)  
 Stunting, neonates, 822f, 1233  
 Stupor, 976, 1188  
 Sturnidae, 534  
 Subcutaneous edema, 1198  
 Subcutaneous fluids, 384  
 Subcutaneous injections, 388, 611  
 Suborbital diverticulum, 204f  
 Substrates, *Aspergillus* in, 1001  
 Sucralfate, 468, 857  
 Sulfa drug, 442, 1046  
 Sulfachlorpyridazine, 438, 468  
 Sulfadiazine, 468  
 Sulfamethoxale, 1187  
 Sulfur amino acids, 72  
 Sunburn, 50  
 Sunflower seeds, dietary fat, 851  
 Sunken sinus syndrome, 562c, 577, 1316  
 Superficial pectoralis muscle, 127  
 Superoxide dismutase, 112  
 Supinate, 1139  
 Supportive care, 382-416  
   air sac rupture, 409  
   air sac tube, 396, 397f  
   anemia, 398-399  
   animal bites, 412  
   blood volume, 400  
   burns, 412  
   caloric requirements, 394  
   cardiovascular system, 398, 401  
   cloacal prolapse, 404  
   coma, 411  
   conure bleeding syndrome, 404  
   corticosteroid, 389-390  
   crop flushing, 403  
   dehydration, 384t  
   diarrhea, database, 404  
   duodenal feeding tube, 403

## INDEX

- dyspnea, 408  
egg binding, 406, 407f  
egg-related peritonitis, 408  
emergency problems, 383, 398-416  
emergency quick referencing, 414t  
enteral nutrition, 345t, 394, 395t  
equipment, 415t  
fluid requirements, 383-388  
frostbite, 413  
gastrointestinal stasis, 402  
head trauma, database, 410  
heat, 398  
heavy metal, GI stasis, 403  
hemorrhage, treatment of, 399  
hepatitis, database, 405  
housing, 398  
hyperthermia, 413  
hypoglycemia, common in, 389, 410  
hysterectomy, 407, 408  
liver disease, treatment for, 405  
maintenance energy requirement (MER), 394  
metabolic scaling, example, 394t  
neurologic system, 410  
nutritional support, 390, 396, 1082  
oil, 413  
oxygen, 395t  
pancreatitis, 405  
paralysis of acute onset, 411-412  
renal failure, 408  
respiratory system, 408-410  
seizures, 410  
shock, 401  
stress maintenance, 394t  
toxins, 415  
tube feeding, 392t  
urogenital system, 406  
uterine prolapse, 407  
vascular perfusion, 401  
vomiting, 403, 404
- Supracoracoideus muscle, 1271  
Supraventricular tachycardia, 708  
SureCell, for *Chlamydia*, 992
- Surgery  
antibiotics and, 1084  
basal metabolic rate and, 1082  
bipolar forceps, 1088f, 1103  
celiotomy, 1118, 1119f  
cloacopexy, 1126f, 1127f  
considerations, 1081  
constricted digits, 1098f  
controlling hemorrhage, 1087  
crop burns, 1116f  
drapes, 1084  
egg-related peritonitis, 1131  
eye, 1100-1105  
feather cyst, 1098  
feather removal, 1083  
gastrointestinal, 1111  
ingluviotomy, 1117f  
instruments, 1085  
integument, 1097  
microsurgery, 1086, 1090, 1091f, 1097  
orchidectomy, 1131  
oviduct, 769  
patient preparation, 1082, 1094  
postoperative management, in ratites, 1094-1111  
proventriculotomy, 1121, 1122f, 1123f  
radiosurgery, 1087f, 1090, 1097  
reproductive, 1128-1131  
respiratory, 1105f  
salpingohysterectomy, 1130f  
scalpel blades, 1097  
skin incisions, 1088f, 1090, 1097  
soft tissue, 1096  
suture, 1092, 1093, 1097, 1123, 1125  
thoracic, 1107  
tissue adhesives, 1093, 1099  
toe amputation, 1134f  
trachea, 1109f, 1110f  
urophygeal gland, 1099  
vasospasm, 1089  
wing, 1099, 1133, 1136, 1154f  
wound healing, 1084f, 1085
- Surgical sexing (see gender determination)  
Suspended flights, 53  
Swallowing, and neurologic disease, 728  
Swallow, as disease vector, 1193  
Swans, 452, 742, 908, 1049, 1039, 1238, 1252, 1257  
herpesvirus in, 875, 877, 884  
lead in, 1035, 1038  
trachea in, 1107  
Swollen head syndrome, influenza virus and, 929
- Synchronization of hatch, in Galliformes, 1228  
Syncope, 706f, 712, 849, 1197  
*Syngamus*, 468, 576, 1011f, 1024t,f, 1024f, 1198, 1295c  
Synovitis, 982t, 1058  
Syringeal bulla, ducks, 1239 (see imaging)  
Syringeal foreign body, removal of, 1108  
Syrinx, 561, 1108
- T-cell, 117  
T-lymphocytes, 113, 118f  
T-wave, 700, 705  
T<sub>2</sub> intoxication, 1265  
T<sub>3</sub>, fat metabolism and, 595, 851  
T<sub>4</sub>, reproduction and molt, 851  
Tachycardia, 702, 1266  
propranolol and, 467  
with P-wave, 704  
Tachypnea, 590, 715, 1266  
Tagamet, 460  
Tags, bird identification, 51  
Tahyna virus, 919  
Tannin, 1042  
Tapeworms, 460, 466, 1021, 1194, 1215f, 1011f, 1013f, 1314t (see cestodes)  
Tarsometatarsus, 1121, 1157  
Tarsorrhaphy, 686  
Tasselfoot, in canaries, 1026, 1196  
Tattoos, bird identification, 42, 611  
Taxonomy, pigeons, 1201  
Technician, duties of, 131  
Teflon stent, 1107  
Teflon toxicity, 1047  
Tellurium, toxicity, CNS signs and, 746  
Telmintic, 465  
Temperate species, 1174, 1257  
Temperature in birds, 169, 792, 1203, 1220, 1221t  
Tendonectomy, in Anseriformes, 1269  
Tenesmus, 461, 483t  
Tensor propatagialis, 1271  
Territorial defense, 782, 1129  
Testicle  
atrophy of, 776  
color and variables, 332c, 343, 348t, 349, 755, 756, 774f, 756  
degeneration of, 774, 855  
in Galliformes, 1223  
masses of, 256  
mature, 335c  
melanistic, 332c  
neoplasia of, 774  
Testosterone, 465, 468, 637, 757, 770, 775, 776, 1175, 1211  
peritonitis and, 771  
Tetanus, 978  
Tetracycline, 447, 459, 824, 1187, 1189  
for *Chlamydia*, 993  
in toucans, 462  
in water, 439, 442  
toxicity of, 1046  
*Thelazia* and ocular disease, 686c, 683, 1023  
Theophylline, and chocolate toxicity, 1044  
Therapeutic agents of choice, 462, 1181  
Theriogenology, 748-804  
artificial incubation, 788-804  
artificial insemination, 776-777  
calcium metabolism, 753  
egg formation, structure, 750f, 753-754f  
female hormonal factors, 751-752  
female reproductive anatomy, 749 (see anatomy overlay)  
female reproductive disorders, 774-777  
male hormone factors, 757-758  
male reproductive anatomy, 755-756f  
male reproductive disorders, 774-777  
non-disease factors affecting reproduction, 777-778  
semen, 757  
Thermogradient, in brooder, 1254f  
Thermometer, 1261  
Thiabendazole, 468  
Thiaminase, fish diet, 468  
Thiamine, 73, 468, 856, 1251  
deficiency, 1292c, 705t, 706, 709  
Thiopental sodium, 1260  
Third degree AV block, 710  
Thoracic air sacs, 342 (see anatomy overlay)  
Thoracic surgery, 1107, 1198  
Thoracoabdominal cavity, fluid in, 366  
Thoracolumbar spinal cord lesion, 729  
Thrombocytes, 112, 183, 187, 196 (see hematology)  
Thymus, 118f, 372  
Thyroglobulin, 593  
Thyroid, gland, 370, 594, 1210  
stimulation testing, TSH, 468, 584  
tumors, 594, 860  
Thyroiditis, 119, 593  
Thyrototoxicosis, 596  
Thyrotropin releasing hormone, for spinal trauma, 734  
Thyroxine, 637  
Tibia, in egg laying, 753  
Tibiotarsus, 1142, 1161  
surgical approach to, 1160, 1162f  
Ticarcillin, 445, 468  
Tick (as disease vector), 916, 960, 1061-1063, 1192-1193  
Tinamous, 1285  
Tissue adhesives, 1093, 1099

- Tobacco products, toxicity, 1047  
 Tobramycin, dose, 447, 468  
 Toe  
   amputation, 1134f  
   constriction, malposition, neonate, 830-831  
   neonate, 831  
   necrosis, 1097  
   picking in Galliformes, 1233  
 Togavirus, 915, 917  
   CNS signs and, 744  
   in chicks, 825  
   in Galliformes, 1232  
   picornavirus vs, 937  
 Tomia, 484  
 Tongue, 728, 732, 743, 1173  
 Tonometry, 675  
 Tophi, 540  
 Torticollis  
   bacterial, 953f, 976  
   *Chlamydia* and, 745  
   correction of, 816f  
   in Passeriformes, 928, 1188  
   in pigeons, 881, 1216f  
   parasites and, 742  
   viral disease and, 743, 744, 881, 906, 916, 922, 930  
   vitamin E and, 855  
 Total iron binding capacity (TIBC), 236, 530  
 Total parental nutrition (TPN), 393  
 Total protein, 236  
 Toucan, 334, 459, 464, 1279, 1280-1282  
   (see *Ramphastidae*)  
   coccidia in, 468  
   liver disease in, 858  
   tetracycline in, 468  
   *Yersinia* in, 957  
 Tourniquet, 1097  
 Toxiban, 458  
 Toxicologic analysis, 1033, 1051  
 Toxin, 1030-1052  
   antifungal, 999  
   antimicrobial therapy, 442  
   automobile lubricant, 1035  
   birds vs mammals, 1033  
   brodifacoum, 1051  
   carbamate, 1051  
   carbaryl, 1050, 1051  
   carbon monoxide (CO), 1049  
   chelating agents, 1038t  
   CNS diseases and, 723  
   commonly encountered, 1032t  
   copper, 1039  
   crown vetch, 1042t  
   DDE, DDT, 1050  
   diazinon, 1050  
   dichlorvos, 1050  
   emergency treatment of, 414  
   environmental, 460  
   ethylene glycol, 1044  
   exposure, 414  
   fertility and, 786  
   flea collars, 1051  
   formaldehyde fumes, 1048  
   fungus, 1043  
   gases, in Galliformes, 1233  
   harmful foods, 1044  
   household compounds, toxic potential, 1031t, 1032t  
   iatrogenic, 1045-1047  
   in Anseriformes, 1266  
   insecticides, 1049  
   lead, blood levels, normal, 1036t  
   lead, sources of, 1034t  
   lily of the valley, 1041  
   malnourished birds and, 1033  
   mercury, 1040  
   methomyl, 1050  
   mite protector, 1051  
   mycotoxin, 1041  
   naphthalene, 1051  
   natural gas, 1049  
   natural plant, 68  
   nitrate, 1041  
   normal household compounds, 1031t, 1032  
   nutrients, effects of, 75t  
   oil, 1040  
   organochlorine, 1050  
   organophosphate, 1050  
   oxygen, prolonged exposure, 1047  
   para-dichlorobenzene, 1051  
   parathion, 1050  
   permethrin, 1050  
   pesticide vapors, 1049, 1051  
   petro-chemicals, migratory bird, 1050  
   plants, 741, 1041t  
   polytetrafluoroethylene (PTFE) gas, 1047  
   reproductive disorders and, 774  
   rodenticide, 1051  
   selenium, 1041  
   tobacco products, smoke, 1047  
   vitamin K, antidote, 1051  
   warfarin 1051  
   zinc, 1038-1039  
*Toxoplasma*, 467, 1017, 1190, 1191, 1314  
   clinical signs of, 741, 742  
 Toys, safe, unsafe, 36f  
 TPN solution, 383  
 Trachea, 567, 1107, 1221, 1238, 1295  
   bullae, 1238f  
   coiled, 1107  
   diameter, 1108  
   diverticulum, in emus, 1288, 1292c  
   in ratites, 1295c  
   mites, 970  
   obstruction, 704  
   surgery of, 1107, 1108  
   wash, 211, 221, 572  
   worms, in ratites, 1314  
 Tracheitis  
   adenovirus and, 579, 906, 1234  
   in Passeriformes, 1187  
   in ratites, hemorrhagic, 1314  
   influenza virus and, 930  
   mycoplasma and, 1054  
 Tracheobronchial syring, in Galliformes, 1221  
 Tracheotomy, 1109f  
 Tragopans, 1219  
 Training, behavior, 101-107, 1204  
   in Columbiformes, 1204  
 Tramisol, 465  
 Transfusions, neonates, 829  
 Transportation, 31, 33, 133, 136, 1208  
 Transtracheal illumination, 576  
 Trauma,  
   band injuries, 422-424  
   feather, toenail, beak injuries, 423  
   fractures, immobilization, 428  
   frostbite, 424  
   hydrocolloid dressing splints, 421f  
   injuries, management of, 422-433  
   lacerations, 422  
   medicine, 417-433, 419f  
   neuropathies, 733  
   self-mutilation, 423  
 Trematodes, 468, 576, 1194, 1232 (see flukes)  
 Tremor, 689, 740, 743, 744, 745, 906, 976, 989, 1045, 1188  
 Trephination, 1106, 1107  
*Treponema*, 961, 1232  
 Triamcinolone, 1100  
 Tribromoethanol, 1260  
*Trichobilharzia*, in geese, 1266  
*Trichomonas*, 113c, 166, 210, 344, 459, 461, 464, 486, 489, 491t, 575, 882, 915, 973, 825, 1013, 1209  
   *Candida* vs, 999  
   cytology of, 218c  
   in Columbiformes, 715, 881, 1207  
   in Passeriformes, 1190  
   in ratites, 1314  
   resistant strains of, 496  
*Trichophyton*, 625, 1005  
   in Galliformes, 1232  
   in Passeriformes, 1189  
   zoonosis, 1005  
 Trichosporonosis, 575, 1005  
 Trichostrongylus, 1011f  
 Trichothecenes (T<sub>2</sub>), 485, 489, 1044, 1265  
 Tricyclic antidepressant, 461, 462, 636  
 Trigeminal nerve (CN V), 724  
 Trigeminy, 708  
 Triglycerides, 238  
 Trimethoprim, 468, 824, 1187, 1322  
 TRIS lysozyme solution, 462  
 Trochlear nerve (CN IV), 725  
 True geese, 1239  
*Trypanosoma*, 1021, 1193  
 TSH, 468  
   stimulation test, 595, 729  
 Tube feeding, 391, 1115  
 Tubercle bacilli, 464, 468  
 Tuberculin test, false-negative results, 974  
 Tuberculosis (see *Mycobacterium*)  
   cytology of liver, 215  
   decreased A/G ratio in, 238  
   in ratites, 1309  
 Tularemia, 964  
 Tumescence, 509  
 Tumors, 251, 689, 774 (see oncology)  
   abdominal, 1133  
   granulosa cell, 770  
   in waterfowl, 1266  
   poxvirus with, 872  
   viral-induced, 936  
 Turacos, 957, 1282  
 Turkey (see Galliformes)  
   aortic rupture, 720  
   hemorrhagic enteritis, antibody, 903  
   herpesvirus, 875  
   meningoencephalitis virus in, 918  
 Twiehaus-type strains, 935  
 Twirling syndrome, in finches, 939  
 Tylosin, 449, 686, 1060  
   eggs and, 795  
   in canaries, 1187  
 Type C retrovirus, leukosis-related viruses, 931-932

## INDEX

- Type C toxin, 1263  
Tyrosine, and feather quality, 847
- Ulcer, sucralfate, 468, 851  
Ulceration, corneal, 1100
- U** Ulcerative dermatitis, 461, 462  
Ulna, 1139 (see anatomy overlay)  
surgical repair of, 1155  
Ultrasonography, 260, 325  
anechoic and, 325  
hyperechoic and, 325  
pericardial effusion and, 718  
Ultrasound, 260, 325, 697, 706f  
abdominal, 256  
for reproductive evaluation, 768  
guided biopsy, 325  
in ostriches, 1301, 1304  
soft-shelled eggs vs egg-related  
peritonitis, 325  
Ultraviolet light, 1204  
Ultraviolet Wood's lamp, 686  
Underbite, mandibular prognathism, 837  
Urates, 150, 1132  
Urea, 238, 239, 539, 542  
Ureaplasma, 1053, 1232  
Ureter, relation to ductus deferens, 756  
Uric acid (UA), 239, 539, 850, 916, 1223, 1335t  
postprandial effects of, 542  
Uricotelic, 539, 850  
Urinalysis, 150, 242, 543t, 547, 548  
bacteria and, 244  
casts and, 244  
color of, 523, 829, 845  
in Anseriformes, 242  
in ratites, 242  
osmolality of, 586  
white and red blood cells in, 244  
Urine water, 539  
Urination, in ratites, 1290  
Urodeum, 509  
Urogenital system, anatomy and  
physiology, 255-256  
Urography, 256  
Urolithiasis, 553, 914  
Uropygial gland, 169, 613-614, 784  
impaction, 644, 665, 1099, 1219  
in Columbiformes, 1202  
Uropygial teat, 1219  
Uterus, 749, 1129 (see anatomy overlay)  
contractions of, 463  
emergency treatment of prolapse, 414, 762  
flushing of, 760, 762  
increased tone of, 462  
infections, rough-shelled eggs, 773  
prolapse of, 407, 801c  
rupture, 768  
stasis and, oxytocin, 467  
Uukuniemi virus, 919  
Uveitis, 194, 673, 687, 1100  
viral diseases and, 744, 911
- Vaccination, 372, 1004, 1208  
aspergillosis and, 1004  
**V** for *Chlamydia*, 995  
for PMV-1 pigeon, 926  
in Columbiformes, 1208  
in Ramphastidae, 1281  
in ratites, 1309  
Pacheco's virus disease, 50  
*Pasteurella*, 963  
*Salmonella*, 50  
subunit, 126  
viral, 126, 939t  
Vagina, 749  
examination of, 760f  
prolapse of, 801c  
relaxation of, 462  
Vagus nerve (CN X), 706, 726  
Valgus deformity, 250, 830, 831f, 832c, 1161, 1165f  
in ratites, 1307f, 1325f  
Valvular endocarditis, 717f  
Vapor permeable (MVP) dressings, 420  
Varieties, pigeons, 1212  
Vas deferens, in Columbiformes, 1210  
Vasa Parrot, cloacal swelling, 509  
Vascular access device, 388, 1133  
Vascular clips, 1111  
Vasectomy, 777, 1178  
Vasotocin, 583, 760  
Vector leads, augmented, 701  
Vecuronium bromide, 674  
Vegetable oils, essential fatty acids, 81  
Vegetative endocarditis, 414, 716f  
Venereal disease, and mycoplasma, 1054  
in ganders, 511  
Venezuela equine encephalomyelitis, (VEE), 917  
Venous sinus, 724  
Vent  
gleet, 510  
opening, narrowing, 1125  
picking, in Galliformes, 1233  
response, and neurologic disease, 729  
sexing, 778  
Ventilation, poor, 1001  
Ventral hepatic peritoneal cavity, 346, 351  
Ventral ligament, of oviduct, 1129  
Ventricular  
arrhythmias, 708  
bigeminy, 122  
fibrillation, 1262  
hypertrophy, 710f  
premature contractions, 708, 709  
septal defect, 816  
tachycardia/atrioventricular  
dissociation, 707  
digitalis, 714  
Ventriculotomy, 1121  
Ventriculus, 345, 499, 503, 851, 1121, 1203, 1288  
aflatoxin in, 1265  
atonic, 845  
atrophy of, 940  
biopsies, 942, 1123  
erosions in, 851  
in Galliformes, 1222f  
in Passeriformes, 1173  
in ratites, 1288, 1289  
treatment of, 499, 1121  
*Veratrum californium*, 746  
Vertebrae, varying number, 726  
Vertebral fracture, radiograph, 251  
Vesicular dermatitis, with  
*Staphylococcus*, 967  
Vestibulocochlear nerve (CN VIII), 726  
Vetisulid, toxicity, 1045  
VHPC, 346 (see endoscopy, ventral  
hepatic peritoneal cavity)
- Vibramycin, 463  
Vibravenös, 462  
Vibrio, 960  
Vinyl turf-type mat, for Anseriformes, 1254  
Viral serositis, (AVS), 371, 501, 507f, 917  
ascites and, 869c  
ileus and, 918f  
pathologic changes and, 917t  
Virginia creeper, 1041  
Virus, 862-948  
Agar-gel diffusion test, 864f  
common, reference data, 939t  
complement-fixation test, 863  
control, 939-940t  
cultures, 863-865  
diagnosis of, 863, 865t  
egg-transmitted, 119  
ELISA test, 863  
HA titer, hemagglutination inhibition (HI), 864f  
identification, 863f, 864, 865  
in Anseriformes, 1267t  
in Columbiformes, 1212, 1215t  
in Galliformes, 1232t  
in Ramphastidae, 1282  
in ratites, 1303t, 1308  
interferon, for treatment, 862  
neuropathies, 743  
neutralization test, 863  
ocular, 678  
radioimmunoassay test, 863  
specific treatment for, 943t  
supportive care for, 862  
transmission, 862  
tumors, 872  
Viscera, posthepatic septum, 515  
Visceral gout, cardiac effects, 718, 914  
Visceral lymphomatosis, with REV, 934  
Visual deficits, 736, 937  
Vitamin A, 72, 82, 83, 574, 738, 852, 1250  
egg laying and, 773  
feather quality and, 846  
dyspnea and, 846  
gout and, 850  
immune response and, 849  
parental administration of, 1113  
supplements of, 1262  
toxicity of, 1046, 1047  
vitamin D<sub>3</sub> and toxicosis, 855f  
Vitamin antagonists, 68  
Vitamin B complex, 73, 469  
Vitamin B<sub>12</sub>, 72, 85, 87, 88, 461, 846  
Vitamin B<sub>6</sub>, 1298  
Vitamin C, 73, 88, 459, 857  
debilitated birds and, 852  
for viral infections, 862  
hemoglobin values and, 1251  
immune response and, 849  
in Galliformes, 1233  
required nutrient in some birds, 88  
Vitamin D, 82, 83, 588, 853  
egg binding, and, 759, 773  
toxicity of, 51  
Vitamin D<sub>3</sub>, 72, 73, 75, 587-589, 852, 1252  
egg laying and, 753  
embryo death and, 787  
dyspnea and, 846  
relation to phosphorous and calcium, 67  
sunlight, 83

- toxicity of, 829, 1046  
toxicity, in macaws, 51, 74, 592
- Vitamin E, 72, 469, 504, 855  
angel wing and, 1257  
egg binding and, 759, 849  
embryo death, 787  
malabsorption and, 845  
ocular disease and, 686  
deficiencies and, 705t, 706, 709, 784, 1298  
deficiency vs picornavirus, 937  
neurologic signs with, 848  
immune response and, 849
- Vitamin H, 82
- Vitamin K, 73, 856  
embryo death and, 787  
hemorrhage control and, 802  
antidote for, 1051  
viral therapy and, 916  
malnutrition and, 856
- Vitamin K<sub>1</sub>, 349, 389, 469
- Vitamin M, 82
- Vitamin precursors, 83
- Vitamin requirements  
in Anseriformes, 1251t  
fat-soluble, 82, 86  
in Galliformes, 1223  
in Columbiformes, 1206  
water-soluble, 856
- Vitelline diverticulum, Merkel's  
diverticulum, 506
- Vitelogenin, 237
- Vocalization  
changes in, 576, 732, 1001  
emus and, 1288  
neurologic disease and, 728
- Volvulus  
in ratites, 1292c  
mesenterialis, 508  
nodosus, 508
- Vomer bone, 559
- Vomiting, 403, 492, 905, 926, 940, 1004, 1044 (see regurgitation)  
adults and, 483  
*Candida* and, 998  
doxycycline and, 1046  
in Passeriformes, 1189  
myocardial degeneration and, 504f  
papillomas and, 887
- VPC's, 708
- Warfarin, 1051
- Warts (see papilloma)
- W** Wasting disease, with *Mycobacterium*, 973 (see neuropathic gastric dilatation)  
in Passeriformes, 1188  
with enterovirus, 938
- Water  
contamination of, 65, 860  
deprivation test, 586  
for Arctic circle waterfowl, 1257  
in Anseriformes, 1247, 1265  
in Columbiformes, 1204, 1206  
intake, variance of, 383t  
malnutrition, 860  
quality, and *C. botulinum*, 1263  
vitamins in, 57, 65
- Water bottle, 55f
- Waterfowl, 805, 850, 856, 1237, 1266 (see Anseriformes)
- Actinobacillus* in, 962  
airplane wing in, 848  
botulism and, 739, 978  
aspergillosis in, 1000, 1001  
*Candida* in, 999  
*Cryptococcus* in, 1004  
free-ranging, as disease vector, 921, 958  
bacterial disease and, 959, 960, 961, 975  
viral disease and, 872, 929, 934, 937  
gender determination in, 778  
immunosuppression in, 1265  
lead in, 1035, 1037  
migration and elevations of, 1239  
neonatal management in, 1253  
oil-contaminated, 599  
pinioning in, 1269  
restraint of, 1258, 1260f  
surgical techniques in, 1269  
tumors in, 1266  
zinc toxicosis in, 1039
- Watering techniques, 37-38
- WBC, white blood cell, count, 180, 916, 1181 (see hematology)  
formula for determining, 181t
- Weakness, 720, 732, 739, 1039, 1251, 1266
- Weaning, 101, 812, 827  
natural eating habits, 997  
regurgitation, in neonate, 827
- WEE virus, 919
- Weight, hand-weaned and adult, 818
- Weight loss  
in chicks, 824  
in free-ranging waterfowl, 1253  
zinc toxicosis and, 1039
- Wenckebach phenomenon, 710
- Wenyonella*, in Passeriformes, 1190
- West-Nil virus, 919
- Western duck sickness, 1263
- Wet chemistry, 227
- Wheat, aflatoxin, 69
- Wheezing, 887, 1001, 1197
- White lethal factor, in canary, 1184
- White muscle disease, 859
- Wild bird  
Conservation Act, 23  
harvesting, 22  
ranching, 21  
reintroduction, 22
- Wing  
balance, use of, 728  
body wrap, 429  
clipping, 38, 40f, 1224, 1225  
droop, 728, 743, 1035, 1264  
feather, 616f  
flaccid paralysis, 1044  
flapping and CNS signs, 736, 741  
slipped, 1257  
surgical approach to, 1153  
withdrawal, and neurologic disease, 728
- Winter plumage, 1239
- Wires, interfragmentary, cerclage, 1149
- Wolf-Parkinson-White syndrome, 710
- Wood chips, and fungus, 741
- Wood's lamp, ultraviolet, 696
- Wound healing, 418f, 419, 637, 1084  
sutures and, 1092
- Wright's stain, 179 (see hematology)
- Wry neck, 789
- Xanthoma, 207, 642, 665, 1099
- X** cytology of, 213, 221c  
Xanthophyll, and feather pigmentation, 846, 1177  
Xenografts, 1145  
Xylazine, 462, 709, 711, 1213  
Xylocaine gel, 510
- Yeast, 152, 436, 820, 823  
cell derivatives, 469  
in chicks, 152, 814, 823, 826
- Y** *Yersinia*, 575, 771, 957-958, 1188  
in Galliformes, 1232  
in Ramphastidae, 1281
- Yew, 1041
- Yolk (see egg)
- Yolk sac, 506, 821  
in Anseriformes, 1256  
infection of, 820  
percent body weight, 802  
removal, 1135, 1256, 1323  
retained, in ratites, 1292c, 1321  
retraction, 795
- Yolk sacculitis, bacterial, 969f, 1256  
in ratites, 1320
- Zearalenone (F2), 1265
- Z** Zinc, 72, 73, 93, 459, 513, 557, 848, 859, 1039  
feather quality and, 846  
immune response and, 849  
liver levels in Anseriformes, 1264  
new wire disease, 1038-1039  
monocytosis and, 189  
protoporphyrin levels, 1037  
serum levels in Anseriformes, 1264  
toxicosis and, 739, 1039, 1198, 1264  
vitamin A and, 853
- Zoalene (DOT) toxicosis, 504
- Zoonoses, 357, 921, 929, 955, 1061  
bacterial diseases, 964, 971, 972t  
*Chlamydia* and, 995  
fungal diseases, 1005  
viral diseases, 930
- Zovirax, 458
- Zygapophyseal joint, 734
- Zygodactyl, 1277
- Zygomycosis, 1189
- Zyloprim, 458
- Zythromax, 459
- 2-PAM, 467
- 5-fluorocytosine, 463